2025-2026 CATALOG

WISEUP®



YOUR TOOLS SELECT STATION

威士普工具
WISE
F2-13782.3STREET.2F / F4-19253.1STREET.4F GATE 29
YOUR TOOLS SELECT

YOUR TOOLS SELECT STATION

WISEUP

WISEUP

WISEUP


EUP®
F2-13782
F4-19253
T STATION
WWW.WISEUPTOOLS.COM
TEL:150 8824 8450

WISEUP
WISEUP
WISEUP
WISEUP
WISEUP
WISEUP

WISEUP

Combination Pliers

Cr-V

ITEM NO	SIZE		G.W.	CBM
010107	6"/150MM	48 / 6	12	0.024
010108	7"/175MM	48 / 6	16.5	0.025
010109	8"/200MM	48 / 6	19	0.032

Diagonal Cutting Pliers

Cr-V

ITEM NO	SIZE		G.W.	CBM
010205	6"/150MM	48 / 6	12.5	0.025
010206	8"/200MM	48 / 6	13.5	0.031

Long Nose Pliers

Cr-V

ITEM NO	SIZE		G.W.	CBM
010305	6"/150MM	48 / 6	12.5	0.02
010306	8"/200MM	48 / 6	13.5	0.024

Combination Pliers

Cr-V

ITEM NO	SIZE		G.W.	CBM
010101	6"/150MM	48 / 6	12	0.024
010102	7"/175MM	48 / 6	16.5	0.025
010103	8"/200MM	48 / 6	19	0.032

Diagonal Cutting Pliers

Cr-V

ITEM NO	SIZE		G.W.	CBM
010201	6"/150MM	48 / 6	12.5	0.025
010202	8"/200MM	48 / 6	13.5	0.031

Long Nose Pliers

Cr-V

ITEM NO	SIZE		G.W.	CBM
010301	6"/150MM	48 / 6	12.5	0.025
010302	8"/200MM	48 / 6	13.5	0.031

Combination Pliers

Nickeling

ITEM NO	SIZE		G.W.	CBM
010104	6"/150MM	72 / 6	17	0.0375
010105	7"/175MM	60 / 6	20	0.0225
010106	8"/200MM	48 / 6	18	0.026

Diagonal Cutting Pliers

Nickeling

ITEM NO	SIZE		G.W.	CBM
010203	6"/150MM	72 / 6	18	0.03
010204	8"/200MM	48 / 6	18	0.026

Long Nose Pliers

Nickeling

ITEM NO	SIZE		G.W.	CBM
010303	6"/150MM	72 / 6	15	0.023
010304	8"/200MM	48 / 6	12	0.02

Combination Pliers

Nickeling

ITEM NO	SIZE		G.W.	CBM
010601	6"/150MM	60 / 6	17.3	0.03
010602	7"/175MM	48 / 6	17.7	0.03
010603	8"/200MM	48 / 6	20.6	0.0335

Diagonal Cutting Pliers

Nickeling

ITEM NO	SIZE		G.W.	CBM
010604	6"/150MM	60 / 6	16.5	0.0335
010605	8"/200MM	48 / 6	17	0.0335

Long Nose Pliers

Nickeling

ITEM NO	SIZE		G.W.	CBM
010606	6"/150MM	60 / 6	14.6	0.032
010607	8"/200MM	48 / 6	14.3	0.024

Circlip Pliers
55#Steel

ITEM NO	SIZE		G.W.	CBM
010801	7"/175MM	96 / 12	19	0.03

Circlip Pliers
55#Steel

ITEM NO	SIZE		G.W.	CBM
010802	7"/175MM	96 / 12	19	0.03

Circlip Pliers
55#Steel

ITEM NO	SIZE		G.W.	CBM
010803	7"/175MM	96 / 12	19	0.03

Circlip Pliers
55#Steel

ITEM NO	SIZE		G.W.	CBM
010804	7"/175MM	96 / 12	19	0.03

Combination Pliers
55#Steel

ITEM NO	SIZE		G.W.	CBM
010701	4.5"/115MM	120 / 12	10	0.027

Long Nose Pliers
55#Steel

ITEM NO	SIZE		G.W.	CBM
010702	4.5"/115MM	120 / 12	9.7	0.0265

Diagonal Cutting Pliers

55#Steel

ITEM NO	SIZE		G.W.	CBM
010703	4.5"/115MM	120 / 12	9.2	0.0265

End Cutting Pliers

55#Steel

ITEM NO	SIZE		G.W.	CBM
010704	4.5"/115MM	120 / 12	8.4	0.0265

4pcs Circlip Pliers Set

55#Steel

ITEM NO	SIZE		G.W.	CBM
012003	7"/175MM	24 / 12	19	0.035

4pcs Mini Pliers Set

55#Steel

ITEM NO	SIZE		G.W.	CBM
012005	4.5"/115MM	48 / 6	19.5	0.053

3pcs Plier Set

55#Steel

ITEM NO	SIZE		G.W.	CBM
012001	6" / 6" / 8"	24 / 6	20.5	0.049

Household Scissors

Sk-5

ITEM NO	SIZE		G.W.	CBM
020101	215MM	90 / 18	25	0.065

Stainless Scissors

Sk-5

ITEM NO	SIZE		G.W.	CBM
020104	8"/195MM	144 / 12	19.5	0.066

Stainless Scissors

Sk-5

ITEM NO	SIZE		G.W.	CBM
020105	8.5"/215MM	144 / 12	15.5	0.051

Stainless Electrician Scissors

30cr13
Stainless Steel

ITEM NO	SIZE		G.W.	CBM
020106	5.5"/140MM	120 / 12	11.5	0.055

Hawk Mouth Pipe Wrench

Cr-V

ITEM NO	SIZE		G.W.	CBM
012502	1"/25MM	36 / 1	25.4	0.0294
012503	1-1/2"/38MM	24 / 1	27	0.0341
012504	2"/50MM	12 / 1	20.8	0.0287
012505	3"/75MM	6 / 1	15.8	0.024

Water Pump Pliers

Cr-V

ITEM NO	SIZE		G.W.	CBM
011001	7"/180MM	60 / 6	15.7	0.012
011002	10"/250MM	60 / 6	17.7	0.025
011003	12"/300MM	36 / 6	23.2	0.025

Water Pump Pliers

Cr-V

ITEM NO	SIZE		G.W.	CBM
011004	10"/250MM	36 / 6	21	0.016

Water Pump Pliers

Cr-V

ITEM NO	SIZE		G.W.	CBM
011006	10"/250MM	48 / 6	20	0.025
011007	12"/300MM	36 / 6	21.7	0.028

Slip Joint Plier

Cr-V

ITEM NO	SIZE		G.W.	CBM
011101	6"/150MM	60 / 6	13	0.03
011102	8"/200MM	60 / 6	20	0.039

Punch Plier

Iron

SIZE:2MM 2.5MM 3MM 3.5MM 4MM 4.5MM

ITEM NO	SIZE		G.W.	CBM
011501	9"/230MM	24 / 6	11.3	0.023

Punch Plier

Iron

SIZE:2MM 2.5MM 3MM 3.5MM 4MM 4.5MM

ITEM NO	SIZE		G.W.	CBM
011502	2-4.5MM	24 / 6	11.3	0.028

End Cutting Pliers

Cr-V

ITEM NO	SIZE		G.W.	CBM
011401	6"/150MM	60 / 6	18	0.021
011402	7"/175MM	60 / 6	19	0.023
011403	8"/200MM	60 / 6	21	0.035

Tower Pincer

Cr-V

ITEM NO	SIZE		G.W.	CBM
011301	8"/200MM	60 / 6	21.5	0.031
011302	9"/225MM	60 / 6	23.5	0.033

Locking Pliers

Cr-Mo

ITEM NO	SIZE		G.W.	CBM
010901	5"/125MM	72 / 6	12.8	0.017
010902	7"/175MM	48 / 6	18.4	0.02
010903	10"/250MM	36 / 6	20	0.024

C-type Locking Pliers

Cr-V

ITEM NO	SIZE		G.W.	CBM
010904	11"/275MM	12 / 2	10.8	0.021
010905	14"/350MM	12 / 2	12.9	0.0265

Long Nose Locking Plier

Cr-V

ITEM NO	SIZE		G.W.	CBM
010907	9"/225MM	60 / 6	18	0.023

Sheet Metal Locking Plier

Cr-V

ITEM NO	SIZE		G.W.	CBM
010908	8"/200MM	24 / 3	20	0.036

Welding Locking Plier

Cr-V

ITEM NO	SIZE		G.W.	CBM
010911	10"/250MM	24 / 2	18	0.049

Chain Type Locking Plier

Cr-V

ITEM NO	SIZE		G.W.	CBM
010912	10"/250MM	24 / 6	14	0.036

Aviation Snips S

Cr-V

ITEM NO	SIZE		G.W.	CBM
020301	10"/250MM	36 / 6	16	0.04
020304	12"/300MM	36 / 6	18	0.042

Aviation Snips L

Cr-V

ITEM NO	SIZE		G.W.	CBM
020302	10"/250MM	36 / 6	15.5	0.04

Aviation Snips R

Cr-V

ITEM NO	SIZE		G.W.	CBM
020303	10"/250MM	36 / 6	15.5	0.04

Multifunctional Scissors

Cr-V

ITEM NO	SIZE		G.W.	CBM
020102	9"/230MM	72 / 12	20.7	0.037

Multifunctional Scissors

Cr-V

ITEM NO	SIZE		G.W.	CBM
020103	9"/230MM	72 / 12	20.7	0.037

Tin Cutter

CR-V

ITEM NO	SIZE		G.W.	CBM
020401	8"/200MM	48 / 6	16.3	0.033
020402	10"/250MM	36 / 6	21	0.03
020403	12"/300MM	36 / 6	25	0.034

Tin Cutter

CR-V

ITEM NO	SIZE		G.W.	CBM
020405	10"/250MM	36 / 6	24	0.03
020406	12"/300MM	36 / 6	27	0.045
020407	8"/200MM	48 / 6	16.7	0.03

Mini Bolt Cutter

Cr-V

ITEM NO	SIZE		G.W.	CBM
011900	8"/200MM	60 / 10	20	0.038

Bolt Cutter

Cr-Mo

ITEM NO	SIZE		G.W.	CBM
011918	18"/450MM	12 / 1	18.6	0.031
011924	24"/600MM	8 / 1	20.5	0.0365
011930	30"/750MM	5 / 1	20	0.032
011936	36"/900MM	4 / 1	22.5	0.0325
011942	42"/1050MM	3 / 1	25.2	0.042
011948	48"/1200MM	2 / 1	20	0.027

Adjustable Wrench

45Steel

ITEM NO	SIZE		G.W.	CBM
030108	8"/200MM	60 / 6	19.5	0.015
030109	10"/250MM	48 / 6	25	0.02
030110	12"/300MM	24 / 6	19	0.017

Adjustable Wrench

45Steel

ITEM NO	SIZE		G.W.	CBM
030102	8"/200MM	60 / 6	16	0.012
030103	10"/250MM	48 / 6	22	0.016
030104	12"/300MM	24 / 6	17	0.015
030105	15"/375MM	16 / 4	21	0.017

Heavy Duty Pipe Wrench

Iron

ITEM NO	SIZE		G.W.	CBM
011608	8"/200MM	60 / 6	24	0.017
011610	10"/250MM	48 / 6	32	0.02
011612	12"/300MM	36 / 6	33	0.019
011614	14"/350MM	24 / 6	29.5	0.02
011618	18"/450MM	16 / 4	30.5	0.02
011624	24"/600MM	10 / 2	29	0.021
011636	36"/900MM	6 / 2	31	0.027

Combination Spanner Set

Cr-V

8PCS:6.8.10.12.14.17.19.22MM
10PCS:8.10.12.13.14.15.17.19.22.24MM
12PCS:6.8.10.12.14.17.19.22.24.27.30.32MM
14PCS:6.7.8.9.10.11.12.13.14.15.17.19.22.24MM

ITEM NO	SIZE		G.W.	CBM
030602	8PCS	20	19	0.029
030603	10PCS	10	14.5	0.021
030604	12PCS	10	28.5	0.032
030605	14PCS	10	16.5	0.027

Offset Ring Spanner Set

Cr-V

(6-22) 6*7MM/8*9MM/10*11MM/12*13MM
14*15MM/16*17MM/18*19MM/20*22MM

ITEM NO	SIZE		G.W.	CBM
030608	8PCS	20	21.5	0.038

Double Open Spanner Set

Cr-V

(6-22)6*7MM 8*9MM 10*11MM 12*13MM
14*15MM 16*17MM 18*19MM 20*22MM

ITEM NO	SIZE		G.W.	CBM
030614	8PCS	20	17.3	0.023

Combination Spanner Set

Cr-V

6PCS:6/8/10/12/14/17MM
8PCS:6/8/10/12/14/17/19/22MM
10PCS:8/10/12/13/14/15/17/19/22/24MM

ITEM NO	SIZE		G.W.	CBM
030618	6PCS	30 / 5	14	0.043
030619	8PCS	20 / 5	18.5	0.044
030620	10PCS	10 / 5	14	0.031

Offset Ring Spanner Set

Cr-V

(6-22)6*7MM / 8*9MM / 10*11MM / 12*13MM
14*15MM / 16*17MM / 18*19MM / 20*22MM

ITEM NO	SIZE		G.W.	CBM
030622	8PCS	20 / 5	20.5	0.05

Double Open Spanner Set

Cr-V

(6-22)6*7MM / 8*9MM / 10*11MM / 12*13MM
14*15MM / 16*17MM / 18*19MM / 20*22MM

ITEM NO	SIZE		G.W.	CBM
030625	8PCS	20 / 5	17	0.036

Double Open End Spanner

Cr-V

ITEM NO	030306	030308	030301	030309	030310	030302	030312	030303	030313	030304	030314	030305
SIZE	6*7MM	8*9MM	8*10MM	9*11MM	10*11MM	10*12MM	12*13MM	12*14MM	13*15MM	13*16MM	14*15MM	14*17MM
	300 / 10	300 / 10	300 / 10	300 / 10	300 / 10	250 / 10	250 / 10	250 / 10	250 / 10	250 / 10	250 / 10	150 / 10
G.W.	6.4	10	11.5	11.5	12.7	13.5	14.5	19	16.1	20	18.3	15
CBM	0.0085	0.01	0.008	0.011	0.0113	0.01	0.0123	0.013	0.013	0.013	0.014	0.01

ITEM NO	030316	030307	030317	030318	030319	030320	030321	030322	030324	030325	030327	030330	030332
SIZE	16*17MM	16*18MM	17*19MM	18*19MM	19*22MM	20*22MM	21*23MM	22*24MM	24*27MM	25*28MM	27*30MM	30*32MM	32*36MM
	150 / 10	150 / 10	100 / 10	100 / 10	100 / 10	100 / 10	60 / 10	60 / 10	60 / 5	30 / 5	30 / 5	30 / 5	30 / 5
G.W.	21.4	17.5	14.6	11.3	13.2	14.5	17.5	14.9	18.7	11.6	15	17.6	26
CBM	0.016	0.012	0.0143	0.0111	0.014	0.014	0.016	0.015	0.017	0.013	0.017	0.017	0.02

Offset Ring Spanner

Cr-V Bend 45°

ITEM NO	030406	030407	030408	030409	030410	030411	030412	030401	030413	030402	030414	030415
SIZE	6*7MM	8*10MM	8*9MM	9*11MM	10*11MM	10*12MM	12*13MM	12*14MM	13*15MM	13*16MM	14*15MM	14*17MM
	300 / 10	300 / 10	300 / 10	300 / 10	200 / 10	300 / 10	200 / 10	150 / 10	150 / 10	150 / 10	150 / 5	150 / 5
G.W.	15.5	13.5	20.5	17.5	18.5	16	27.5	13	15	14	25.5	19.5
CBM	0.015	0.01	0.019	0.015	0.017	0.015	0.024	0.01	0.01	0.01	0.018	0.016

ITEM NO	030416	030403	030417	030418	030419	030420	030421	030422	030424	030425	030427	030430	030432
SIZE	16*17MM	16*18MM	17*19MM	18*19MM	19*22MM	20*22MM	21*23MM	22*24MM	24*27MM	25*28MM	27*30MM	30*32MM	32*36MM
	100 / 5	150 / 5	150 / 5	100 / 5	60 / 5	60 / 5	60 / 5	60 / 5	30 / 5	30 / 5	30 / 5	30 / 5	30 / 5
G.W.	21	21	27.5	31	15.5	23	28	17	14.5	17.5	17	20.5	22
CBM	0.02	0.016	0.021	0.026	0.012	0.02	0.022	0.014	0.011	0.017	0.015	0.017	0.017

Combination Spanner

Cr-V

ITEM NO	030206	030208	030209	030210	030211	030212	030213	030214	030215	030216
SIZE	6MM	8MM	9MM	10MM	11MM	12MM	13MM	14MM	15MM	16MM
	300 / 10	300 / 10	300 / 10	300 / 10	300 / 10	250 / 10	250 / 10	250 / 10	150 / 10	100 / 10
G.W.	6.4	10	11.5	12.7	14.5	16.1	18.3	21.4	14.6	11.3
CBM	0.0085	0.01	0.011	0.0113	0.0123	0.013	0.014	0.016	0.0143	0.0111

ITEM NO	030217	030218	030219	030221	030222	030224	030227	030230	030232	030236
SIZE	17MM	18MM	19MM	21MM	22MM	24MM	27MM	30MM	32MM	36MM
	100 / 10	100 / 10	100 / 10	60 / 10	60 / 10	60 / 10	30 / 5	30 / 5	30 / 5	30 / 5
G.W.	13.2	14.5	17.5	13.2	14.9	18.7	11.6	15	17.6	26
CBM	0.014	0.014	0.016	0.015	0.015	0.017	0.012	0.017	0.017	0.02

Combination Spanner

Cr-V

ITEM NO	030240	030241	030242	030243	030244	030245	030246	030247	030248	030249
SIZE	8MM	9MM	10MM	11MM	12MM	13MM	14MM	15MM	16MM	17MM
	300 / 10	300 / 10	300 / 10	250 / 10	250 / 10	200 / 10	200 / 10	100 / 10	100 / 10	100 / 10
G.W.	11.4	12.6	18.3	16.7	21	24	25	14	16.2	17.6
CBM	0.015	0.015	0.015	0.018	0.018	0.0185	0.0185	0.016	0.016	0.016

ITEM NO	030250	030251	030252	030253	030254	030255	030256	030257	030258	030259	030260
SIZE	18MM	19MM	21MM	22MM	24MM	25MM	26MM	27MM	28MM	30MM	32MM
	100 / 10	100 / 10	60 / 10	60 / 10	60 / 10	40 / 10	40 / 10	40 / 10	32 / 8	32 / 8	24 / 6
G.W.	20.4	23	18	20	24.4	20	21	22	20	21	20
CBM	0.02	0.02	0.019	0.019	0.024	0.017	0.017	0.017	0.018	0.018	0.018

Ratchet Combination Spanner

Cr-V

ITEM NO	031306	031307	031308	031309	031310	031311	031312	031313	031314	031315	031316	031317
SIZE	6MM	7MM	8MM	9MM	10MM	11MM	12MM	13MM	14MM	15MM	16MM	17MM
	240	240	240	240	240	240	200	200	150	150	120	120
G.W.	7.5	9.5	10	12.5	15.5	18.4	17.3	19.8	17.8	22.5	19.5	22.5
CBM	0.006	0.006	0.006	0.011	0.011	0.011	0.012	0.012	0.013	0.013	0.014	0.017

ITEM NO	031318	031319	031320	031321	031322	031323	031324	031325	031326	031327	031328	031329
SIZE	18MM	19MM	20MM	21MM	22MM	23MM	24MM	25MM	26MM	27MM	28MM	29MM
	100	100	80	80	80	50	50	50	40	40	30	30
G.W.	21.8	24	29.5	29.5	29.5	26.8	26.8	26.8	26.5	26.5	26	26
CBM	0.015	0.017	0.021	0.021	0.021	0.018	0.018	0.018	0.018	0.018	0.017	0.017

Ratchet Combination Spanner

Cr-V

ITEM NO	030706	030707	030708	030709	030710	030711	030712	030713	030714	030715	030716	030717
SIZE	6MM	7MM	8MM	9MM	10MM	11MM	12MM	13MM	14MM	15MM	16MM	17MM
	240	240	240	240	240	240	200	200	150	150	120	120
G.W.	7.5	9.5	10	12.5	15.5	18.4	17.3	19.8	17.8	22.5	19.5	22.5
CBM	0.006	0.006	0.006	0.011	0.011	0.011	0.012	0.012	0.013	0.013	0.014	0.017

ITEM NO	030718	030719	030720	030721	030722	030723	030724	030725	030726	030727	030728	030729
SIZE	18MM	19MM	20MM	21MM	22MM	23MM	24MM	25MM	26MM	27MM	28MM	29MM
	100	100	80	80	80	50	50	50	40	40	30	30
G.W.	21.8	24	29.5	29.5	29.5	26.8	26.8	26.8	26.5	26.5	26	26
CBM	0.015	0.017	0.021	0.021	0.021	0.018	0.018	0.018	0.018	0.018	0.017	0.017

1/2"deep Socket

Cr-V

ITEM NO	032408	032409	032410	032411	032412	032413	032414	032415
SIZE	8MM	9MM	10MM	11MM	12MM	13MM	14MM	15MM
	216	216	216	216	216	216	216	216
G.W.	23.6	23.5	23.5	23.5	24.6	26.5	25.8	23.6
CBM	0.0135	0.0135	0.0135	0.0135	0.0135	0.0135	0.0135	0.0135

ITEM NO	032416	031217	031218	032419	032420	032421	032422	032430	032432
SIZE	16MM	17MM	18MM	19MM	20MM	21MM	22MM	30MM	32MM
	216	180	120	120	120	120	96	60	48
G.W.	20.9	26	16.5	16.8	21.2	23.8	21.9	23	23.3
CBM	0.0135	0.0135	0.0135	0.0135	0.0135	0.0135	0.0135	0.0135	0.0135

1/2"short Socket

Cr-V

ITEM NO	031208	031209	031210	031211	031212	031213	031214	031215	031216	031217
SIZE	8MM	9MM	10MM	11MM	12MM	13MM	14MM	15MM	16MM	17MM
	400	400	400	400	400	400	400	400	400	300
G.W.	23.1	22.8	23.5	23	24.7	24	23.5	22.3	21	21
CBM	0.013	0.013	0.013	0.013	0.013	0.013	0.013	0.013	0.013	0.013

ITEM NO	031218	030219	031220	031221	031222	031223	031224	031227	031230	031232
SIZE	18MM	19MM	20MM	21MM	22MM	23MM	24MM	27MM	30MM	32MM
	240	240	240	240	200	180	180	120	120	80
G.W.	18.5	17.6	20	18.8	20	19.5	19.6	16.6	24.4	17.5
CBM	0.013	0.013	0.013	0.013	0.013	0.013	0.013	0.013	0.013	0.013

L Type Wrench With Hole

Cr-V

ITEM NO	031906	031907	031908	031909	031910	031911	031912	031913	031914
SIZE	6MM	7MM	8MM	9MM	10MM	11MM	12MM	13MM	14MM
	400 / 100	400 / 100	360 / 90	280 / 70	216 / 54	192 / 48	168 / 42	144 / 36	100 / 25
G.W.	19.5	19.8	19.5	26	21	17	20.5	24	20
CBM	0.011	0.011	0.011	0.0124	0.0124	0.013	0.013	0.0123	0.0123

ITEM NO	031915	031916	031917	031918	031919	031920	031921	031922	031923	031924
SIZE	15MM	16MM	17MM	18MM	19MM	20MM	21MM	22MM	23MM	24MM
	80 / 20	72 / 18	64 / 16	48 / 12	48 / 12	48 / 12	40 / 10	40 / 10	32 / 8	32 / 8
G.W.	20	20	19.5	20	19	24	22	24	23	25
CBM	0.0123	0.0156	0.0123	0.0123	0.0123	0.016	0.016	0.016	0.016	0.0178

Extension Bar

Cr-V

ITEM NO	SIZE		G.W.	CBM
031802	5"/75MM	96 / 48	20.6	0.03
031803	10"/250MM	48 / 24	25.6	0.015

L Handle Wrench

Cr-V

ITEM NO	SIZE		G.W.	CBM
030901	10"/250MM	48 / 24	22	0.023
030902	12"/300MM	48 / 24	25.6	0.024

Sliding Bar

Cr-V

ITEM NO	SIZE		G.W.	CBM
032001	10"/250MM	48 / 24	17.3	0.022

4pcs 1/2" Socket Wrench

Cr-V

ITEM NO	SIZE		G.W.	CBM
030501	4PCS	12 / 6	17.7	0.02

4pcs 1/2" Socket Wrench

Cr-V

ITEM NO	SIZE		G.W.	CBM
030502	4PCS	12 / 6	14.3	0.019

3pcs 1/2" Socket Wrench

Cr-V

ITEM NO	SIZE		G.W.	CBM
030503	3PCS	20 / 10	21	0.035

3pcs 1/2" Socket Wrench

Cr-V

ITEM NO	SIZE		G.W.	CBM
030504	3PCS	20 / 10	16	0.035

Spark Plug Wrench

Cr-V

ITEM NO	SIZE		G.W.	CBM
061601	14MM	50	10.6	0.0153
061602	16MM	48 / 12	13.7	0.044
061603	21MM	48 / 12	15.4	0.044

Ring Slogging Wrench

Cr-V

ITEM NO	SIZE		G.W.	CBM
031132	32MM	40	18	0.01
031136	36MM	20	12	0.006
031141	41MM	20	15.5	0.008
031146	46MM	20	19.8	0.011
031150	50MM	12	14.8	0.008

Gear Socket Wrench

Cr-V

ITEM NO	SIZE		G.W.	CBM
031410	19*21MM	40 / 10	22	0.046
031411	21*23MM	40 / 10	23	0.047

Ratchet Wrench

Cr-V

ITEM NO	SIZE		G.W.	CBM
031401	1/2"-12.5MM	24 / 4	15.5	0.018

Universal Wrench

55#Steel

23-32MM 9-14MM 15-22MM

ITEM NO	SIZE		G.W.	CBM
031601	2PCS	24 / 12	17	0.03

T-type Wrench

Cr-V

ITEM NO	SIZE		G.W.	CBM
032108	8MM	100 / 25	28.5	0.05
032110	10MM	100 / 25	29	0.05
032112	12MM	100 / 25	31.5	0.05
032114	14MM	100 / 25	32.5	0.05

Y-type Wrench

Cr-V

ITEM NO	SIZE		G.W.	CBM
032212	8*10*12	80 / 20	24	0.06
032214	10*12*14	80 / 20	27.5	0.06

Cross Wrench

Cr-V

ITEM NO	SIZE		G.W.	CBM
063001	14"/350MM	10 / 1	12.7	0.017

Cross Wrench

Cr-V

ITEM NO	SIZE		G.W.	CBM
063008	18"/450MM	10 / 1	16.4	0.027

Strap Pipe Wrench

Cr-V

ITEM NO	SIZE		G.W.	CBM
063201	9"/225MM	60 / 6	12	0.052

Chain Pipe Wrench

Cr-V

ITEM NO	SIZE		G.W.	CBM
063202	9"/225MM	60 / 6	12	0.051

WISEUP®

2025-CATALOG

YOUR TOOLS SELECT STATION

RoHS CE FDA

1/2" Torque Wrench

Cr-V

23-32MM 9-14MM 15-22MM

ITEM NO	SIZE		G.W.	CBM
031501	1/2" 0-300N	20 / 1	18	0.029

Ratchet Wrench Set

Cr-V

8MM / 10MM / 12MM / 13MM
14MM / 17MM / 19MM

ITEM NO	SIZE		G.W.	CBM
031301	7PCS	20 / 5	20.5	0.04

Ratchet Wrench Set

Cr-V

8MM / 10MM / 12MM / 13MM
14MM / 17MM / 19MM

ITEM NO	SIZE		G.W.	CBM
031302	7PCS	20 / 5	22.5	0.04

Adjust Angle Wrench

Cr-V

4" 5" 6" 7" 9"

ITEM NO	SIZE		G.W.	CBM
180125	ADJUSTABLE	120	19	0.051

S Type Double Ring Spanner

Cr-V

10X11MM 12X13MM 14X15MM 16X17MM 18X19MM

ITEM NO	SIZE		G.W.	CBM
030627	5PCS	30 / 10	18	0.031

C Type Double Ring Spanner

Cr-V

8X10MM 11X13MM 14X15MM 17X19MM 21X22MM

ITEM NO	SIZE		G.W.	CBM
030628	5PCS	30 / 10	18	0.031

10pcs 1/2"socket Set

Cr-V

9PCS 1/2"DR.SOCKETS 10,12,13,14,16,17,19,22,24MM
1PC 1/2"DR.L TYPE WRENCH

ITEM NO	SIZE		G.W.	CBM
070206	1/2"	20 / 1	25.1	0.027

6pcs L Type Wrench With Hole

Cr-V

8-10-12-13-17-19MM

ITEM NO	SIZE		G.W.	CBM
031952	6PCS	10 / 1	14.4	0.0318

9pcs L Type Wrench With Hole

Cr-V

8-9-10-11-12-13-14-17-19MM

ITEM NO	SIZE		G.W.	CBM
031954	9PCS	8 / 2	15.8	0.042

16pcs 1/2"socket Set

Cr-V

10-11-12-13-14-15-16-17-18-19-20-21-22-24MM

ITEM NO	SIZE		G.W.	CBM
070204	1/2"	12 / 6	24.5	0.029

12pcs 1/2" Socket Set

Cr-V

10-11-12-13-14-15-17-19-22-24MM

ITEM NO	SIZE		G.W.	CBM
070205	1/2"	16 / 4	25.2	0.054

40pcs Screwdriver Bit Set

Cr-V

SHORT BITS:
TORX:T20,T25,T30,T40,T45,T50,T55
HEX:H4,H5,H6,H7,H8,H10,H12
SPLINE:M5,M6,M8,M10,M12

LONG BITS: ADAPTERS:1/2"&3/8"
SPLINE:M5,M6,M8,M10,M12
HEX:H4,H5,H6,H7,H8,H10,H12
TORX:T20,T25,T30,T40,T45,T50,T55

ITEM NO	SIZE		G.W.	CBM
090503	40PCS	12 / 1	20.2	0.025

21pcs 3/4"socket Set

4" Extension Rod 8" Extension Rod
18" Sliding Rod
Round Head Ratchet

Attachment: 19MM 21MM 22MM 23MM 24MM 26MM 27MM 30MM 32MM 34MM 36MM 38MM 41MM 46MM 48MM 50MM

ITEM NO	SIZE		G.W.	CBM
070221	3/4" 21PCS	1	16.1	0.04

15pcs 3/4"socket Set

18" Sliding Rod
Round Head Ratchet

4" Extension Rod
8" Extension Rod

Attachment: 22mm 24mm 27mm 30mm 32mm 36mm 38mm 41mm 46mm 50mm

ITEM NO	SIZE		G.W.	CBM
070215	3/4" 15PCS	1	12.2	0.04

26pcs 3/4"socket Set

ATTACHMENT 8-INCH PERFORATED CONNECTING ROD
GREAT TRANSFORMATION SQUARE 20 INCH SLIDER (SLIDER)
SHORT BENDING ROD FORCE LEVER PEAR HEAD RATCHET

21MM 22MM 23MM 24MM 26MM 27MM 28MM 29MM 30MM 31MM 32MM 34MM 36MM 38MM 41MM 46MM 50MM 55MM 60MM 65MM

ITEM NO	SIZE		G.W.	CBM
070226	3/4" 26PCS	1	17.7	0.024

24pcs 1/2"socket Set

Cr-V

1/2"DR 24PCS SOCKET SET
18-6PT SOCKET 10-11-12-13-14-15-16
17-18-19-20-21-22-23-24-27-30-32MM
2-EXTENSION BAR 5"-10"
1-SLIDING BAR 10"
1-SPARK PLUG 21MM
1-UNIVERSAL JOINT
1-RATCHET HANDLE 24T

ITEM NO	SIZE		G.W.	CBM
070201	1/2"	5 / 1	24.5	0.031

35pcs 3/4"impact Socket Set

PNEUMATIC SHORT SLEEVE 10MM 12MM 13MM 14MM 15MM 16MM 17MM 18MM 19MM 21MM 22MM 24MM 27MM 30MM 32MM
PNEUMATIC LONG SLEEVE 8MM 9MM 10MM 11MM 12MM 13MM 14MM 16MM 17MM 18MM 19MM 20MM 21MM 22MM 23MM 24MM

ITEM NO	SIZE		G.W.	CBM
070235	1/2" 35PCS	3 / 1	24	0.03

9pcs Ratchet Die Stocks

Cr-V

1/4" 3/8" 1/2" 3/4" 1" 1-1/4"

ITEM NO	SIZE		G.W.	CBM
101701	9PCS	2 / 1	12.5	0.023

32PCS 1/2" Socket Set

19PCS 1/2"socket:8.9.10.11.12.13.14.15.16.17.
18.19.20.21.22.24.27.30.32mm
6PCS 1/2"12PT Socket:10.12.14.15.17.19mm
2PCS 1/2"Spark plug socket:16mm.21mm
2PCS 1/2"Extension bar:125mm.250mm
1PC 1/2"3 way Adaptor 1PC 1/2"Universal Joint
1PC 1/2"72T Ratchet Handle

ITEM NO	SIZE		G.W.	CBM
070232	32PCS	6 / 1	24.8	0.038

76PCS 1/4"&1/2" Socket Set

12PCS 1/4"Socket:4.4.5.5.5.5.6.7.8.9.10.11.12.13mm
5PCS 1/4"Deep Socket:9.10.11.12.13mm 1PC 1/4"Extension Bra 100mm
1PC 1/4"Universal Joint 1PC 1/4"Spinner Handle 150mm 1PC 1/4"Bits Holder
13PCS 1/2"Socket:10.11.12.13.14.15.17.19.22.24.27.30.32mm
2PCS 1/2"Spark plug socket:16mm .21mm 2PCS 1/2"Extension Bra:125mm.250mm
1PC 1/2"Universal Joint 1PC 1/2"3 Way Adaptor 1PC 1/2"72T Ratchet Handle
1PC 7"Combination pliers 1PC 10"D4 type groove joint pliers
1PC 400g Machinist Hammer 3PCS Hex key set:1.5.2.2.5mm
5PCS Screwdriver:PH2X38.SL6X38.PH2X100.SL6X100.PH2X150mm
8PCS Spanners:10.11.12.13.14.15.17.19mm 1PC 1/4"72T Ratchet Handle
14PCS Bits 25mmL:H3.4.5.6.SL4.5.5.6.5.T10.15.20.25.30.PH1.2.3

ITEM NO	SIZE		G.W.	CBM
070276	76PCS	3 / 1	23	0.04

94PCS 1/4"&1/2" Socket set

13PCS 1/4"Socket:4.4.5.5.5.5.6.7.8.9.10.11.12.13.14mm
8PCS 1/4"Deep Socket:6.7.8.9.10.11.12.13mm 5PCS 1/4"E-type Sockets:E4.5.6.7.8mm
2PCS 1/4"Extension Bar:50mm,100mm 1PC 1/4"Spinner Handle 150mm
1PC 1/4"Universal Joint 1PC 1/4"Sliding Bar 115mm 1PC 1/4"72T Ratchet Handle
17PCS Bits Socket:H3.4.5.6,PH1.2.PZ1.2.T8.10.15.20.25.30.SL4.5.5.7
18PCS 1/2"Socket:10.11.12.13.14.15.16.17.18.19.20.21.22.23.24.27.30.32mm
4PCS 1/2"Deep Socket:14.15.17.19mm 2PCS 1/2"Extension bar 125mm .250mm
2PCS 1/2"Spark plug socket 16mm .21mm 1PC 1/2"Universal join
1PC 1/2"3 Way adaptor 1PC 1/2"Bits Holder5/16" 1PC 1/2"72T Ratchet Handle
3PCS Hexk ey wrench:1.5.2.2.5mm HEX8.10.12.14
15PCS Bits H8x30mmL:SL8.10.12.PZ3.PZ4.PH3.PH4.TX40.45.50.55.

ITEM NO	SIZE		G.W.	CBM
070294	94PCS	4 / 1	25	0.04

142PCS 1/4"3/8"&1/2" Socket Set

9PCS 1/4"Socket:4.4.5.5.5.5.6.7.8.9.10mm 5PCS 1/4"E-type Socket:E4.5.6.7.8mm 3PCS 1/4"Extension Bra:50mm.100mm.150mm
1PC 1/4"Universal Joint 1PC 1/4"Flexible Handle Bar 150mm 1PC 1/4"Spinner Handle 150mm 1PC 1/4"72T Ratchet Handle
15PCS 3/8"Socket:6.7.8.9.10.11.12.13.14.15.16.17.18.19.21mm 5PCS 3/8"E-type Socket:E10.12.14.16.20mm
2PCS 3/8"Extension Bra:75mm.150mm 1PC 3/8"Universal Joint 1PC 3/8"72T Full Polished&Flexible Desigh
19PCS 1/2"Socket:8.10.11.12.13.14.15.16.17.18.19.20.21.22.23.24.27.30.32mm 2PCS 1/2"Spark plug socket:16mm .21mm
2PCS 1/2"Extension Bra:75mm.250mm 1PC 1/2"Universal Joint 1PC 1/2"3 Way Adaptor 1PC 1/2"L Tepe wrench250mm
1PC 1/2"Bits Holder 5/16" 1PC 1/2"Flexible Handle18" 1PC 1/2"72T Ratchet Handle 1PC 10"Locking Plier
1PC 7"Combination pliers 1PC 400g Machinist Hammer 2PCS Adaptor3/8"Fx1/2"M.3/8"FX1/4"M
5PCS Mirror Flare nut Wrench:8x10mm.9x11mm.10x12mm.13x14mm.17x19mm
6PCS Screwdriver:PH2X38.SL6X38.PH2X100.SL6X100.PH2X150.SL6X150mm
10PCS Hexkey wrench:2.5.3.4.5.6.7.8.10.12.14mm
16PCS Combination Spanners:6.7.8.9.10.11.12.13.14.15.16.17.18.19.21.22mm
26PCS Bits H8x30mmL:T10.15.20.25.27.30.35.40.45.50.55.H5.5.5.6.6.5.7.8.10.12 SL6.6.5.8.PZ3.4.PH3.4

ITEM NO	SIZE		G.W.	CBM
070208	142PCS	2 / 1	22	0.044

219PCS 3/8"&1/4"&1/2" Socket set

13PCS 1/4"Socket:4.4.5.5.5.5.6.7.8.9.10.11.12.13.14mm 7PCS 1/4"Deep Socket:4.5.6.7.8.9.10mm 5PCS 1/4"E-type Sockets:E4.5.6.7.8mm
2PCS 1/4"Extension Bar:50mm,100mm 1PC 1/4"Spinner Handle 150mm 1PC 1/4"Sliding Bar 115mm 1PC 1/4"Universal Joint
1PC 1/4"Bits holder 1PC 1/4"72T Ratchet Handle 1PC 1/4"Screwdriver Handle 1/4"CR-V,Chrome plated
30PCS Bits Socket:TX8.9.10.15.20.25.27.30.40.TT8.9.10.15.20.25.27.30 PZ1.2.3.PH1.2.3.SL4.5.5.7.HEX3.4.5.6
10PCS 3/8"Socket:10.11.12.13.14.15.16.17.18.19mm 6PCS 3/8"Deep Socket:10.11.12.13.14.15mm 1PC 3/8"Bits Holder5/16"
5PCS 3/8"E-type Sockets:E8.10.12.14.16mm 1PC 3/8"Spark Plug Socket:21mm 1PC 3/8"Extension Bar 150mm
1PC 3/8"Universal Joint 1PC 3/8"72T Ratchet Handle 15PCS 1/2"Socket:10.11.12.13.14.15.17.19.20.21.22.24.27.30.32mm
5PCS 1/2"Deep Socket:16.17.18.19.22mm 4PCS 1/2"E-type Sockets:E18.20.22.24mm 2PCS 1/2"Extension bar:125mm .250mm
2PCS 1/2"Spark plug socket:16mm.21mm 2PCS 1/2"Bits Socket:T55.T60 1PC 1/2"Universal join 1PC 1/2"Bits Holder5/16"
1PC 1/2"3 Way adaptor 1PC 1/2"72T Ratchet Handle 6PCS Hex key wrench:1.5.2.2.5.3.4.5mm
12PCS Combination Spanners:8.9.10.11.12.13.14.15.16.17.18.19mm HEX5.5.6.6.5.7.8.M5.6.8.10.TT25.27.30.35.40.45.50
30PCS Bits H8x30mmL:SL6.6.5.8.PZ3.PZ4.PH3.PH4.TX25.27.30.35.40.45.50
44PCS Bits 25mmL:H2.2.5.3.4.5.6.6.PH1.1.2.2.3.3.PZ1.1.2.2.3.3.SL4.4.5.5.5.5.7. T8.9.10.15.20.20.25.25.27.30.30.40.TT8.9.10.15.20.25.27.30.

ITEM NO	SIZE		G.W.	CBM
070207	219PCS	2 / 1	22	0.04

8pcs Hex Key Set

Cr-V

1.5MM 2MM 2.5MM 3MM 3.5MM 4MM 5MM 6MM

ITEM NO	SIZE		G.W.	CBM
032332	FLAT	60 / 12	13	0.042

8pcs Tork Key Set

Cr-V

T9 T10 T15 T20 T25 T27 T30 T40

ITEM NO	SIZE		G.W.	CBM
032333	STAR	60 / 12	12.5	0.042

8pcs Folding Hex Key Set

Cr-V

1.5MM 2MM 2.5MM 3MM 3.5MM 4MM 5MM 6MM

ITEM NO	SIZE		G.W.	CBM
032334	8PCS	120 / 15	13	0.042

8pcs Folding Torx Key Set

Cr-V

T9 T10 T15 T20 T25 T27 T30 T40

ITEM NO	SIZE		G.W.	CBM
032335	8PCS	120 / 15	13	0.042

Single T Hex Key

Cr-V

ITEM NO	SIZE		G.W.	CBM
032319	2.5MM	400 / 10	12	0.0552
032320	3MM	400 / 10	11.5	0.056
032321	4MM	240 / 10	13.7	0.056
032322	5MM	240 / 10	17	0.056
032323	6MM	240 / 10	20.5	0.056
032324	8MM	120 / 10	22	0.063
032325	10MM	120 / 10	31	0.063

7pcs T Hex Key Set

Cr-V

2MM / 2.5MM / 3MM / 4MM / 5MM / 6MM / 8MM

ITEM NO	SIZE		G.W.	CBM
032331	7PCS	36 / 6	18.4	0.097

9pcs Hex Key Set

Cr-V

1.5MM 2MM 2.5MM 3MM 4MM 5MM 6MM 8MM 10MM

ITEM NO	SIZE		G.W.	CBM
032301	SHORT	72 / 12	20.5	0.047
032302	MEDIUM	60 / 12	23.5	0.051
032303	LONG	60 / 12	28.5	0.059

9pcs Torx Key Set

Cr-V

T10 T15 T20 T25 T27 T30 T40 T45 T50

ITEM NO	SIZE		G.W.	CBM
032304	SHORT	72 / 12	21.5	0.047
032305	MEDIUM	60 / 12	21.5	0.052
032306	LONG	60 / 12	27	0.059

9pcs Ball End Hex Key Set

Cr-V

T10 T15 T20 T25 T27 T30 T40 T45 T50

ITEM NO	SIZE		G.W.	CBM
032307	SHORT	72 / 12	20.5	0.047
032308	MEDIUM	60 / 12	23.5	0.051
032309	LONG	60 / 12	28.5	0.059

9pcs Hex Key Set

Cr-V

T10 T15 T20 T25 T27 T30 T40 T45 T50

ITEM NO	SIZE		G.W.	CBM
032327	FLAT MEDIUM	60 / 12	25	0.03
032328	FLAT LONG	60 / 12	29	0.03

9pcs Torx Key Set

Cr-V

T10 T15 T20 T25 T27 T30 T40 T45 T50

ITEM NO	SIZE		G.W.	CBM
032329	STAR MEDIUM	60 / 12	23	0.03
032330	STAR LONG	60 / 12	28	0.03

Measure Tape

Industrial

ITEM NO	SIZE		G.W.	CBM
080101	3M*16MM	120 / 12	13.5	0.019
080102	5M*19MM	120 / 12	23.5	0.026
080103	5M*25MM	72 / 12	17.7	0.022
080104	7.5M*25MM	72 / 12	26.5	0.028
080105	10M*25MM	48 / 12	22.8	0.023

Measure Tape

Industrial

ITEM NO	SIZE		G.W.	CBM
080106	3M*16MM	120 / 12	16	0.028
080107	5M*19MM	120 / 12	27	0.04
080108	5M*25MM	72 / 12	22	0.03
080109	7.5M*25MM	72 / 12	29	0.0365

Measure Tape

Iron Core Industrial

ITEM NO	SIZE		G.W.	CBM
080110	3M*16MM	120 / 12	15	0.031
080111	5M*19MM	120 / 12	26	0.042
080112	5M*25MM	72 / 12	19.4	0.024
080113	7.5M*25MM	72 / 12	29.5	0.035

Measure Tape

Iron Core Industrial

ITEM NO	SIZE		G.W.	CBM
080114	3M*16MM	120 / 12	15	0.031
080115	5M*19MM	120 / 12	26	0.042
080116	5M*25MM	72 / 12	19.5	0.024
080117	7.5M*25MM	72 / 12	29.5	0.035

Fibreglass Measuring Tape

Industrial

ITEM NO	SIZE		G.W.	CBM
080301	30M	20 / 1	17	0.069
080302	50M	20 / 1	23	0.069
080303	100M	12 / 1	22	0.033

Steel Frame Measuring Tape

Industrial

ITEM NO	SIZE		G.W.	CBM
080304	30M	20 / 1	12.5	0.069
080305	50M	20 / 1	18	0.069
080306	100M	12 / 1	19	0.033

Fibreglass Measuring Tape

Industrial

ITEM NO	SIZE		G.W.	CBM
080201	30M	40 / 1	24.3	0.069
080202	50M	50 / 1	18	0.048

Fibreglass Measuring Tape

Triple speed recycling

ITEM NO	SIZE		G.W.	CBM
080206	30M	40 / 1	19.6	0.068
080207	50M	20 / 1	27	0.051

Fibreglass Measuring Tape

Triple speed recycling

ITEM NO	SIZE		G.W.	CBM
080203	20M	40 / 1	15	0.046
080204	30M	40 / 1	20.5	0.063
080205	50M	20 / 1	16	0.044

2 Line Line Laser Level

Industrial

PRODUCT PARAMETERS

LASER POWER(H/V): 5MW IP RATING: IP54 LASER CLASS: CLASS 2
LASER WAVELENGTH: 630-670NM WORKING TEMPERATURE:-10~50℃
ACCURACY (H/V):±1.5MM/5M WORKING RANGE:AOUT 15M
STORAGE TEMPERATURE:-25~70℃ KIT CONTENT: WITH BRACKET
AUTO-COMPENSATION RANGE:4°±1° SIZE OF LEVEL: 91*58*84MM
BEAM EMISSION ANGLE (H/V):120°/120° BATTERY: 4*1.5V AA
LASER BEAM:1H1V(VERTIAL LINE OVER ZENITH) NET WEIGHT: 263G
WORKING TIME: FIRST GEAR ABOUT 40 HOURS TENTH GEAR ABOUT 180 HOURS

ITEM NO	SIZE		G.W.	CBM
081001	2 LINE	20 / 1	10	0.05

5 Line Laser Level

Industrial

PRODUCT PARAMETERS

LASER WAVE LENGTH,NM :515MM PROJECTION ANGLE:110°
WORKING RANGE:INDOOR 10M:OUT DOOR30-50M
WOEKING RANGE WITHOUT DETECTOR,M:30M
AUTOMATIC LEVELING RANGE:3+-1°
PROTECTION GRADE:2 WORKONG HOURS:10H
OPERATING VOLTAGE:110-220V power supply:DC4.5(AA1.5VX3)
FIXED SCREW CONNECTOR:5/8"ISO STAND

ITEM NO	SIZE		G.W.	CBM
081005	5 LINE	8 / 1	11	0.053

12 Line Line Laser Level

Industrial

PRODUCT PARAMETERS

LASER WAVELENGTH: 630-670NM IP RATING: IP54 NET WEIGHT: 263G
ACCURACY (H/V):±1.5MM/5M SIZE OF LEVEL: 91*58*84MM
STORAGE TEMPERATURE:-25~70℃ WORKING TEMPERATURE:-10~50℃
LASER POWER(H/V): 5MW WORKING RANGE:AOUT 15M
AUTO-COMPENSATION RANGE:4°±1° KIT CONTENT: WITH BRACKET
BEAM EMISSION ANGLE (H/V):120°/120° LASER CLASS: CLASS 2
LASER BEAM:1H1V(VERTIAL LINE OVER ZENITH) BATTERY: 4*1.5V AA
WORKING TIME: FIRST GEAR ABOUT 40 HOURS TENTH GEAR ABOUT 180 HOURS

ITEM NO	SIZE		G.W.	CBM
081002	12 LINE	8 / 1	10	0.05

16 Line Laser Level

Industrial

PRODUCT PARAMETERS

LASER WAVE LENGTH,NM :515MM PROJECTION ANGLE:110°
WORKING RANGE:INDOOR 10M:OUT DOOR30-50M
WOEKING RANGE WITHOUT DETECTOR,M:30M
AUTOMATIC LEVELING RANGE:3+-1MM°
PROTECTION GRADE :2 WORKONG HOURS:10H
OPERATING VOLTAGE:110-220V power supply: DC4.5(AA1.5VX3)
FIXED SCREW CONNECTOR:5/8"ISO STAND

ITEM NO	SIZE		G.W.	CBM
081016	16 LINE	5 / 1	10	0.051

1.5m Tripod

aluminum alloy

ITEM NO	SIZE		G.W.	CBM
081010	1.5M	12 / 1	16.1	0.108

Laser Range Finder

Industrial

MULTIPLE MEASUREMENT MODES MEET DAILY MEASUREMENT REQUIREMENTS

MEASURING RANGE: 0.05-20M 0.05-40M 0.05-70M 0.05-100M
LASER TYPE:620-690NM,<1MW CLASS 2 MEASUIRING ACCURACY :±2.0MM
OPERATING TEMPERATURE:-10℃-+50℃ STORAGE TEMPERATURE:-20℃-+65℃
VALUESSPLASH PROOF/DUST PROTECTED:IP54 HISTORICAL MEASUREMENTS:50
BATTERIES:AAA,2*1.5V,UP TO 5000 MEASUREMENTS

ITEM NO	SIZE		G.W.	CBM
080902	40M	20 / 1	5	0.041
080903	70M	20 / 1	5	0.041

Digital Measuring Wheel

Industrial

TECHNICAL PARAMETERS

MAXIMUM MEASURING RANGE: 99999.9M / 99999.9FT
ACCURACY OF MEASUREMENT:+/-0.5% THE WHEEL DIAMETER:318MM/12.5"
MINIMUM DISPLAY NUMERICAL:0.1M / 0.3FT THE BATTERY:7 TWO BATTERIES
UNIT OF MEASURE:M/FEET APPROPRIATE TEMPERATURE:-10℃-45℃

ITEM NO	SIZE		G.W.	CBM
080801	12.5"/318MM	6 / 1	12.5	0.147

Ordinary Measuring Wheel

Industrial

TECHNICAL PARAMETERS

MAXIMUM MEASURING RANGE: 9999.9M UNIT OF MEASURE:M
ACCURACY OF MEASUREMENT:+/-0.5% THE WHEEL DIAMETER:318MM/12.5"
MINIMUM DISPLAY NUMERICAL:0.1M APPROPRIATE TEMPERATURE:-10℃-45℃

ITEM NO	SIZE		G.W.	CBM
080802	12.5"/318MM	6 / 1	11	0.134

Kitchen Digital Scale

Industrial

ITEM NO	SIZE		G.W.	CBM
081203	5G-5000G	40 / 1	20.5	0.09

Digital Price Computing Scale

Industrial

VOLTAGE:220-240V
FREQUENCY:50/60HZ
MATERIAL:STAINLESS STEEL
LED DISPLAY
CAPACITY:5G-30KG
SCALE GRAUDATION:5G
PALLET SIZE:24*33CM
RECHARGEABLE BATTERY:4V/5.0AH
WATERPROOF COVER FOR DISPLAY
MAX.WEIGHT:40KG(88LB)
PLEASE ACTIVATE THE BATTERY WITHIN 6 MONTHS AFTER THE PRODUCTION DATE.

ITEM NO	SIZE		G.W.	CBM
081201	40KGS	6 / 1	17	0.093

Digital Price Computing Scale

Industrial

VOLTAGE:220-240V
FREQUENCY:50/60HZ
MATERIAL:STAINLESS STEEL
LED DISPLAY
CAPACITY:5G-30KG
SCALE GRAUDATION:5G
PALLET SIZE:24*33CM
RECHARGEABLE BATTERY:4V/5.0AH
WATERPROOF COVER FOR DISPLAY
MAX.WEIGHT:40KG(88LB)
PLEASE ACTIVATE THE BATTERY WITHIN 6 MONTHS AFTER THE PRODUCTION DATE.

ITEM NO	SIZE		G.W.	CBM
081202	40KGS	4 / 1	14.7	0.1

Electronic Clasp Scale

ITEM NO	SIZE		G.W.	CBM
081204	50KGS	50 / 1	18	0.082

Pallet Scale

Industrial

VOLTAGE:220-240V FREQUENCY:50/60HZ
RECHARGEABLE BATTERY:4V/4.0AH

ITEM NO	SIZE		G.W.	CBM
081101	10KGS	12 / 1	19	0.12
081102	20KGS	8 / 1	17	0.14

Hanging Scale

Industrial

VOLTAGE:220-240V FREQUENCY:50/60HZ
RECHARGEABLE BATTERY:4V/4.0AH

ITEM NO	SIZE		G.W.	CBM
081103	100KGS	10 / 1	11	0.047

Electronic Hanging Scale

ITEM NO	SIZE		G.W.	CBM
081206	300KGS	20 / 1	14	0.042

Platform Scale

VOLTAGE:220-240V FREQUENCY:50/60HZ

RECHARGEABLE BATTERY:4V/4.0AH

ITEM NO	SIZE		G.W.	CBM
081315	150KGS	1	9.2	0.038
081330	300KGS	1	13.5	0.066

Platform Scale

VOLTAGE:220-240V FREQUENCY:50/60HZ

RECHARGEABLE BATTERY:4V/4.0AH

ITEM NO	SIZE		G.W.	CBM
081303	300KGS	1	13.5	0.087

Spring Level With Magnet

Industrial

WITH HIGH PRECISION SPIRIT BUBBLE,ERROR<0.05MM

1.2MM THICKNESS ALUMINUM BODY,TWO ENDS WITH MAGNETIC

ITEM NO	SIZE		G.W.	CBM
080422	9"/230MM	60 / 10	19.5	0.043

Spring Level

Industrial

WITH HIGH PRECISION SPIRIT BUBBLE,ERROR<0.05MM

1.2MM THICKNESS ALUMINUM BODY,TWO ENDS WITH MAGNETIC

ITEM NO	SIZE		G.W.	CBM
080405	300MM	60	15	0.029
080406	450MM	60	21.5	0.045
080407	600MM	60	26.5	0.066
080408	900MM	30	19.5	0.05

Spring Level

Industrial

WITH HIGH PRECISION SPIRIT BUBBLE,ERROR<0.05MM

1.2MM THICKNESS ALUMINUM BODY,TWO ENDS WITH MAGNETIC

ITEM NO	SIZE		G.W.	CBM
080423	30CM	50	13	0.021
080424	40CM	50	17	0.027
080425	50CM	50	21	0.034
080426	60CM	50	25	0.04
080427	80CM	50	15	0.028
080428	100CM	50	18	0.035
080429	120CM	50	20	0.042

Bridge Spirit Level

Industrial

WITH HIGH PRECISION SPIRIT BUBBLE,ERROR<0.05MM

1.2MM THICKNESS ALUMINUM BODY,TWO ENDS WITH MAGNETIC

ITEM NO	SIZE		G.W.	CBM
080409	300MM	40	14	0.018
080410	400MM	40	17.5	0.023
080411	500MM	40	20.5	0.028
080412	600MM	40	21.5	0.034

Spirit Level

Industrial

WITH HIGH PRECISION SPIRIT BUBBLE,ERROR<0.05MM

1.2MM THICKNESS ALUMINUM BODY,TWO ENDS WITH MAGNETIC

ITEM NO	SIZE		G.W.	CBM
080402	400MM	40	17.5	0.041
080403	600MM	40	26.8	0.058
080404	900MM	40	35	0.089

Mini Spirit Level

Industrial

WITH HIGH PRECISION SPIRIT BUBBLE,ERROR<0.05MM

1.2MM THICKNESS ALUMINUM BODY,TWO ENDS WITH MAGNETIC

ITEM NO	SIZE		G.W.	CBM
080413	9"/225MM	120 / 12	11.5	0.032

Combination Ruler

ITEM NO	SIZE		G.W.	CBM
080501	300MM	60 / 10	15	0.063

Stainless Angle Squre

Stainless Steel

ITEM NO	SIZE		G.W.	CBM
080502	200*300MM	100	26	0.013
080503	400*600MM	36	26.5	0.025

Black Angle Square

Steel

ITEM NO	SIZE		G.W.	CBM
080504	200*300MM	100	19	0.01
080505	400*600MM	36	19.5	0.015

Aluminum Square

ITEM NO	SIZE		G.W.	CBM
080510	25CM	60 / 10	11.3	0.028
080511	30CM	60 / 10	11.8	0.032
080512	40CM	60 / 10	12.5	0.049
080513	50CM	60 / 10	12.9	0.05

Stainless Angle Ruler

ITEM NO	SIZE		G.W.	CBM
080514	8"/200MM	120	7.5	0.042
080515	10"/250MM	60	8	0.042
080516	12"/300MM	60	8.3	0.042

Stainless Angle Ruler



ITEM NO	SIZE		G.W.	CBM
080520	90*150MM	100	14	0.053

Stainless Ruler

ITEM NO	SIZE		G.W.	CBM
080615	6"/150MM	500	14.5	0.006
080630	12"/300MM	300	21	0.008
080650	20"/500MM	200	20	0.011
080610	40"/1000MM	100	27	0.1

Aluminum Alloy Rafter Square

ITEM NO	SIZE		G.W.	CBM
080605	7"/175MM	100	14	0.053

Vernier Caliper

Stainless Steel

HIGH QUALITY CARBON STEEL

ACCURACY:0.02MM PACKING:COLOR BOX+PLASTIC BOX

ITEM NO	SIZE		G.W.	CBM
080702	6"/150MM	50 / 10	19.8	0.042

Digital Caliper

Industrial

HIGH QUALITY CARBON STEEL

ACCURACY:0.02MM PACKING:COLOR BOX+PLASTIC BOX

ITEM NO	SIZE		G.W.	CBM
080701	150MM	50 / 10	19	0.042

Claw Hammer

Steel

ITEM NO	SIZE		G.W.	CBM
050101	8OZ	48 / 6	19.5	0.029
050102	12OZ	36 / 6	20	0.027
050103	16OZ	24 / 6	17.5	0.027
050104	20OZ	24 / 6	20	0.026

Claw Hammer

Steel

ITEM NO	SIZE		G.W.	CBM
050106	25MM	36 / 6	25	0.03
050107	27MM	24 / 6	18	0.027
050108	29MM	24 / 6	20	0.024

Claw Hammer

Steel

ITEM NO	SIZE		G.W.	CBM
050133	8OZ	48 / 6	18.5	0.028
050134	16OZ	24 / 6	16	0.024

Octagonal Hammer

Steel

ITEM NO	SIZE		G.W.	CBM
050109	2LB	24 / 6	27	0.027
050110	3LB	18 / 6	21	0.012
050111	4LB	12 / 6	26	0.021
050112	10LB	4 / 1	22.5	0.024
050113	20LB	2 / 1	20.5	0.017

Ball Pin Hammer

Steel

ITEM NO	SIZE		G.W.	CBM
050114	1LB	24 / 6	17	0.02
050115	1.5LB	24 / 6	24	0.025
050116	2LB	12 / 6	17	0.018

Fitter Hammer

Steel

ITEM NO	SIZE		G.W.	CBM
050119	300G	48 / 6	27	0.03
050121	500G	24 / 6	18	0.018
050123	800G	18 / 6	20.5	0.024
050124	1000G	12 / 6	17	0.018
050125	1500G	12 / 6	23.2	0.0197
050126	2000G	12 / 6	28.4	0.0252

One Piece Claw Hammer

Steel

ITEM NO	SIZE		G.W.	CBM
050140	16OZ	24 / 6	21	0.026

French Type Claw Hammer

Steel

ITEM NO	SIZE		G.W.	CBM
050127	700G	24 / 6	13.3	0.019

Rubber Hammer

Rubber

ITEM NO	SIZE		G.W.	CBM
050128	8OZ	36 / 6	14.5	0.035
050130	16OZ	24 / 6	15	0.034
050131	24OZ	24 / 6	21.5	0.05

Stone Hammer

Steel

ITEM NO	SIZE		G.W.	CBM
050135	1000G	12 / 6	16	0.014
050136	1500G	12 / 6	21.5	0.015
050137	2000G	12 / 6	28	0.018

Axe

Steel

ITEM NO	SIZE		G.W.	CBM
050301	600G	24 / 6	23	0.028

Axe

Steel

ITEM NO	SIZE		G.W.	CBM
050302	800G	24 / 6	25	0.03

Mini Claw Hammer

Steel

ITEM NO	SIZE		G.W.	CBM
050100	8OZ	48 / 6	12	0.01

Hacksaw Frame

Industrial

ITEM NO	SIZE		G.W.	CBM
101001	12"/300MM	36 / 6	21.4	0.089

Hacksaw Frame

Industrial

ITEM NO	SIZE		G.W.	CBM
101002	12"/300MM	48 / 12	23	0.044

Hacksaw Frame

Industrial

ITEM NO	SIZE		G.W.	CBM
101003	12"/300MM	48 / 6	20	0.068

Hacksaw Frame

Industrial

ITEM NO	SIZE		G.W.	CBM
101004	12"/300MM	40 / 10	26	0.039

Aluminum Hacksaw Frame

Aluminium Alloy

ITEM NO	SIZE		G.W.	CBM
101005	12"/300MM	36 / 6	21	0.067

Hacksaw Frame

Industrial

ITEM NO	SIZE		G.W.	CBM
101007	12"/300MM	48 / 12	24.5	0.047

Hand Saw

Industrial

ITEM NO	SIZE		G.W.	CBM
110205	21"/525MM	12 / 1	8.2	0.037
110206	24"/600MM	12 / 1	9.5	0.045
110207	30"/750MM	12 / 1	10.8	0.055
110208	36"/900MM	12 / 1	12.4	0.065

Foldable Saw

Industrial

ITEM NO	SIZE		G.W.	CBM
110601	7"/180MM	72 / 12	17.8	0.05

Folding Pruning Saw

Industrial

ITEM NO	SIZE		G.W.	CBM
110602	11"/280MM	36 / 6	11	0.02

Hand Saw

Cr-V

ITEM NO	SIZE		G.W.	CBM
110211	18"/450MM	48 / 12	22	0.075
110212	20"/500MM	48 / 12	23.5	0.082
110213	22"/550MM	48 / 12	25.5	0.089
110214	24"/600MM	48 / 12	27.5	0.094

Hand Saw

Cr-V

ITEM NO	SIZE		G.W.	CBM
110215	14"/350MM	48 / 12	18	0.042
110216	16"/400MM	48 / 12	19.6	0.047
110217	18"/450MM	48 / 12	21	0.05
110218	20"/500MM	48 / 12	23	0.055
110219	22"/550MM	48 / 12	24.5	0.059
110220	24"/600MM	48 / 12	24.5	0.064

Pruning Saw

Cr-V

ITEM NO	SIZE		G.W.	CBM
110200	17"/430MM	48 / 12	22	0.05

Rubber Handle Pruning Saw

S2 7TPI

INDUSTRIAL

ITEM NO	SIZE		G.W.	CBM
110202	13"/330MM	48 / 12	11	0.043

Rubber Handle Pruning Saw

S2 9TPI

INDUSTRIAL

ITEM NO	SIZE		G.W.	CBM
110223	12"/300MM	48 / 12	11	0.035

Sickle Pruning Saw

65MN 6.5TPI

INDUSTRIAL

ITEM NO	SIZE		G.W.	CBM
110224	14"/350MM	48 / 12	11	0.059

Rubber Handle Compass Saw

65MN

INDUSTRIAL

ITEM NO	SIZE		G.W.	CBM
110234	12"/300MM	48 / 12	11	0.059

Pruning Saw

Cr-V

ITEM NO	SIZE		G.W.	CBM
110201	12"/300MM	48 / 12	16.9	0.07

Wall Panel Saw

Cr-V

ITEM NO	SIZE		G.W.	CBM
110222	6.5"/165MM	72 / 12	10	0.051

Jig Saw Blade

Steel

ITEM NO	SIZE		G.W.	CBM
100906	4"/100MM	400 / 100	17	0.014
100907	4"/100MM	400 / 100	15.2	0.014
100908	4"/100MM	400 / 100	17.1	0.015
100909	4"/100MM	400 / 100	15.6	0.014
100910	4"/100MM	400 / 100	14.3	0.014

Bi-metal Saw Blade

Bi-Metal

INDUSTRIAL QUALITY, BIMETAL 18TPI SAW BLADE SUITABLE TO THE APPLICATION IN CUTTING STAINLESS STEEL,ALLOY STEEL ETC

ITEM NO	SIZE		G.W.	CBM
100901	12"/300MM	1000 / 100	20.4	0.01

2pcs Reciprocating Saw Blade

Bi-Metal

150 * 19 * 0.92 * 18T

ITEM NO	SIZE		G.W.	CBM
100921	6"/150MM	200 / 25	21	0.026

10pcs Reciprocating Saw Blade

Cr-V
Bimetal

150*19*1.2*6T*3PCS
150*19*0.92*18T*2PCS

150*19*0.92*10T*3PCS
200*19*1.2*6T*2PCS

ITEM NO	SIZE		G.W.	CBM
100922	10PCS	40 / 5	14	0.04

Mitre Box With Back Saw Set

Cr-V

DOUBLE-SIDED MECHANICAL TOOTH GRINDING, HARDENING, WEAR-RESISTING, TIGHT CONNECTION, THE HANDLE IS MADE OF ABS ENGINEERING PLASTIC +TPR ADHESIVE

ITEM NO	SIZE		G.W.	CBM
110221	12"/300MM	20 / 1	16	0.098

Screwdriver+
Cr-V

GOOD HAND FEELING WHEN USING,
THE WORK PROCESS IS MORE CONVENIENT

ITEM NO	SIZE		G.W.	CBM
090130	PH2*100MM+	120 / 12	17.5	0.0223
090131	PH2*125MM+	120 / 12	18.5	0.0223
090132	PH2*150MM+	120 / 12	19	0.0244
090133	PH2*200MM+	120 / 12	20.5	0.0286

Screwdriver+
Cr-V

GOOD HAND FEELING WHEN USING,
THE WORK PROCESS IS MORE CONVENIENT

ITEM NO	SIZE		G.W.	CBM
090108	4"/100MM 6MM+	120 / 12	11.5	0.023
090109	5"/125MM 6MM+	120 / 12	12.8	0.025
090110	6"/150MM 6MM+	120 / 12	13	0.025
090112	8"/200MM 6MM+	120 / 12	14.5	0.028

Screwdriver+
Cr-V

HIGH-QUALITY CR-V STEEL, HIGH HARDNESS,
ERGONOMIC DESIGN, BEAUTIFUL AND DURABLE

ITEM NO	SIZE		G.W.	CBM
090120	4"/100MM 6MM+	144 / 12	11.5	0.027
090121	5"/125MM 6MM+	144 / 12	12	0.027
090122	6"/150MM 6MM+	144 / 12	13	0.029
090124	8"/200MM 6MM+	144 / 12	14.8	0.035

Screwdriver-
Cr-V

GOOD HAND FEELING WHEN USING,
THE WORK PROCESS IS MORE CONVENIENT

ITEM NO	SIZE		G.W.	CBM
090125	6*100MM–	120 / 12	17.5	0.0223
090126	6*125MM–	120 / 12	18.5	0.0223
090127	6*150MM–	120 / 12	19	0.024
090128	6*200MM–	120 / 12	20.5	0.0286

Screwdriver-
Cr-V

GOOD HAND FEELING WHEN USING,
THE WORK PROCESS IS MORE CONVENIENT

ITEM NO	SIZE		G.W.	CBM
090102	4"/100MM 6MM-	120 / 12	11.5	0.023
090103	5"/125MM 6MM-	120 / 12	12.8	0.025
090105	6"/150MM 6MM-	120 / 12	13	0.025
090106	8"/200MM 6MM-	120 / 12	14.5	0.028

Screwdriver-
Cr-V

HIGH-QUALITY CR-V STEEL, HIGH HARDNESS,
ERGONOMIC DESIGN, BEAUTIFUL AND DURABLE

ITEM NO	SIZE		G.W.	CBM
090114	4"/100MM 6MM-	144 / 12	11.5	0.027
090115	5"/125MM 6MM-	144 / 12	12	0.027
090116	6"/150MM 6MM-	144 / 12	13	0.029
090118	8"/200MM 6MM-	144 / 12	14.8	0.035

2pcs Screwdriver Set

Cr-V

⊖ 6*125MM ⊕ PH2*125MM

ITEM NO	SIZE		G.W.	CBM
090210	2PCS	48 / 12	10	0.0237

4pcs Screwdriver Set

Cr-V

⊖ 5*100MM 6*150MM ⊕ PH1*100MM PH2*150MM

ITEM NO	SIZE		G.W.	CBM
090211	4PCS	48 / 12	15.5	0.044

2in1 Screwdriver Set

Cr-V

⊖ 6.3*160MM ⊕ PH2X160MM

ITEM NO	SIZE		G.W.	CBM
090208	160MM	96 / 12	13	0.0565

11pcs Screwdriver Set

Cr-V

⊖ 4MM 6MM 7MM ⊕ PH1 PH2 PH3 ✪ T10 T20 T30 T40

ITEM NO	SIZE		G.W.	CBM
090220	11PCS	60 / 12	14.7	0.0468

6in1 Screwdriver Set

Cr-V

⊖ SLOTTED: 5MM/6MM ⊕ PHILLIPS: PH1/PH2 ○ NUT DRIVER: 6MM/8MM

ITEM NO	SIZE		G.W.	CBM
090209	6iN1	72 / 12	14	0.0237

2pcs Screwdriver Set

Cr-V

⊖ 6*125MM ⊕ PH2*125MM

ITEM NO	SIZE		G.W.	CBM
090214	2PCS	48 / 12	9	0.0237

Impact Drill

RATED VOLTAGE	220-240V	MAX DRILL DIAMETER WOOD	35MM
RATED FREQUENCY	50/60Hz	MAX DRILL DIAMETER STEEL	13MM
RATED POWER	1100W	NO-LOAD SPEED	0~2800R/MIN

4pcs Screwdriver Set

Cr-V

⊖ 5*100MM 6*150MM

⊕ PH1*100MM PH2*150MM

ITEM NO	SIZE		G.W.	CBM
090215	4PCS	48 / 12	14.5	0.044

8pcs Screwdriver Set

Cr-V

⊖ 3*75MM 6*150MM 5*100MM 6*38MM

⊕ PH0*75MM PH2*125MM PH1*75MM PH2*38MM

ITEM NO	SIZE		G.W.	CBM
090223	8PCS	24 / 6	20.5	0.068

6pcs Screwdriver Set

Cr-V

⊖ 5*75MM 6*100MM 8*150MM

⊕ PH1*75MM PH2*100MM PH3*150MM

ITEM NO	SIZE		G.W.	CBM
090213	6PCS	24 / 6	16	0.066

10pcs Screwdriver Set

Cr-V

⊖ 5*75MM 5*100MM 6*150MM

⊕ PH1*75MM PH1*100MM PH2*150MM

3*50MM PH0*50MM T6*50MM T8*50MM

ITEM NO	SIZE		G.W.	CBM
090224	10PCS	24 / 6	14.7	0.0468

6pcs Screwdriver Set

Cr-V

-5*75MM -5*100MM -6*150MM
+5*75MM +5*100MM +6*150MM

ITEM NO	SIZE		G.W.	CBM
090204	6PCS	24 / 6	13.5	0.062

7pcs Screwdriver Set

Cr-V

-5*75MM -5*100MM -6*150MM
+5*75MM +5*100MM +6*150MM

ITEM NO	SIZE		G.W.	CBM
090205	7PCS	24 / 6	13	0.052

2 In 1 Screwdriver

Cr-V

-5*75MM -5*100MM -6*150MM
+5*75MM +5*100MM +6*150MM

ITEM NO	SIZE		G.W.	CBM
090135	3*50MM	288 / 12	9	0.016
090136	5*75MM	144 / 12	11	0.018
090137	6*38MM	288 / 12	16	0.023
090138	6*100MM	144 / 12	16	0.021

9 In 1 Screwdriver Set

Cr-V

3*65MM 5*65MM 6*65MM 3*65MM 5*65MM
PH0*65MM PH1*65MM PH2*65MM 5*65MM

ITEM NO	SIZE		G.W.	CBM
090222	9 IN 1	24 / 6	14.7	0.0468

58pcs Screwdriver Set

Cr-V

3 4 5 5 6 6 7 MM MM MM MM MM MM MM MM
PH0 PH1 PH1 PH2 PH2 PH3 PH3
H2 H2.5 H3 H4 H5 H5.5 H6
PZ0 PZ1 PZ1 PZ2 PZ2 PZ3 PZ3

5 6 7 8 9 10 11 MM MM MM MM MM MM MM
3/16 1/4 9/32 11/32 5/16 3/8 7/16
T10 T15 T20 T25 T27 T30 T40
4 5 PH1 PH2 PH2 T15 T20

ITEM NO	SIZE		G.W.	CBM
090221	58PCS	24 / 6	20.5	0.04

37pcs Rachet Screwdriver Set

Cr-V

ITEM NO	SIZE		G.W.	CBM
090302	37PCS	48 / 12	11	0.0265

41pcs Screwdriver Bits Set

Cr-V

30PC:6.3*25MMBTSI,CR-V,3/4/5/5.5/6/7/PH0/PH1/PH2/PH3/PH4/
PZ0/PZ1/PZ2/PZ3/T8/T10/T15/T20/T25/T27/T30/T40/H1.5/H2/H2.5/H3/H4/H5/H6
1PC:25MM4-6 CHANGE THE BALL AND SAND 1PC: RATCHET
9PC:SOCKET 4MM /5MM /6MM /7MM /8MM /9MM /10MM /11MM /12MM

ITEM NO	SIZE		G.W.	CBM
090206	41PCS	24 / 6	13	0.019

56pcs Precision Screwdriver Set

Cr-V

6.3*25MM FIRST BATCH		
4.0	5.0	6.0
PH1	PH2*3	PH3
PZ1	PZ2	PZ3
T10	T15	T20
T25	T30	T40
H3.0	H4.0	H5.0	H6.0

4.3*28MM FIRST BATCH			
1.5	2.0	2.5	3
PH000	PH00	PH0	PH1
T6	T7	T8	T9
T10	T15	T20	H1.5
H2.0	H2.5	H3.0	H4.0

1PC: 6.3*28MM 44CHANGE BEADS
1PC: 6.3*56MMEXTENSION ROD
1PC: 4.8*60MM EXTENSION ROD

short sleeve	4MM	6MM	6MM
	7MM	8MM	8MM
	10MM	11MM	12MM

ITEM NO	SIZE		G.W.	CBM
090212	56PCS	24 / 12	17	0.03

6pcs Precision Screwdriver Set

Cr-V

2.0X25MM 2.0X40MM 3.0X40MM
PH0X25MM PH00X40MM PH000X40MM

ITEM NO	SIZE		G.W.	CBM
090300	6PCS	48 / 12	9.5	0.031

6pcs Precision Screwdriver Set

Cr-V

SL1.4 SL2.0 SL2.4 SL3.0 PH0 PH1

ITEM NO	SIZE		G.W.	CBM
090301	6PCS	48 / 12	12	0.033

Digital Voltage Tester

Cr-V

LCD DISPLAY, CLEAR READING.INDUCTION TEST, DIRECT TEST, ACCORDING TO DIFFERENT REQUIREMENTS, DIFFERENT TEST SCHEMES CAN BE SELECTED

ITEM NO	SIZE		G.W.	CBM
040903	12V-250V	480 / 24	17	0.074

Test Pen

Cr-V

DUAL-PURPOSE SCREWDRIVER ARBOR MADE OF HIGH-QUALITY CR-V ALLOY STEEL,FOR AWIDE RANGE ABS HAND LEVER,COMFORTABLEGRIP

ITEM NO	SIZE		G.W.	CBM
040901	3X140MM	720 / 30	15.6	0.056

Test Pen

Cr-V

DUAL-PURPOSE SCREWDRIVER ARBOR MADE OF HIGH-QUALITY CR-V ALLOY STEEL,FOR AWIDE RANGE ABS HAND LEVER,COMFORTABLEGRIP

ITEM NO	SIZE		G.W.	CBM
040902	4X180MM	720 / 30	26.2	0.086

Electrician Screwdriver Set

Cr-V

5PCS: +5*80MM +6*150MM
-3*75MM -4*100MM -5*125MM
1000V WORKING VOLTAGE/CR-V MATERIAL,EFFECTIVELY PROTECT USER SAFETY.
TWO-COLOR INSULATED TPR+PP RUBBERIZED HANDLE

ITEM NO	SIZE		G.W.	CBM
090207	5PCS	36 / 12	18	0.05

Non-contact Ac Voltage Detector

Industrial

SENSITIVITY RANGE:60-1000v~ VOLTAGE DETECTOR:VT120

ITEM NO	SIZE		G.W.	CBM
040904	60-1000V~	96 / 12	8	0.041

2 In 1 Tester&screwdriver

Cr-V

THE SCREWDRIVER WITH MAGNET EASY TO ATTRACT SMALL SCEWS THE ROD MADE OF HIGH QUALITY CR-V STEEL,HIGH HARDNESS,ERGONOMIC DESIGN,BEAUTIFUL AND DURABLE

ITEM NO	SIZE		G.W.	CBM
040905	110-250V~	120 / 12	13.5	0.033

Soldering Iron

CORROSION RESISTANT STAINLESS STEEL CASING

ITEM NO	SIZE		G.W.	CBM
040601	30W	100 / 10	18.2	0.11
040602	40W	100 / 10	18.7	0.11
040603	60W	100 / 10	19.3	0.11

Soldering Iron

CORROSION RESISTANT STAINLESS STEEL CASING

ITEM NO	SIZE		G.W.	CBM
040605	80W	100 / 10	20	0.136
040606	100W	100 / 10	22.2	0.136

Solder Wire

Tin

[1] THE SOLDERING GUN IS DESIGNED WITH A LIGHTWEIGHT MECHANISM, WHICH MAKES THE WORK EASIER.
[2] HIGH QUALITY HEATING CORE, LONG WORKING LIFE
[3] SIMPLE OPERATION, EASY TO COMPLETE WELDING WORK
[4] WELDING WIRE WITH DIAMETER OF 0.8-1.8MM CAN BE USED

ITEM NO	SIZE		G.W.	CBM
040801	1.0MM*100G(60%)	60 / 10	7.9	0.028
040802	1.6MM*200G(60%)	60 / 10	13.9	0.028
040803	1.6MM*200G(70%)	120 / 20	13.9	0.015

Flux Cored Welding Wire /e71t-gs

INDUSTRIAL

ITEM NO	SIZE		G.W.	CBM
040806	0.8mm/1KG	20	22	0.024
040805	0.8mm/5KG	4	22	0.024

Soldering Iron

80W

[1] THE SOLDERING GUN IS DESIGNED WITH A LIGHTWEIGHT MECHANISM, WHICH MAKES THE WORK EASIER.
[2] HIGH QUALITY HEATING CORE, LONG WORKING LIFE
[3] SIMPLE OPERATION, EASY TO COMPLETE WELDING WORK
[4] WELDING WIRE WITH DIAMETER OF 0.8-1.8MM CAN BE USED

ITEM NO	SIZE		G.W.	CBM
040604	0.8-2MM/80W	48 / 12	17.5	0.02

Wire Stripper

Industrial

ITEM NO	SIZE		G.W.	CBM
010501	8"/200MM	120 / 10	19.1	0.045

2in1 Wire Stripper

Industrial

ITEM NO	SIZE		G.W.	CBM
010502	8"/200MM	72 / 12	17.3	0.039

Automatic Wire Stripper

65Mn

ALLOY STEEL PP+TPR HANDLE

ITEM NO	SIZE		G.W.	CBM
010503	7"/175MM	48 / 6	15	0.037

Automatic Wire Stripper

Industrial

ALLOY STEEL PP+TPR HANDLE

ITEM NO	SIZE		G.W.	CBM
010504	7"/175MM	48 / 6	17	0.047

Ratchet Crimping Plier

Industrial

ALLOY STEEL PP+TPR HANDLE

ITEM NO	SIZE		G.W.	CBM
010505	180MM	40 / 10	17	0.046

Auto Wire Stripper

Industrial

STRIPPING RANGE:0.5-6MM/24-10AWG
MATERIAL:HRC52-60 STRIPPING BLADE:SK5

ITEM NO	SIZE		G.W.	CBM
010506	0.2-6MM	40 / 10	15	0.042

Modular Crimping

Industrial

4P 8P 6P

ITEM NO	SIZE		G.W.	CBM
040401	7"/175MM	50 / 10	22	0.045

Cable Cutter

Cr-V

STRIPPING RANGE:0.5-6MM/24-10AWG
MATERIAL:HRC52-60 STRIPPING BLADE:SK5

ITEM NO	SIZE		G.W.	CBM
020201	6"/150MM	120 / 6	25.7	0.059
020202	8"/200MM	60 / 6	17.2	0.039
020203	10"/250MM	60 / 6	20.5	0.04

Cable Cutter

Cr-v

ITEM NO	SIZE		G.W.	CBM
020218	18"/450MM	12	11	0.053
020224	24"/600MM	10	12.1	0.043
020232	32"/800MM	5	12.6	0.052
020236	36"/900MM	5	12.7	0.054
020242	42"/1050MM	4	10	0.056

Digital Multimeter

750W

TRANSISTOR TEST: YES DIODE TEST:YES PRODUCT SIZE:126MM*70MM*24MM
POWER:9V BATTERY RESISTANCE:200 Ω-2000K Ω MAXIMUM DISPLAY:1999
AC VOLTAGE:200V-750V DC CURRENT:200μA-10A LCD DISPLAY SIZE:16MM*48MM

ITEM NO	SIZE		G.W.	CBM
041001	750W	30 / 5	6	0.03

Digital Multimeter

1999 Reading

DC VOLTAGE:200MV/2V/20V/200V/600V POWER SUPPLY:1.5VAAAX2PCS
AC VOLTAGE:2V/20V/200V/600V RESISTANCE:200Ω/2K/20K/200KΩ/2MΩ20MΩ
DC/AC CURRENT:200UA/2000UA/20MA/200MA/2A/10A CE LEVEL:CATIII600V

ITEM NO	SIZE		G.W.	CBM
041002	1999READING	30 / 1	15	0.06

Ac/dc Digital Clamp Multimeter

LCD DISPLAY: 3/2 DIGIT (2000COUNTS)
DC VOLTAGE: 200MV/2V/200V/600V
AC VOLTAGE: 2V/20V/200V/600V
DC CURRENT: 200A/1000A
RESISTANCE: 200Ω/2K/20KΩ/200KΩ/2MΩ/20MΩ
JAW SIZE: 45MM
CE GRADE: CATII600V
POWER SUPPLY: 1.5V AAA * 2PCS
AC CURRENT: 200A/1000A

ITEM NO	SIZE		G.W.	CBM
041003	AC/DC 1000A	30 / 1	16	0.06

Ac Digital Clamo Multimeter

AC 600A

LCD DISPLAY:3 2/1DIGIT(2000COUNTS)
DC VOLTAGE:200MV/2V/200V/600V
AC VOLTAGE:2V/20V/200V/600V
RESISTANCE:200Ω/2K/20KΩ/200KΩ/2MΩ/20MΩ
CE GRADE:CAT II 600V
AC CURRENT:20A/200A/600A
POWER SUPPLY:1.5V AAA*2PCS
JAW SIZE:30MM

ITEM NO	SIZE		G.W.	CBM
041004	AC 600A	30 / 1	12	0.051

Glue Stick

ITEM NO	SIZE		G.W.	CBM
041101	11*200MM	50	12	0.033

Glue Gun

100W

ITEM NO	SIZE		G.W.	CBM
040501	100W	48 / 12	17	0.14

Glue Gun

110W

ITEM NO	SIZE		G.W.	CBM
040502	110W	36 / 12	16.5	0.133

Glue Gun

20W

ITEM NO	SIZE		G.W.	CBM
040503	20W	48 / 24	11.2	0.09

Electric Welding Pliers

Copper

ITEM NO	SIZE		G.W.	CBM
140101	500-800A	30 / 1	17	0.041

Electric Welding Pliers

Copper

ITEM NO	SIZE		G.W.	CBM
140102	300A	48 / 1	17	0.03
140103	500A	36 / 1	18	0.034
140104	800A	36 / 1	20	0.04

Metal Scraper

Cr-V

ITEM NO	SIZE		G.W.	CBM
050930	12"/300MM	60 / 10	16.3	0.126
050960	24"/600MM	60 / 10	21	0.126

Cleaning Scraper

Cr-V **4 Blades**

ITEM NO	SIZE		G.W.	CBM
050901	18X100MM	144 / 12	17	0.069

Electrician Knife

Cr-V

HANDLE MATERIAL:WOOD STAINLESS STEEL BLADE

ITEM NO	SIZE		G.W.	CBM
100602	7"/175MM	120 / 10	16.6	0.041

Electrician Knife

Cr-V

HANDLE MATERIAL:WOOD STAINLESS STEEL BLADE

ITEM NO	SIZE		G.W.	CBM
100601	7"/175MM	120 / 10	16.6	0.041

Foldable Knife

Cr-V 5 Blades

ITEM NO	SIZE		G.W.	CBM
100101	19MM	144 / 12	13	0.069

Utility Knife

Cr-V 3 Blades

ITEM NO	SIZE		G.W.	CBM
100103	0.5MM	240 / 12	24	0.089

Utility Knife

Cr-V 3 Blades

ITEM NO	SIZE		G.W.	CBM
100104	19MM	120 / 12	14	0.05

Utility Knife

Cr-V 3 Blades

ITEM NO	SIZE		G.W.	CBM
100106	18X0.5MM	144 / 12	14	0.053

Utility Knife

Cr-V 3 Blades

ITEM NO	SIZE		G.W.	CBM
100107	18X0.5MM	144 / 12	15	0.053

Floding Utility Knife

Cr-V 6 Blades

ITEM NO	SIZE		G.W.	CBM
100108	19X61X0.5MM	144 / 12	16	0.059

Heavy Duty Folding Knife

Sk-5 4 Blades

THREE ANGLES: 90° 135° 180°

ITEM NO	SIZE		G.W.	CBM
100109	19X61X0.6MM	72 / 12	11.5	0.052

Heavy Duty Folding Knife

Sk-5 4 Blades

ITEM NO	SIZE		G.W.	CBM
100110	19X61X0.6MM	72 / 6	12.5	0.065

Utility Knife

Cr-V

ITEM NO	SIZE		G.W.	CBM
100111	9X0.4MM	1200 / 300	20	0.038

Tile Grout Saw

2Pcs Blades

ITEM NO	SIZE		G.W.	CBM
050902	50X20MM	60 / 10	7.5	0.052

Utility Knife

Sk-5

ITEM NO	SIZE		G.W.	CBM
100112	25*1.0MM	96 / 12	18	0.062

Glass Cutter

Alloy Steel

ITEM NO	SIZE		G.W.	CBM
100501	7"/175MM	240 / 12	24.5	0.059

Pvc Pipe Cutter

Cr-V

ITEM NO	SIZE		G.W.	CBM
100801	36MM	72 / 12	16	0.042

Pvc Pipe Cutter

Cr-V

ITEM NO	SIZE		G.W.	CBM
100802	42MM	48 / 6	18	0.047

Pvc Pipe Cutter

Cr-V

ITEM NO	SIZE		G.W.	CBM
100803	42MM	36 / 6	17	0.049

Pvc Pipe Cutter

Cr-V

ITEM NO	SIZE		G.W.	CBM
100804	63MM	72 / 6	19	0.055

Tube Cutter

Cr-V

ITEM NO	SIZE		G.W.	CBM
100810	3-32MM	50 / 10	14	0.046

Tube Cutter

Cr-V

ITEM NO	SIZE		G.W.	CBM
100811	3-22MM	100 / 10	12	0.032

Keel Clamp

ITEM NO	SIZE		G.W.	CBM
011508	9"/230MM	36PCS	12.6	0.058

Tube Cutter

ITEM NO	SIZE		G.W.	CBM
100812	25-75MM	10 / 1	21	0.023

G-Clamp

ITEM NO	SIZE		G.W.	CBM
011702	2" / 50MM	72 / 12	18	0.016
011703	3" / 75MM	36 / 6	18	0.016
011704	4" / 100MM	32 / 8	18	0.016
011705	5" / 125MM	24 / 6	18	0.016
011706	6" / 150MM	12 / 6	18	0.016

Earth Clamp

ITEM NO	SIZE		G.W.	CBM
140106	300A	100 / 1	18	0.075

Earth Clamp

ITEM NO	SIZE		G.W.	CBM
140107	500A	50 / 1	18	0.049

Bench Vice

Cast Iron Body

Replaceable Steel Jaws



ITEM NO	SIZE		G.W.	CBM
011804	4"/100MM	4 / 1	26.5	0.03
011805	5"/125MM	2 / 1	16	0.02
011806	6"/150MM	2 / 1	21.5	0.033
011808	8"/200MM	1	18.5	0.022

Heavy Type Pipe Vise

INDUSTRIAL

ITEM NO	SIZE		G.W.	CBM
011812	10-80MM	6 / 1	27	0.03
011813	15-100MM	4 / 1	29	0.029

Belt Clamp

ABS + ACERO

HOLDS JOINTS AT 90° ANGLE FOR

INDUSTRIAL

ITEM NO	SIZE		G.W.	CBM
011713	4M	24 / 6	21	0.089

Mini Corner Clamp

INDUSTRIAL

1. Aluminum body 2. Aluminum body
3. Form perfect joints at 90°
4. Ideal for joining frames and frames
5. Suite of iqual material or different thickness in right angles

ITEM NO	SIZE		G.W.	CBM
011710	3" / 75MM	72 / 12	18	0.016

F-Clamp

Cr-V

ITEM NO	SIZE		G.W.	CBM
012301	50*150MM	50 / 25	13.5	0.017
012302	50*250MM	50 / 25	15.9	0.02
012303	80*300MM	30	17.5	0.018
012304	120*300MM	20	20	0.025
012305	120*500MM	10	12	0.016
012306	120*800MM	6	9.3	0.02

F-Clamp

SOUND METAL

INDUSTRIAL

ITEM NO	SIZE		G.W.	CBM
012401	50X150MM	50 / 25	18	0.016
012402	50X250MM	50 / 25	18	0.016
012403	80X300MM	20 / 10	18	0.016
012404	120X300MM	12 / 6	18	0.016
012405	120X500MM	10 / 5	18	0.016
012406	120X800MM	8 / 4	18	0.016

Magnetic Welding Holder

Industrial

ITEM NO	SIZE		G.W.	CBM
121201	3"-25LBS	72 / 6	25	0.024
121202	4"-50LBS	36 / 6	25	0.019
121203	5"-75LBS	18 / 6	21	0.021

Quick Ratchet Bar Clamp

ITEM NO	SIZE		G.W.	CBM
012106	6"X63MM	24 / 6	15	0.033
012112	12"X63MM	24 / 6	16	0.046
012118	18"X63MM	24 / 6	17	0.06
012124	24"/175MM	12 / 6	15	0.037

4pcs Quick Ratchet Bar Clamp Set

4"x2PCS

6"x2PCS

ITEM NO	SIZE		G.W.	CBM
012101	4PCS/SET	12 / 3	21	0.07

Spring Clamp

ITEM NO	SIZE		G.W.	CBM
012204	4"/100MM	200 / 50	16	0.038
012206	6"/150MM	120 / 20	15	0.079
012209	9"/255MM	120 / 20	17	0.1

6pcs Spring Clamp Set

ITEM NO	SIZE		G.W.	CBM
012200	3"/4"/6"	24 / 6	21	0.08

Corner Clamp

ITEM NO	SIZE		G.W.	CBM
011711	2X70MM	20 / 1	16	0.016

4pcs Corner Clamp Set

ITEM NO	SIZE		G.W.	CBM
011712	90° 4PCS/SET	30 / 10	21	0.1

Hand Riveter

ITEM NO	SIZE		G.W.	CBM
120101	11"/280MM	24 / 6	20	0.052

Hand Riveter

ITEM NO	SIZE		G.W.	CBM
120102	11"/280MM	24 / 6	18	0.043

Hand Riveter

ITEM NO	SIZE		G.W.	CBM
120103	10"/250MM	36 / 6	19	0.062

Hand Riveter

ITEM NO	SIZE		G.W.	CBM
120104	10.5"/265MM	36 / 6	22.8	0.066

Hand Riveter

ITEM NO	SIZE		G.W.	CBM
120107	8"/200MM	24 / 6	18	0.036

Hand Riveter

ITEM NO	SIZE		G.W.	CBM
120105	32"/800MM	10 / 1	16.8	0.019

Hand Riveter

ITEM NO	SIZE		G.W.	CBM
120106	11"/280MM	16 / 1	22.8	0.04

Hand Nut Riveter

ITEM NO	SIZE		G.W.	CBM
120108	14"/400MM	6 / 1	15	0.061

Double Lever Rivet Gun

ITEM NO	SIZE		G.W.	CBM
120109	18"/450MM	20 / 1	17.6	0.054

Grease Gun

ITEM NO	SIZE		G.W.	CBM
064101	600CC	10 / 1	16.2	0.05

Grease Gun

ITEM NO	SIZE		G.W.	CBM
064102	14OZ/500CC	20 / 1	24	0.065

Caulking Gun

ITEM NO	SIZE		G.W.	CBM
120501	9"/225MM	24 / 12	18.1	0.04

Caulking Gun

ITEM NO	SIZE		G.W.	CBM
120503	9"/225MM	24 / 12	13	0.034

Caulking Gun

ITEM NO	SIZE		G.W.	CBM
120505	9"/225MM	24 / 12	11	0.024

Caulking Gun

ITEM NO	SIZE		G.W.	CBM
120506	9"/225MM	24 / 12	20.5	0.086

Caulking Gun

ITEM NO	SIZE		G.W.	CBM
120507	9"/225MM	24 / 2	15.6	0.087
120508	15"/375MM	24 / 2	19.9	0.132

Hand Oil Pump

Aluminium Alloy

2*LONGER LIFE
HCS:HIGH QUALITY MATERIAL

ITEM NO	SIZE		G.W.	CBM
064325	25MM	10 / 1	15	0.099
064332	32MM	10 / 1	16	0.111

BL MOTOR
WISEUP
2.0AH WISEUP 21V MAX
BRUSHLESS
PERCUSSION DRILLING
FLAT DRILLING
LOOSEN THE SCREW
L
R
TWO WAY

Oil Pot

2*LONGER LIFE
HCS:HIGH QUALITY MATERIAL

ITEM NO	SIZE		G.W.	CBM
063701	200ML	120 / 10	14	0.098

Air Spray Gun
400ml

ITEM NO	SIZE		G.W.	CBM
120401	1.5MM	30 / 1	16.7	0.085

Air Spray Gun
750ml

ITEM NO	SIZE		G.W.	CBM
120402	1.5MM	30 / 1	18.8	0.1

Air Spray Gun
600ml

ITEM NO	SIZE		G.W.	CBM
120403	1.4MM	30 / 3	16.2	0.11

Air Spray Gun
600ml

ITEM NO	SIZE		G.W.	CBM
120404	1.4MM	20 / 1	14.7	0.08

Air Spray Gun
600CC

ITEM NO	SIZE		G.W.	CBM
120405	1.5MM	20 / 1	15	0.074

Air Spray Gun
750CC

ITEM NO	SIZE		G.W.	CBM
120406	1.5MM	20 / 1	16	0.074

Air Spray Gun
100CC

ITEM NO	SIZE		G.W.	CBM
120407	0.5MM	40 / 1	22	0.057

Air Spray Gun
1000CC

ITEM NO	SIZE		G.W.	CBM
120408	1.8MM	12 / 1	9	0.05

Air Blow Gun Kit

ITEM NO	SIZE		G.W.	CBM
064003	0.2-0.6mpa	96 / 12	16.5	0.051

Foam Gun

ITEM NO	SIZE		G.W.	CBM
120509	TT-04	40 / 2	12	0.051

No-Clean Foam Gun

ITEM NO	SIZE		G.W.	CBM
120510	030	28 / 1	12	0.084

Wooden Trowel

Carbon Steel

ITEM NO	SIZE		G.W.	CBM
050601	280*120*0.7	60 / 12	21.5	0.08

Wooden Trowel

Carbon Steel

ITEM NO	SIZE		G.W.	CBM
050602	280*120*0.7	60 / 12	21.5	0.08

Plastering Trowel

Stainless Steel

ITEM NO	SIZE		G.W.	CBM
050603	130*300*0.7	60 / 12	24	0.1

Plastering Trowel

Stainless Steel

ITEM NO	SIZE		G.W.	CBM
050604	130*300*0.7	60 / 12	24	0.1

Plastering Trowel

Carbon Steel

ITEM NO	SIZE		G.W.	CBM
050605	280*120*0.7	60 / 12	19	0.084

Plastering Trowel

Carbon Steel

ITEM NO	SIZE		G.W.	CBM
050606	280*120*0.8	60 / 12	18	0.084

Plastering Trowel
Stainless Steel

ITEM NO	SIZE		G.W.	CBM
050607	28X12CM	60 / 12	21.5	0.08

Plastering Trowel
Stainless Steel

ITEM NO	SIZE		G.W.	CBM
050608	28X12CM	60 / 12	21.5	0.08

Bricklaying Trowel
Steel

ITEM NO	SIZE		G.W.	CBM
050813	160MM 6"	48 / 12	14	0.056
050814	180MM 7"	48 / 12	15.3	0.056
050815	200MM 8"	48 / 12	17	0.056
050816	220MM 9"	48 / 12	19.2	0.056

Bricklaying Trowel
Steel

ITEM NO	SIZE		G.W.	CBM
050801	160MM 6"	48 / 12	10.5	0.036
050802	180MM 7"	48 / 12	11	0.036
050803	200MM 8"	48 / 12	12.5	0.036
050804	225MM 9"	48 / 12	13	0.036

Bricklaying Trowel
Steel

ITEM NO	SIZE		G.W.	CBM
050805	160MM 6"	48 / 12	13	0.026
050806	180MM 7"	48 / 12	15	0.034
050807	200MM 8"	48 / 12	17	0.038
050808	225MM 9"	48 / 12	18	0.044

Bricklaying Trowel
Steel

ITEM NO	SIZE		G.W.	CBM
050809	160MM 6"	48 / 12	11.5	0.049
050810	180MM 7"	48 / 12	12.3	0.049
050811	200MM 8"	48 / 12	13.5	0.049
050812	225MM 9"	48 / 12	14.5	0.049

Putty Knife

Stainless Steel

ITEM NO	SIZE		G.W.	CBM
050712	2"	240 / 12	18.5	0.025
050713	2.5"	240 / 12	19	0.025
050714	3"	240 / 12	20	0.03
050716	4"	240 / 12	24.5	0.04
050717	5"	240 / 12	26	0.04
050718	6"	240 / 12	29	0.0413

Putty Knife

Stainless Steel

ITEM NO	SIZE		G.W.	CBM
050703	2"	240 / 12	21	0.048
050704	2.5"	240 / 12	22	0.048
050705	3"	240 / 12	23.5	0.048
050707	4"	240 / 12	26	0.058
050708	5"	240 / 12	29	0.058
050709	6"	240 / 12	31.5	0.068

Scraper

Stainless Steel

ITEM NO	SIZE		G.W.	CBM
050719	100MM	96 / 12	12	0.035
050720	120MM	96 / 12	12.8	0.035
050721	140MM	96 / 12	13.6	0.04
050722	160MM	96 / 12	15.2	0.046
050723	180MM	96 / 12	16	0.053
050724	200MM	96 / 12	17.6	0.057
050725	220MM	96 / 12	18.2	0.062
050726	240MM	96 / 12	20.8	0.073

Ratchet Tie Down Strap

3T

6600LB / 3000KGS

ITEM NO	SIZE		G.W.	CBM
150401	2"/50MM *10M	10 / 1	20	0.042

Ratchet Tie Down Strap

5T

11000LB / 5000KGS

ITEM NO	SIZE		G.W.	CBM
150402	2"/50MM*10M	5 / 1	11	0.022

Tow Rope

5T

ITEM NO	SIZE		G.W.	CBM
150406	2"/50MM*5M	20 / 1	2.35	0.022

Bungee Cord

Core 100% Rubber

ITEM NO	SIZE		G.W.	CBM
150420	2PC*8MM*60CM	40 / 1	13	0.019
150421	2PC*8MM*100CM	40 / 1	12.4	0.024

Ratchet Tie Down Strap

Max Pull:600kgs-1320lbs

600KGS / 1320LBS

ITEM NO	SIZE		G.W.	CBM
150412	2PC*25MM*6M	10 / 1	15	0.023
150414	4PC*25MM*6M	5 / 1	18	0.02

Booster Cable

ITEM NO	SIZE		G.W.	CBM
064601	500AMP	10 / 1	11.6	0.029
064602	800AMP	10 / 1	20.8	0.05

Horizontal Jack

RISING RANGE 133-465MM
RISING RANGE 130-300MM

ITEM NO	SIZE		G.W.	CBM
064201	2T	1	7	0.0126

Horizontal Jack

	MINIMUM HEIGHT	LIFTING HEIGHT	ADJUST HEIGHT
3T	148	80	50
5T	160	100	60
10T	190	120	60
16T	217	130	60
20T	227	140	60
32T	255	145	60
50T	260	160	

RISING RANGE 133-465MM
RISING RANGE 130-300MM

ITEM NO	SIZE		G.W.	CBM
064203	3T	10 / 1	23	0.029
064204	5T	5 / 1	13.6	0.017
064205	10T	5 / 1	19.7	0.023
064206	16T	4 / 1	25.4	0.028
064207	20T	2 / 1	15.4	0.015
064208	32T	2 / 1	20.3	0.019
064209	50T	1	18.8	0.01

Relief Valve Weld Type Hydraulic Jack

	MINIMUM HEIGHT	LIFTING HEIGHT	ADJUST HEIGHT
3T	180	105	50
5T	185	115	60
10T	190	110	60
16T	205	125	60
20T	220	140	60
32T	230	130	
50T	230	130	

ITEM NO	SIZE		G.W.	CBM
064220	3T	5	14.2	0.014
064221	5T	5	16.5	0.018
064222	10T	4	21	0.017
064223	16T	2	14.8	0.011
064224	20T	2	19.8	0.015
064225	32T	2	23.1	0.019
064226	50T	1	21	0.014

Scissor Jacks

RISING RANGE 105-350MM

ITEM NO	SIZE		G.W.	CBM
064235	1T	10 / 1	17.2	0.033
064236	1.5T	10 / 1	21.2	0.042
064237	2T	10 / 1	24.5	0.053

Horizontal Jack

RISING RANGE 140-465MM

ITEM NO	SIZE		G.W.	CBM
064230	3T	1	33	0.062

Horizontal Jack

RISING RANGE 140-465MM

ITEM NO	SIZE		G.W.	CBM
064231	3T	1	24.7	0.052

Jacks Stand

3T:260-435MM 6T:370-610MM

ITEM NO	SIZE		G.W.	CBM
064210	3T	4 / 1	21	0.068
064211	6T	2 / 1	20	0.07

Hand Air Pump

ITEM NO	SIZE		G.W.	CBM
063901	43MM*570MM	10 / 5	9.3	0.013

Foot Pump With Gauge

BASE MATERIAL: PA
TUBE MATERIAL: ALUMINUM ALLOY AIR BELT LENGTH: 695MM
TRACHEAL DIRECT: 48MM AIR NOZZLE: UNIVERSAL IN THE UK, FRANCE, AND THE US TOTAL LENGTH:480MM

ITEM NO	SIZE		G.W.	CBM
063904	38*600MM	20 / 10	9.3	0.013

Portable Hand Pump

BASE MATERIAL: PA
TUBE MATERIAL: ALUMINUM ALLOY AIR BELT LENGTH: 350MM
TRACHEAL DIRECT: 26MM AIR NOZZLE: UNIVERSAL IN THE UK, FRANCE, AND THE US TOTAL LENGTH: 280MM

ITEM NO	SIZE		G.W.	CBM
063902	26*280MM	48 / 6	9.3	0.013

Foot Pump

MATERIAL:PP TRACHEAL DIRECT: 46MM
AIR BELT LENGTH: 500MM TOTAL LENGTH: 160MM

ITEM NO	SIZE		G.W.	CBM
063903	46*160MM	48	9.3	0.013

Three Tray Tools Cart

IRON 360 ° WHEEL

ITEM NO	SIZE		G.W.	CBM
150110	72*35*5CM	1	13	0.05

Car Repairing Lie Board

ITEM NO	SIZE		G.W.	CBM
064501	40"	1	3.8	0.045

Pneumatic Roller Seat

360 DEGREE ROTATING COMFORTABLE LEATHER SEAT

ITEM NO	SIZE		G.W.	CBM
064506	120MM	1	5.8	0.024

Auto Repair And Beauty Stool

ITEM NO	SIZE		G.W.	CBM
064505	45X33X64CM	1	6.4	0.046

Tire Pressure Gun

ITEM NO	SIZE		G.W.	CBM
063501	16KGS	50 / 10	20.8	0.106

Tire Pressure Gun

ITEM NO	SIZE		G.W.	CBM
063502	18KGS	40 / 10	23	0.084

Staple Gun

1 Way

ITEM NO	SIZE		G.W.	CBM
120204	1 WAY	40 / 10	17.5	0.037

Staple Gun

1 Way



ITEM NO	SIZE		G.W.	CBM
120202	1 WAY	40 / 4	17.5	0.037

Heavy Duty 4 Way Staple Gun

4 Way In 1

ITEM NO	SIZE		G.W.	CBM
120203	4 WAY IN 1	24 / 6	23	0.054

Heavy Duty 4 Way Staple Gun

4 Way In 1

ITEM NO	SIZE		G.W.	CBM
120201	4 WAY IN 1	24 / 6	18	0.04

Staple

1000pcs





ITEM NO	SIZE		G.W.	CBM
121501	1.2*8*11.3MM	120BOXS 30BOXS	14.9	0.012

Staple

1000pcs





ITEM NO	SIZE		G.W.	CBM
121502	0.7*8*11.3MM	200BOXS 50BOXS	14.5	0.013

Staple

1000pcs



ITEM NO	SIZE		G.W.	CBM
121503	1.2*12*6.3MM	120BOXS 30BOXS	15.9	0.012

Staple

1000pcs





ITEM NO	SIZE		G.W.	CBM
121504	1.2*10*2MM	120BOXS 30BOXS	10.3	0.013

Hinge

Steel

ITEM NO	SIZE		G.W.	CBM
130301 130302	4"*3"*2" 5"*3*2.5"	60 / 30 60 / 30	19 28.5	0.0355 0.0355

Two Jaws Gear Puller

Cr-V

ITEM NO	SIZE		G.W.	CBM
060701 060702 060703	3"/75MM 4"/100MM 6"/150MM	20 / 1 20 / 1 12 / 1	10.5 19.5 24.5	0.04 0.055 0.065

Three Jaws Gear Puller

Cr-V

ITEM NO	SIZE		G.W.	CBM
060707	3"/75MM	20 / 1	13.5	0.052
060708	4"/100MM	10 / 1	13	0.033
060709	6"/150MM	6 / 1	17	0.038

Two Arm Gear Puller

Cr-V

ITEM NO	SIZE		G.W.	CBM
060713	90*100MM	20 / 1	20	0.017
060714	130*100MM	20 / 1	25	0.025
060715	160*150MM	6 / 1	18	0.015

Terylene Latex Gloves

Polyester Shell
Gauge:13

ITEM NO	SIZE		G.W.	CBM
140801	10"/XL	240PAIRS	11	0.07

10 Needles Latex Gloves

Polyester Shell
Gauge:10

ITEM NO	SIZE		G.W.	CBM
140802	10"/XL	120PAIRS	11	0.051

Gloves

Cotton/polyester

ITEM NO	SIZE		G.W.	CBM
140803	10"/250MM	240 / 1	13.5	0.068

Terylene Pu Gloves

Polyester Shell

ITEM NO	SIZE		G.W.	CBM
140804	10"/XL	240PAIRS	11	0.052

Terylene Nitrile Gloves

Polyester Shell

ITEM NO	SIZE		G.W.	CBM
140805	10"/XL	240PAIRS	11	0.052

Cut-resistant Gloves

ITEM NO	SIZE		G.W.	CBM
140806	9"/L	240PAIRS	11	0.052

Terylene Embossing Gloves

High Grade T/c Shell
Gauge:13

ITEM NO	SIZE		G.W.	CBM
140807	11"/XL	120PAIRS	11	0.052

Oil Proof Touch Screen Gloves

High Grade T/c Shell
Gauge:13

ITEM NO	SIZE		G.W.	CBM
140808	11"/XL	120PAIRS	11	0.052

Leather Gloves

Cowhide

ITEM NO	SIZE		G.W.	CBM
140701	10.5"/265MM	120PAIR	31	0.067

Welding Gloves

Cowhide

ITEM NO	SIZE		G.W.	CBM
140702	14"/350MM	72PAIR	25	0.067

Gloves

Cowhide

ITEM NO	SIZE		G.W.	CBM
140402	14"/240G	72PAIR	14.5	0.0529

Safety Glasses

Pc

ITEM NO	SIZE		G.W.	CBM
140206	TRANSPARENT	96 / 24	5	0.076

Safety Goggle

Pc

ITEM NO	SIZE		G.W.	CBM
140207	TRANSPARENT	96 / 24	6	0.076

Safety Glasses

Pc

ITEM NO	SIZE		G.W.	CBM
140208	TRANSPARENT	120 / 20	10	0.08

Welding Goggle

Pc

ITEM NO	SIZE		G.W.	CBM
140203	TRANSPARENT	120 / 20	13	0.114

Faceshield Visor

Pc

ITEM NO	SIZE		G.W.	CBM
140306	TRANSPARENT	40 / 1	13.5	0.12

Ear Defenders

Abs+pu

ITEM NO	SIZE		G.W.	CBM
141901	24dB	60 / 15	10	0.116

Ear Plug

ITEM NO	SIZE		G.W.	CBM
141906	25dB	2000 / 200	9	0.09

Chemical Respirator

Abs+pu

C6H6

ITEM NO	SIZE		G.W.	CBM
141201	SINGLE	50 / 1	9.5	0.068

Chemical Respirator

Abs+pu

C6H6

ITEM NO	SIZE		G.W.	CBM
141202	DOUBLE	50 / 1	14.5	0.108

Welding Helmet

Din3/9-13

ITEM NO	SIZE		G.W.	CBM
140301	90X35MM	12 / 1	8.8	0.753

Welding Helmet

Abs

ITEM NO	SIZE		G.W.	CBM
140302	108X50MM	30 / 1	13	0.11

Welding Helmet

Abs

ITEM NO	SIZE		G.W.	CBM
140303	108X50MM	40 / 1	14	0.1

Welding Safety Goggles

Abs

LIGHT SHADE:DIN3 DARK SHADE:DIN11
SWITCHING TIME:1/1000S RECOVERY TIME:0.2S
POWER SUPPLY:SOLAR CELL+LITHIUM BTTERIES

ITEM NO	SIZE		G.W.	CBM
140202	100X35MM	48 / 12	6	0.036

Welding Safety Goggles

Pu

PRODUCT PARAMETER DARK SHADE:DIN11
VIEW AREA:90MM*32MM LIGHT SHADE:DIN3
SWITCHING TIME:1/1000S RECOVERY TIME:0.2S
POWER SUPPLY:SOLAR-CELLS+LITHIUM BTTERIES

ITEM NO	SIZE		G.W.	CBM
140201	100X35MM	48 / 1	11	0.078

Safety Helmet

EN397:2012+A1:2012
53–62 CM HIGH QUALITY PE CE

ITEM NO	SIZE		G.W.	CBM
140501	YELLOW	20 / 1	7	0.067

Safety Helmet

EN397:2012+A1:2012
53–62 CM HIGH QUALITY PE CE

ITEM NO	SIZE		G.W.	CBM
140502	RED	20 / 1	7	0.067

Safety Helmet

EN397:2012+A1:2012
53–62 CM HIGH QUALITY PE CE

ITEM NO	SIZE		G.W.	CBM
140504	WHITE	20 / 1	7	0.067

Safety Helmet

EN397:2012+A1:2012
53-62 CM HIGH QUALITY PE

ITEM NO	SIZE		G.W.	CBM
140505	BLUE	20 / 1	7	0.067

Safety Helmet

Abs

Knob adjustment
Convenient and precise wear

ITEM NO	SIZE		G.W.	CBM
140308	RED	30	13	0.13

Safety Helmet

Abs

Knob adjustment
Convenient and precise wear

ITEM NO	SIZE		G.W.	CBM
140309	WHITE	30	13	0.13

Safety Helmet

Abs

Knob adjustment
Convenient and precise wear

ITEM NO	SIZE		G.W.	CBM
140310	BLUE	30	13	0.13

Safety Helmet

Abs

Knob adjustment
Convenient and precise wear

ITEM NO	SIZE		G.W.	CBM
140307	YELLOW	30	13	0.13

Safety Boots

Acid Resistant
Anti Puncture
Steel Bottom

ITEM NO	SIZE		G.W.	CBM
L142039	39	10 / 1	15	0.077
L142040	40	10 / 1	15.5	0.077
L142041	41	10 / 1	16.3	0.087
L142042	42	10 / 1	16.8	0.087
L142043	43	10 / 1	17.2	0.088
L142044	44	10 / 1	18.5	0.11
L142045	45	10 / 1	19	0.11

Safety Boots

Acid Resistant
Anti Puncture
Steel Bottom

ITEM NO	SIZE		G.W.	CBM
142039	39	10 / 1	15	0.077
142040	40	10 / 1	15.5	0.077
142041	41	10 / 1	16.3	0.087
142042	42	10 / 1	16.8	0.087
142043	43	10 / 1	17.2	0.088
142044	44	10 / 1	18.5	0.11
142045	45	10 / 1	19	0.11

Safety Boots

Acid Resistant
Anti Puncture
Steel Bottom

ITEM NO	SIZE		G.W.	CBM
L141139	39	10 / 1	15	0.077
L141140	40	10 / 1	15.5	0.077
L141141	41	10 / 1	16.3	0.087
L141142	42	10 / 1	16.8	0.087
L141143	43	10 / 1	17.2	0.088
L141144	44	10 / 1	18.5	0.11
L141145	45	10 / 1	19	0.11

Safety Boots

Acid Resistant
Anti Puncture
Steel Bottom

ITEM NO	SIZE		G.W.	CBM
141139	39	10 / 1	15	0.077
141140	40	10 / 1	15.5	0.077
141141	41	10 / 1	16.3	0.087
141142	42	10 / 1	16.8	0.087
141143	43	10 / 1	17.2	0.088
141144	44	10 / 1	18.5	0.11
141145	45	10 / 1	19	0.11

Safety Boots

Flyknit Lightweight Type

ITEM NO	SIZE		G.W.	CBM
142139	39	10 / 1	15	0.077
142140	40	10 / 1	15.5	0.077
142141	41	10 / 1	16.3	0.087
142142	42	10 / 1	16.8	0.087
142143	43	10 / 1	17.2	0.088
142144	44	10 / 1	18.5	0.11
142145	45	10 / 1	19	0.11

Safety Boots

ITEM NO	SIZE		G.W.	CBM
142239	39	10 / 1	15	0.077
142240	40	10 / 1	15.5	0.077
142241	41	10 / 1	16.3	0.087
142242	42	10 / 1	16.8	0.087
142243	43	10 / 1	17.2	0.088
142244	44	10 / 1	18.5	0.11
142245	45	10 / 1	19	0.11

Safety Boots

High Top
Waterproof

ITEM NO	SIZE		G.W.	CBM
142339	39	10 / 1	15	0.077
142340	40	10 / 1	15.5	0.077
142341	41	10 / 1	16.3	0.087
142342	42	10 / 1	16.8	0.087
142343	43	10 / 1	17.2	0.088
142344	44	10 / 1	18.5	0.11
142345	45	10 / 1	19	0.11

Rain Boots

ITEM NO	SIZE		G.W.	CBM
141840	40	6 PAIRS	10	0.043
141841	41	6 PAIRS	11	0.043
141842	42	6 PAIRS	12	0.043
141843	43	6 PAIRS	13	0.043
141844	44	6 PAIRS	14	0.0488
141845	45	6 PAIRS	15	0.0488

Rain Boots With

METAL TOE+SOLE

ITEM NO	SIZE		G.W.	CBM
M141840	40	6 PAIRS	12	0.046
M141841	41	6 PAIRS	12	0.046
M141842	42	6 PAIRS	12.8	0.046
M141843	43	6 PAIRS	13.1	0.046
M141844	44	6 PAIRS	13.3	0.046
M141845	45	6 PAIRS	13.8	0.046

Rain Boots With

ITEM NO	SIZE		G.W.	CBM
B141840	40	6 PAIRS	12	0.046
B141841	41	6 PAIRS	12	0.046
B141842	42	6 PAIRS	12.8	0.046
B141843	43	6 PAIRS	13.1	0.046
B141844	44	6 PAIRS	13.3	0.046
B141845	45	6 PAIRS	13.8	0.046

Safety Harness

ITEM NO	SIZE		G.W.	CBM
141301	45MM	10 / 1	7	0.057

Safety Harness

ITEM NO	SIZE		G.W.	CBM
141302	45MM	10 / 1	7	0.057

Air Hose

PU

ITEM NO	SIZE		G.W.	CBM
121905	5X8MM*5M	80	25	0.09
121910	5X8MM*10M	40	20	0.09
121915	5X8MM*15M	25	17	0.08

WISEUP
WISEUP

Safety Ladder

ITEM NO	SIZE		G.W.	CBM
141702	2 STEPS	4 / 1	18.5	0.124
141703	3 STEPS	4 / 1	25.5	0.158
141704	4 STEPS	4 / 1	33	0.191
141705	5 STEPS	2 / 1	20.5	0.11
141706	6 STEPS	2 / 1	24	0.126

Wheel Barrow

LOAD CAPACITY:200KGS
WATER CAPACITY:65L
SAND CAPACITY:5CBF
WHEEL TYPE:4.00-8AIR
SIZE(L/H/C/A/B/H):1375/560/555/835/675/210MM

ITEM NO	SIZE		G.W.	CBM
051801	65L	1	17	0.034

Hand Pallet Truck

SIZE:3000KGS
WHEELS: NYLON
RATED LOAD: 3000KG
HEIGHT DURING DESCENT: 80MM
LARGE WHEEL SIZE: 180 * 50MM

DOUBLE WHEEL SIZE: 80 * 70MM
OVERALL HEIGHT: 1224MM
OVERALL LENGTH: 1603MM
FORK LENGTH: 1220MM
FORK WIDTH: 685MM
TURNING RADIUS: 1336MM

ITEM NO	SIZE		G.W.	CBM
051910	3000KG	6	70	0.066

Flat Cart

50 Kgs

ITEM NO	SIZE		G.W.	CBM
051907	MAX:50KGS	10 / 1	13.5	0.065

Flat Cart

70 Kgs

ITEM NO	SIZE		G.W.	CBM
051906	MAX:70KGS	4 / 1	13.5	0.054

Flat Cart

150 / 300Kgs

ITEM NO	SIZE		G.W.	CBM
051901	MAX:150KGS	1	7.5	0.035
051902	MAX:300KGS	1	8.5	0.042

Pruning Shears

Sk5

ITEM NO	SIZE		G.W.	CBM
110101	8"/200MM	60 / 10	18.7	0.042

Pruning Shears

Cr-V

ITEM NO	SIZE		G.W.	CBM
110102	7.5"/185MM	60 / 10	11.6	0.037

Pruning Shears

Cr-V

ITEM NO	SIZE		G.W.	CBM
110103	8"/200MM	60 / 6	18.9	0.033
110104	10"/250MM	48 / 6	24.2	0.039

Pruning Shears

Sk-5

ITEM NO	SIZE		G.W.	CBM
110106	8"/200MM	72 / 6	22.3	0.056

Pruning Shears

3cr13

ITEM NO	SIZE		G.W.	CBM
110107	7"/175MM	144 / 24	20	0.065

Pruning Shears

3cr13

ITEM NO	SIZE		G.W.	CBM
110108	7"/175MM	144 / 24	20	0.065

Heavy Pruning Shears

Industrial

ITEM NO	SIZE		G.W.	CBM
110109	9"225MM	60 / 6	17.6	0.039

Pruning Shears

Cr-v

ITEM NO	SIZE		G.W.	CBM
110110	8.5"/210MM	72 / 6	21	0.056

Pruning Shears

Cr-v

ITEM NO	SIZE		G.W.	CBM
110111	8"/200MM	72 / 6	16.5	0.056

Fence Cutter

Cr-v

ITEM NO	SIZE		G.W.	CBM
020501	10"/200MM	24 / 1	22.5	0.037

Fence Cutter

Adjustable

ITEM NO	SIZE		G.W.	CBM
020502	12"/300MM	12 / 1	16	0.035

Fence Cutter

Adjustable

ITEM NO	SIZE		G.W.	CBM
020503	12"/300MM	24 / 1	32.5	0.084

Hedge Shears

Sk-5

ITEM NO	SIZE		G.W.	CBM
020504	31"/765MM	12 / 1	19	0.034

Garden Scissors

Sk5

ITEM NO	SIZE		G.W.	CBM
020505	39"/980MM	12 / 1	21	0.048

Garden Scissors

Sk5

ITEM NO	SIZE		G.W.	CBM
020506	38"/940MM	12 / 1	20.2	0.048

Mini Type Fence Cutter

Cr-V

ITEM NO	SIZE		G.W.	CBM
020507	20"/480MM	12 / 1	10	0.022

Adjustable Plastic Spray Gun

Abs,Pp,Tpr

ITEM NO	SIZE		G.W.	CBM
110901	1/2"/12.5MM	48 / 12	8.5	0.071

8-Pattern Plastic Spray Gun

Skin Card

ITEM NO	SIZE		G.W.	CBM
110902	1/2"/12.5MM	48 / 12	10	0.088

4pcs Spray Nozzle Set

Abs,pp

ITEM NO	SIZE		G.W.	CBM
110903	3/4"-12.5MM	48 / 12	7.5	0.079

4pcs 8-pattern Plastic Spray Gun Set

Abs

ITEM NO	SIZE		G.W.	CBM
110905	1/2" & 3/4"	240	7	0.057

3pcs Spray Nozzle Set

Skin Card

ITEM NO	SIZE		G.W.	CBM
110906	1/2"12.5MM	48 / 12	4.4	0.0334

Plastic Impulse Sprinkler

Skin Card



ITEM NO	SIZE		G.W.	CBM
110907	11"/280MM	48 / 12	9.2	0.074

Three Way Hose Couping

Abs

THREE WAY HOSE COUPLING
MATERIAL: ABS

ITEM NO	SIZE		G.W.	CBM
110909	1/2"	240	9	0.086

Two Way Hose Couping

Abs

THREE WAY HOSE COUPLING
MATERIAL: ABS

ITEM NO	SIZE		G.W.	CBM
110910	1/2"	240	7	0.053

Hose Connector

Abs

THREE WAY HOSE COUPLING
MATERIAL: ABS

ITEM NO	SIZE		G.W.	CBM
110911	1/2"	240	9	0.086

Mender

Abs

THREE WAY HOSE COUPLING
MATERIAL: ABS

ITEM NO	SIZE		G.W.	CBM
110912	1/2"	240	10.3	0.052

Tap Adaptor

Abs

THREE WAY HOSE COUPLING
MATERIAL: ABS

ITEM NO	SIZE		G.W.	CBM
110913	1/2" & 3/4"	240	7	0.057

Water Hose Reel

Water

CASING MATERIAL:PP
HOSE MATERIAL:PVC
WORKING PRESSURE:150PSI
FITTING:1/4"BSPT+EUROPE QUICK COUPLERS
HOSE SIZE:1/2"(11*15MM)
HOSE LENGTH:15M+1.5M

ITEM NO	SIZE		G.W.	CBM
111315	15M+1.5M-1/2"	1	7	0.04

Water Hose Reel

Water

CASING MATERIAL:PP
HOSE MATERIAL:PVC
WORKING PRESSURE:150PSI
FITTING:1/4"BSPT+EUROPE QUICK COUPLERS
HOSE SIZE:1/2"(11*15MM)
HOSE LENGTH:30M+2M

ITEM NO	SIZE		G.W.	CBM
111330	30M+2M-1/2"	1	13	0.07

Air Hose Reel

Air

CASING MATERIAL:PP
HOSE MATERIAL:PVC
WORKING PRESSURE:150PSI
FITTING:1/4"BSPT+EUROPE QUICK COUPLERS
HOSE SIZE:5/16"(8*12MM)
HOSE LENGTH:20+1.5M

ITEM NO	SIZE		G.W.	CBM
111320	20M+1.5M-5/16"	1	7.5	0.04

sprayer

5L

ITEM NO	SIZE		G.W.	CBM
110702	5L	6 / 1	4.4	0.03

sprayer

2L

ITEM NO	SIZE		G.W.	CBM
110703	2L	12	4.4	0.03

Hose Cart Without Hose

Abs,pp,steel

HANDLE ADJUSTABLE STORE UP TO 45M(1/2"-13MM)HOSE
EASY ASSEMBLY WITHOUT TOOLSWITH 2 WHEEL
MATERIAL:PP.STEEL.ABS

ITEM NO	SIZE		G.W.	CBM
111001	1/2"-13MM	5 / 1	11	0.097

Hand Sprayer

Abs

ITEM NO	SIZE		G.W.	CBM
110701	16L	1	2.5	0.036

Battery Sprayer

Abs 16L

ITEM NO	SIZE		G.W.	CBM
110716	16L BATTERY SPRAY	1	6.8	0.035
110716L	16L BATTERY +HAND SPRAY	1	6.8	0.035

Battery Sprayer

Abs 20L

ITEM NO	SIZE		G.W.	CBM
110720	20L BATTERY SPRAY	1	6.8	0.035
110720L	20L BATTERY +HAND SPRAY	1	6.8	0.035

WISEUP
4.0AH
WISEUP
21V
MAX

Stainless Transplanter

Stainless Steel

ITEM NO	SIZE		G.W.	CBM
111101	33X8.2CM	48 / 12	12.5	0.035

Stainless Transplanter

Stainless Steel

ITEM NO	SIZE		G.W.	CBM
111102	32.8X8CM	48 / 12	13.8	0.035

Stainless Fork

Stainless Steel

ITEM NO	SIZE		G.W.	CBM
111103	30.8X7.5CM	48 / 12	10.5	0.028

Stainless Cultivator

Stainless Steel

ITEM NO	SIZE		G.W.	CBM
111104	31.5X8.5CM	48 / 12	13.8	0.041

Stainless 3-line Fork And Hoe

Stainless Steel

ITEM NO	SIZE		G.W.	CBM
111105	32.5X18.9CM	48 / 12	17.8	0.07

Shovel

Steel+fiberglass

ITEM NO	SIZE		G.W.	CBM
110401	1.1M	6 / 1	12	0.01

Shovel

Steel+fiberglass

INTEGRATED MOLDING, THICKENED MATERIAL, NOT EASILY DAMAGED

ITEM NO	SIZE		G.W.	CBM
110402	1.1M	6 / 1	13	0.01

Shovel

Steel+fiberglass

INTEGRATED MOLDING, THICKENED MATERIAL, NOT EASILY DAMAGED

ITEM NO	SIZE		G.W.	CBM
110403	1.6M	6 / 1	13	0.013

Shovel

Steel+fiberglass

INTEGRATED MOLDING, THICKENED MATERIAL, NOT EASILY DAMAGED

ITEM NO	SIZE		G.W.	CBM
110404	1.6M	6 / 1	14	0.015

Shovel Head

Steel

ITEM NO	SIZE		G.W.	CBM
110405	1KG	12 / 1	13	0.01

Teeth Rake

Steel

IT IS SUITABLE FOR LOOSENING SOIL, WEEDING AND RAKING THE GROUND IN LARGE AREAS

ITEM NO	SIZE		G.W.	CBM
110802	12 TEETH	24 / 1	13	0.029
110803	14 TEETH	24 / 1	15	0.033

Safety Ladder

Expansion: Aluminum

ITEM NO	SIZE		G.W.	CBM
141726	2.6M	1	18.5	0.124

STEP COUNT: 9 STEPS FOLDING WIDTH: 47CM
OPEN TOTAL HEIGHT: 260CM FOLDING LENGTH: 75CM
STEP SPACING: 30CM MAX LOAD:150KGS FOLDING HEIGHT: 7.6CM

ITEM NO	SIZE		G.W.	CBM
141732	3.2M	1	24	0.126

STEP COUNT: 11 STEPS FOLDING WIDTH: 47.5CM
OPEN TOTAL HEIGHT: 320CM FOLDING LENGTH: 81CM
STEP SPACING: 30CM MAX LOAD:150KGS FOLDING HEIGHT: 8.0CM

Crimped Cup Brush

M14

ITEM NO	SIZE		G.W.	CBM
130607	3"/75MM	48 / 12	12	0.041
130608	4"/100MM	48 / 6	22	0.046
130609	5"/125MM	24 / 6	15	0.07

Knotted Cup Brush

M14

ITEM NO	SIZE		G.W.	CBM
130602	3"/75MM	48 / 12	14.5	0.044
130603	4"/100MM	48 / 6	24.5	0.077
130604	5"/125MM	24 / 6	17	0.074

Wire Brush

Steel

HIGH QUALITY STEEL WIRE, 12 WIRE GROUP,
15 ROWS, 1 ROW, 6 GROUPS

ITEM NO	SIZE		G.W.	CBM
130801	11"/275MM	96 / 12	16.8	0.053

Knife Brush

Steel

HIGH QUALITY STEEL WIRE, 12 WIRE GROUP,
15 ROWS, 1 ROW, 6 GROUPS

ITEM NO	SIZE		G.W.	CBM
130901	10"/250MM	72 / 12	17	0.049

3pcs Steel Wire Brush Set

1PC CIRCULAR BRUSH 2"(25MM)
1 PC END BRUSH1"(25MM) 1PC CUP BRUSH2"(50MM)

ITEM NO	SIZE		G.W.	CBM
130611	3PCS	100 / 25	15.2	0.081

5pcs Steel Wire Brush Set

2PCS CUP BRUSHES 50MM / 70MM
2PCS WHEEL BRUSHES 50MM / 70MM 1PC 25MM END BRUSHES

ITEM NO	SIZE		G.W.	CBM
130612	5PCS	60 / 15	18	0.081

Iron Padlock

Iron

ITEM NO	SIZE		G.W.	CBM
190102	32MM	120 / 6	12.5	0.009
190103	38MM	120 / 6	18.9	0.012
190104	50MM	60 / 6	18.5	0.012
190105	63MM	36 / 6	19	0.011
190106	75MM	24 / 6	17.9	0.01

Brass Padlock

Copper

SOLID PURE COPPER

ITEM NO	SIZE		G.W.	CBM
190202	25MM	120 / 12	10.6	0.035
190203	30MM	120 / 12	14.5	0.035
190204	40MM	60 / 12	22.2	0.038
190205	50MM	36 / 6	18.8	0.028
190206	63MM	24 / 6	14.5	0.018
190207	70MM	24 / 6	17	0.017

Rectangle Brass Padlock

Copper

ITEM NO	SIZE		G.W.	CBM
190208	65MM	48 / 6	18.5	0.01
190209	75MM	48 / 6	21	0.008
190210	90MM	36 / 6	23	0.009

Bicycle Lock U Type

TENSILE RESISTANCE 500KGS

CULTY, UNUSED FOR A LONGTIME WHICH CAUSES INSERT AND TAKE OUT KEY NOT SO

THE KEY HAVE SNAKE SHAPE SLOT, IT'S HARDTO COPY AND INTERCHANGEABILITY

ENVIRONMENTAL PROTECTION MATERIAL, NO SMELL

THE CYLINDER ANTI-WATER DESIGN MOREDURABLE

ITEM NO	SIZE		G.W.	CBM
190303	ϕ14X142X72MM	48 / 12	16.3	0.024

Key Spiral Cable Lock

ITEM NO	SIZE		G.W.	CBM
190302	ϕ1.2X120CM	48 / 12	14.5	0.039

5 Digit Combination Cable Lock



ITEM NO	SIZE		G.W.	CBM
190301	ϕ1.2X120CM	48 / 12	14.5	0.039

White-Cable Tie

New Nylon

ITEM NO	SIZE		G.W.	CBM
150509	3.6*150MM	100BAGS/10000PCS	8.9	0.033
150510	3.6*200MM	100BAGS/10000PCS	8.9	0.033
150511	3.6*250MM	80BAGS/8000PCS	8.9	0.033
150517	4.8*300MM	50BAGS/5000PCS	9.8	0.032
150518	4.8*350MM	50BAGS/5000PCS	9.8	0.032
150519	4.8*400MM	40BAGS/4000PCS	10.5	0.033
150520	4.8*450MM	40BAGS/4000PCS	9.8	0.032
150521	4.8*500MM	30BAGS/3000PCS	10.4	0.038
150522	5.2*250MM	125BAGS/6250PCS	9.8	0.032
150523	5.2*300MM	100BAGS/5000PCS	9.8	0.032
150524	5.2*350MM	100BAGS/5000PCS	9.8	0.032
150525	5.2*400MM	90BAGS/4500PCS	9.8	0.032
150526	5.2*450MM	50BAGS/2500PCS	9.8	0.032
150527	5.2*500MM	60BAGS/3000PCS	9.8	0.032
150528	7.6*300MM	60BAGS/3000PCS	9.8	0.032
150529	7.6*350MM	50BAGS/3000PCS	9.8	0.032
150530	7.6*400MM	40BAGS/2000PCS	9.8	0.032
150531	7.6*450MM	40BAGS/2000PCS	9.8	0.032
150532	7.6*500MM	30BAGS/1500PCS	9.8	0.032
150533	7.6*550MM	30BAGS/1500PCS	9.8	0.032
150534	7.6*600MM	25BAGS/1250PCS	9.8	0.032

Black Nylon Cable Tie

New Nylon

ITEM NO	SIZE		G.W.	CBM
B150509	3.6*150MM	100BAGS/10000PCS	8.9	0.033
B150510	3.6*200MM	100BAGS/10000PCS	8.9	0.033
B150511	3.6*250MM	80BAGS/8000PCS	8.9	0.033
B150517	4.8*300MM	50BAGS/5000PCS	9.8	0.032
B150518	4.8*350MM	50BAGS/5000PCS	9.8	0.032
B150519	4.8*400MM	40BAGS/4000PCS	10.5	0.033
B150520	4.8*450MM	40BAGS/4000PCS	9.8	0.032
B150521	4.8*500MM	30BAGS/3000PCS	10.4	0.038
B150522	5.2*250MM	125BAGS/6250PCS	9.8	0.032
B150523	5.2*300MM	100BAGS/5000PCS	9.8	0.032
B150524	5.2*350MM	100BAGS/5000PCS	9.8	0.032
B150525	5.2*400MM	90BAGS/4500PCS	9.8	0.032
B150526	5.2*450MM	50BAGS/2500PCS	9.8	0.032
B150527	5.2*500MM	60BAGS/3000PCS	9.8	0.032
B150528	7.6*300MM	60BAGS/3000PCS	9.8	0.032
B150529	7.6*350MM	50BAGS/3000PCS	9.8	0.032
B150530	7.6*400MM	40BAGS/2000PCS	9.8	0.032
B150531	7.6*450MM	40BAGS/2000PCS	9.8	0.032
B150532	7.6*500MM	30BAGS/1500PCS	9.8	0.032
B150533	7.6*550MM	30BAGS/1500PCS	9.8	0.032
B150534	7.6*600MM	25BAGS/1250PCS	9.8	0.032

Expand Plugs

Pe

ITEM NO	SIZE		G.W.	CBM
121406	6MM	100BOX / 100PCS	6	0.038
121407	7MM	100BOX / 100PCS	8.6	0.038
121408	8MM	100BOX / 100PCS	9.2	0.038
121410	10MM	100BOX / 50PCS	6.3	0.038
121412	12MM	100BOX / 25PCS	7.3	0.038

Round Cable Nail Clips

1BOX=100PCS

	H	W	SIZE
6MM	5.4	6	1.7*14.6
7MM	6	7	1.75*15.4
8MM	6.4	8	18.2*16.6
9MM	7.4	9	1.82*16.6
10MM	7.5	10	1.82*15.8
12MM	8	12	2.0*19.7

ITEM NO	SIZE		G.W.	CBM
150806	6MM	300BOXS	22	0.051
150807	7MM	300BOXS	24	0.051
150808	8MM	200BOXS	20	0.051
150809	9MM	200BOXS	23	0.051
150810	10MM	200BOXS	24	0.051
150812	12MM	100BOXS	17	0.043

Sucker

Abs+pu

EASILY POPS DENTED HOODS,DOORS,AND FENDERS INTO PLACE
LIFT EDGE TO RELEASE SUCTION ALSO WORKS AS O GLASS HOLDER
HORIZONTAL SUCTION: 50KGS VERTICAL SUCTION: 30KGS

ITEM NO	SIZE		G.W.	CBM
120601	120MM[4-3/4"]	30 / 1	11	0.04

Sucker

Abs+pu

EASILY POPS DENTED HOODS,DOORS,AND FENDERS INTO PLACE
LIFT EDGE TO RELEASE SUCTION ALSO WORKS AS O GLASS HOLDER
HORIZONTAL SUCTION: 105KGS VERTICAL SUCTION: 85KGS

ITEM NO	SIZE		G.W.	CBM
120602	120MM[4-3/4"]	20 / 1	13.2	0.089

Sucker

Abs+pu

EASILY POPS DENTED HOODS,DOORS,AND FENDERS INTO PLACE
LIFT EDGE TO RELEASE SUCTION ALSO WORKS AS O GLASS HOLDER
HORIZONTAL SUCTION: 50KGS VERTICAL SUCTION: 30KGS

ITEM NO	SIZE		G.W.	CBM
120603	120MM[4-3/4"]	10 / 1	13.5	0.08

Li-Ion Battery Vaccume Suction Cup

160KGS

BATTERY:3.0AH
3.7V

ITEM NO	SIZE		G.W.	CBM
120608	8"/200MM	12	11	0.051

Vaccume Suction Cup

160KGS

ITEM NO	SIZE		G.W.	CBM
120607	8"/200MM	12	11	0.051

Board Carrier

ABS

ITEM NO	SIZE		G.W.	CBM
120610	650X65MM	36	11	0.092

Roller Brush

ITEM NO	SIZE		G.W.	CBM
160101	7"/175MM	60 / 1	14.5	0.074
160102	9"/225MM	60 / 1	17	0.075

Roller Brush

ITEM NO	SIZE		G.W.	CBM
160103	7"/175MM	60 / 1	13.7	0.074
160104	9"/225MM	60 / 1	15.6	0.075

Eur Style Roller Brush 10"

ITEM NO	SIZE		G.W.	CBM
160106	10"/250MM	24	11	0.057

10pcs Mini Roller Brush

10Pcs

ITEM NO	SIZE		G.W.	CBM
160202	4"/100MM	24 / 1	6	0.048

8pcs Roller Brush

8Pcs

ITEM NO	SIZE		G.W.	CBM
160203	9"225MM	8 / 1	8	0.085

10pcs Mini Roller Brush

10Pcs

ITEM NO	SIZE		G.W.	CBM
160205	4"/100MM	24 / 1	7	0.069

ONE FOR ALL

WISEUP Interchangable Battery, Solid Pal for Work

10pcs Mini Roller Brush

10Pcs

ITEM NO	SIZE		G.W.	CBM
160201	4"/100MM	50 / 1	7.5	0.066

Mini Roller Brush

ITEM NO	SIZE		G.W.	CBM
160105	4"/100MM	120 / 1	16.3	0.064

Paint Brash

ITEM NO	SIZE		G.W.	CBM
160301	1"	600 / 12	20	0.05
160315	1.5"	360 / 12	15	0.063
160302	2"	360 / 12	18	0.06
160325	2.5"	300 / 12	15	0.06
160303	3"	240 / 12	23	0.06
160304	4"	120 / 12	18	0.06

Paint Brash

Sharpen The Tip
30% Pig Hair

ITEM NO	SIZE		G.W.	CBM
160401	1"	600 / 12	22	0.05
160415	1.5"	360 / 12	17	0.063
160402	2"	360 / 12	20	0.06
160425	2.5"	300 / 12	17	0.06
160403	3"	240 / 12	25	0.06
160404	4"	120 / 12	20	0.06

Chalk Line Reel

Industrial

LENGTH:30M
WITH 1PC SPIRIT BUBBLE
WITH 1BOTTLE CHALK 115G

ITEM NO	SIZE		G.W.	CBM
051501	3PCS	48 / 12	14	0.08

4pcs Mini Pick&hook Set

Cr-V

ITEM NO	SIZE		G.W.	CBM
090701	3*70MM	96 / 12	10.4	0.05

Waterproof Tape

Butyl Rubber

INDUSTRIAL-GRADE QUALITY, ACCURATE SCALE, EASY TO USE

ITEM NO	SIZE		G.W.	CBM
121001	1.5MMX50MMX10M	24	23.5	0.043
121002	1.5MMX75MMX10M	16	23.8	0.043

Masking Tape

Crepe Paper

MATERIAL:CREPE PAPER 1 ROLL/SHRINK
EASY TO PEEL,EASY TO TEAR,NO ADHESIVE RESIDUE,
SPRAY SHIELDING,AND OTHER PURPOSES

ITEM NO	SIZE		G.W.	CBM
121004	24MM*15M	288	13.8	0.068
121005	24MM*40M	144	15.5	0.05
121006	48MM*15M	144	14	0.068
121007	48MM*40M	72	15	0.049

Duct Tape

Pe

ITEM NO	SIZE		G.W.	CBM
121008	48MMX9M	72	8	0.035

Fiberglass Mesh Tape

Fiberglass

HOME&OFFICE&SCHOOL&HARDWARE TOOLS
QUICK AND EASY JOINT, SUPER STRONG SELF ADHESIVE FIBERGLASS

ITEM NO	SIZE		G.W.	CBM
121009	50MMX45M	144	14	0.106
121010	50MMX90M	72	14	0.09

Butyl Repair Tape

Butyl Rubber
Aluminum Film

ITEM NO	SIZE		G.W.	CBM
121015	1.0mmx5cmx10m	24	21	0.029
121016	1.0mmx7.5cmx10m	16	21	0.029
121017	1.0mmx10cmx10m	12	21	0.029

Insulating Tape

Pvc
Fire Proof

ITEM NO	SIZE		G.W.	CBM
041401	19MMX9.15M	400	15.5	0.032

Wood Chisel

Cr-V

ITEM NO	SIZE		G.W.	CBM
051306	6MM	72 / 12	14.5	0.056
051312	12MM	72 / 12	16	0.056
051314	14MM	72 / 12	18	0.056
051316	16MM	72 / 12	18	0.056
051319	19MM	72 / 12	18.5	0.056
051325	25MM	72 / 12	20.5	0.056
051332	32MM	72 / 12	22.7	0.056
051338	38MM	72 / 12	25	0.056

Wood File

T12

ITEM NO	SIZE		G.W.	CBM
100401	HALF ROUND/8"	96 / 12	23	0.066
100402	FIAT/8"	96 / 12	22	0.066
100403	ROUND /8"	96 / 12	17	0.066

Steel File

T12

ITEM NO	SIZE		G.W.	CBM
100404	HALF ROUND/8"	96 / 12	22	0.066
100405	FIAT/8"	96 / 12	22.2	0.066
100406	ROUND /8"	96 / 12	15.8	0.066

4pcs Wood Chisel

Cr-V

ITEM NO	SIZE		G.W.	CBM
051301	6/12/19/25MM	24 / 6	21	0.05

3pcs Wood File

T12

ITEM NO	SIZE		G.W.	CBM
100408	8"/200MM	40	24	0.06

3pcs Steel File

T12

ITEM NO	SIZE		G.W.	CBM
100407	8"/200MM	40	23.5	0.06

Triangle Steel File

ITEM NO	SIZE		G.W.	CBM
100409	8"/200MM	96 / 12	11	0.066

6pcs Needle File Sets

ITEM NO	SIZE		G.W.	CBM
100413	3"X160MM	60 / 10	10	0.042

Stone Chisel

Steel

ITEM NO	SIZE		G.W.	CBM
051103	10+	24 / 6	15.3	0.0277
051104	10-	24 / 6	15.8	0.027
051105	12+	24 / 6	17.8	0.027
051106	12-	24 / 6	18.2	0.027

Cr-v Stone Chisel

Cr-V

THE OVERALL USE OF HIGH-QUALITY LOVAN STEEL FORGING HAS HIGH HARDNESS,GOOD TOUGHNESS, AND IS NOT EASILY DEFORMED AFTER LONG-TERM USE

ITEM NO	SIZE		G.W.	CBM
051109	-8"/200MM	48 / 12	18.7	0.028
051110	-12"/300MM	48 / 12	27	0.027

3pcs Cold Chisel Set

Cr-V

3/8"-10MM 5/8"-16MM 1/2"-12MM

ITEM NO	SIZE		G.W.	CBM
051120	3PCS	40 / 10	14.5	0.021

6pcs Cold Chisel Set

Cr-V

1/8"-3MM 3/16"-5MM 1/4"-6MM
5/16"-8MM 5/32"-4MM 1/16"-1.5MM

ITEM NO	SIZE		G.W.	CBM
051121	6PCS	40 / 10	17	0.02

6pcs Punch&chisel Set

Cr-V

1/8"-3MM 3/16"-5MM 1/4"-6MM
5/16"-8MM 5/32"-4MM 1/16"-1.5MM

ITEM NO	SIZE		G.W.	CBM
051122	6PCS	40 / 10	20.2	0.02

12pcs Cold Chisel Set

Cr-V

1/4"-6MM 5/16"-8MM 3/32"-2MM 3/8"-10MM
1/2"-12MM 5/8"-16MM 5/16"-8MM 1/4"-6MM
3/16"-5MM 5/32"-4MM 1/8"-3MM 1/16"-1.5MM

ITEM NO	SIZE		G.W.	CBM
051123	12PCS	20 / 5	20	0.0375

Adjustable Tap Handle

ITEM NO	SIZE		G.W.	CBM
102811	M3-12	100	11	0.053

Die Stock Handle

ITEM NO	SIZE		G.W.	CBM
102810	M3-12	100	12	0.053

8pcs Metric Tap Set Alloy Steel

Alloy Steel

M3 M4 M5 M6 M8
M10 M12 M3-12

ITEM NO	SIZE		G.W.	CBM
102801	8PCS	60	16.5	0.0336

8pcs Metric Die Set Alloy Steel

Alloy Steel

M3 M4 M5 M6 M8
M10 M12 M3-12

ITEM NO	SIZE		G.W.	CBM
102802	8PCS	60	19	0.0338

2pcs Nut Breaker

ITEM NO	SIZE		G.W.	CBM
061902	2#12-16MM 3#16-22MM	20 / 10	18	0.016

5pcs Screw Extractor Set

DIAMETER(MM)				
4.2	4.5	6.4	7.4	11
RANGE(MM)				
3-6	6-8	8-11	11-14	14-18

ITEM NO	SIZE		G.W.	CBM
062505	3-18MM	100 / 10	18	0.037

6pcs Screw Extractor Set

DIAMETER(MM)					
4.2	4.5	6.4	7.4	11	15
RANGE(MM)					
3-6	6-8	8-11	11-14	14-18	18-22

ITEM NO	SIZE		G.W.	CBM
062506	3-22MM	100 / 10	18	0.037

20PCS METRIC TAP AND DIE SET ALLOY STEEL

Alloy Steel

METRIC ROUND SPANNER:M3,M4,M5,
M6,M7,M8,M9,M10,M12+M25 DIAMETER HINGE
METRIC TAP:M3*0.5,M4*0.7,M5*0.8,
M6*1.0,M7*1.0,M8*1.25,M9*1.25,
M10*1.5 M12*1.75+M3-12 TAP REAMER

ITEM NO	SIZE		G.W.	CBM
102820	20PCS	24	17	0.018

40pcs Metric Tap And Die Set Alloy Steel

Alloy Steel

CONFIGURATION:
17 TAPS / 17 DIE / 1TAP STRANGLER / 1 DIE STRANGLER
1 T-SHAPED STRANGLER / 1 SCREWDRIVER / 1 TOOTH GAUGE

ITEM NO	SIZE		G.W.	CBM
102840	40PCS	10 / 1	14.7	0.031

110pcs Metric Die Set Alloy Steel

35PC TAPER TAPS:M2x0.4,M3X0.5,M4X0.7,M5X0.8,M6X0.75,M6X1.0,
M7X0.75,M7X1.0,M8X0.75,M8X1,M8X1.25,M9X0.75,M9X1.0,M9X1.25,
M10X0.75,M10X1.0,M10X1.25,M10X1.5,M11X0.75,M11X1.0,M11X1.25,
M11X1.5,M12X0.75,M12X1.0,M12X1.25,M12X1.5,,M12X1.75,M14X1.0,
M14X1.25,M14X1.5,M14X2.0,M16X1.0,M16X1.5,M16X2.0,M18X1.5
35PC PLUG TAPS:SAZES AS TAPER TAPS
35PC DIES:SAZES AS TAPER TAPS 1 T TAP WRENCH:M3-M6
2 DIE WRENCH:25mm,38 O/D 2 TAP WRENCH:M3-M12,M6-M20

ITEM NO	SIZE		G.W.	CBM
102803	110PCS	3 / 1	15	0.04

Tile Cutter

High Quality

ITEM NO	SIZE		G.W.	CBM
101901	400MM	4 / 1	26.2	0.0138
101902	600MM	2 / 1	17.5	0.0927
101903	800MM	2 / 1	19	0.115

Tile Cutter

High Quality

Laser function

ITEM NO	SIZE		G.W.	CBM
101905	800MM	2	32.5	0.1
101906	1200MM	1	21	0.07

Gate Roller

Steel

ITEM NO	SIZE		G.W.	CBM
130201	50MM	80	21	0.006
130202	60MM	60	24	0.007
130203	70MM	36	23	0.008
130204	80MM	30	24	0.009

Tile Cutting Wheel

Yg6

HIGH QUALITY TCT
MATERIAL:YG6 REPLACEMENT WHEEL
BALL BEARING CUTTING WHEEL

ITEM NO	SIZE		G.W.	CBM
101910	22X6X6MM	50 / 1	1.2	0.033

Trapezoidal Blade

Ck75

ITEM NO	SIZE		G.W.	CBM
100105	61X19MM	300BOX / 20BOX	16	0.012

Knife Blades

Ck75

ITEM NO	SIZE		G.W.	CBM
100102	100X18MM	300BOX / 20BOX	23	0.016
100113	100X25MM	120BOX / 10BOX	22	0.011

Tool Box

abs

BRAND NEW ABS PLASTIC TOOLBOX.
BETTER LOAD-BEARING EFFECT, DURABLE

ITEM NO	SIZE		G.W.	CBM
150101	14"	20 / 1	17	0.17
150102	17"	12 / 1	16.5	0.21
150103	20"	6 / 1	13.5	0.19
150104	24"	2 / 1	8	0.12

Tool Box

Steel

INDUSTRIAL GRADE IRON SHEET TOOL BOX, THE
SURFACE IS SPRAYED WITH RUST PROOF PAINT.

ITEM NO	SIZE		G.W.	CBM
150105	430MM	4 / 1	13.2	0.097
150106	530MM	4 / 1	15.2	0.12

Tools Bag

Oxford Cloth

INDUSTRIAL GRADE IRON SHEET TOOL BOX, THE
SURFACE IS SPRAYED WITH RUST PROOF PAINT.

ITEM NO	SIZE		G.W.	CBM
150201	16"/400MM	10 / 1	13.5	0.08

Tools Bag

Oxford Cloth

REASONABLY UTILIZE EFFECTIVE SPACE,
EASILY ORGANIZE WITHOUT DISORDER,

ITEM NO	SIZE		G.W.	CBM
150202	16"/400MM	6 / 1	12	0.064

Tools Bag

Oxford Cloth

REASONABLY UTILIZE EFFECTIVE SPACE,
EASILY ORGANIZE WITHOUT DISORDER,

ITEM NO	SIZE		G.W.	CBM
150203	16"	10 / 1	12.7	0.066

Tools Bag

Oxford Cloth

REASONABLY UTILIZE EFFECTIVE SPACE,
EASILY ORGANIZE WITHOUT DISORDER,

ITEM NO	SIZE		G.W.	CBM
150204	25X28CM	20 / 1	11	0.067

Tools Bag

Oxford
Cloth

REASONABLY UTILIZE EFFECTIVE SPACE,
EASILY ORGANIZE WITHOUT DISORDER,

ITEM NO	SIZE		G.W.	CBM
150205	11X24CM	50 / 1	8	0.041

Tools Knapsack

Oxford
Cloth

REASONABLY UTILIZE EFFECTIVE SPACE,
EASILY ORGANIZE WITHOUT DISORDER,

ITEM NO	SIZE		G.W.	CBM
150206	36.5*19*52CM	6 / 1	11.8	0.14

Tool Bag

Oxford

ITEM NO	SIZE		G.W.	CBM
150210	13"/325MM	20	7.5	0.042

Tools Vest Jacket

Oxford
Cloth

ITEM NO	SIZE		G.W.	CBM
150208	Freesize	20 / 1	13	0.066

Drill Bag

ITEM NO	SIZE		G.W.	CBM
150209	27*16CM	100 / 1	9.7	0.057

3 Trigeminy Tools Bag

Oxford
Cloth

REASONABLY UTILIZE EFFECTIVE SPACE,
EASILY ORGANIZE WITHOUT DISORDER,

ITEM NO	SIZE		G.W.	CBM
150207	58*26CM	20 / 1	9.5	0.036

Draw-Bar Tools Bag

ITEM NO	SIZE		G.W.	CBM
150218	46X23X34CM	2 / 1	9	0.099

Cable Reel

Copper

VOLTAGE:220-240V
FREQUENCY:50-60HZ
CABLE GAUGE:2.5M²*9MM

MAX.CURRENT:13A
MAX.COILED POWER:1000W
MAX.TEMPERATURE:105 C
THERMAL PROTECTOR

ITEM NO	SIZE		G.W.	CBM
064606	25M/2.5M²	2 / 1	10.7	0.052
064607	50M/2.5M²	2 / 1	15	0.052

Blender

ITEM NO	SIZE		G.W.	CBM
120801	MEDIUM	12 / 1	16.5	0.11

Silicone Sealant

300ml

STORAGE PERIOD:

KEEP IT IN ITS ORIGINAL SEALED STATE AND STORE IT IN A COOL AND DRY PLACE BELOW 27 ℃ FOR A STORAGE PERIOD OF 12 MONTHS.

ITEM NO	SIZE		G.W.	CBM
121301	TRANSPARENT	24	8	0.014
121302	WHITE	24	12	0.014
121303	BLACK	24	12	0.014

Acrylic Ab Adhesive Glue

10G*2

4 MIN FAST CURING
AUTOMOBILE AND MOTORCYCLE

GENERAL INDUSTRIAL PRODUCTS
DAILY CRAFTS

ITEM NO	SIZE		G.W.	CBM
121315	10G*2	144 / 12	5	0.035

502 Super Glue

3G

1CARD=12PCS

1BOXS=24CARD=288PCS

ITEM NO	SIZE		G.W.	CBM
121311	3G	72 / 24	10	0.067

Flamethrower
Round

INTEGRATED MOLDING, THICKENED MATERIAL, NOT EASILY DAMAGED

ITEM NO	SIZE		G.W.	CBM
141401	3PCS	12 / 6	15	0.067

Flamethrower
Flat

INTEGRATED MOLDING, THICKENED MATERIAL, NOT EASILY DAMAGED

ITEM NO	SIZE		G.W.	CBM
141402	3PCS	12 / 6	10.2	0.036

Flamethrower

ITEM NO	SIZE		G.W.	CBM
141403	72X6CM	24 / 6	15.3	0.12

10pcs Tools Bag Set

SCREWDRIVER + 4X100MM
SCREWDRIVER – 4X100MM
ADJUSTABLE WRENCH 8"
COMBINATION PLIERS 6"
LONG NOSE PLIERS 6"
MINI HAMMER 8OZ
UTILITY KNIFE 18MM
TAPE MEASURE 3M
TEST PEN 4X180MM
CANVAS BAG

ITEM NO	SIZE		G.W.	CBM
070110	10PCS	10 / 1	18	0.039

Carpenter Pencil

ITEM NO	SIZE		G.W.	CBM
051601	13X7X176MM	120 / 12	20	0.035

Bi-color Carpenter Pencil

ITEM NO	SIZE		G.W.	CBM
051602	10X7.5X176MM	120 / 12	12	0.025

M12W

M2 Hss Twist Drill Bit Split Point

M2 Din338

135° | SELF-CENTERING | HSS

ITEM NO	102001	102002	102003	102004	102005	102006	102007	102008	102009	102010	102011	102012	102013	102014
SIZE(MM)	2PCS 1.0X34	2PCS 1.5X40	2PCS 2X49	2PCS 2.5X57	2PCS 3X61	3.2X65	3.5X70	4.0X75	4.2X75	4.5X80	4.8X86	5.0X86	5.5X86	6.0X93
	500 / 125	500 / 125	500 / 125	500 / 125	500 / 125	500 / 125	500 / 125	500 / 125	500 / 125	500 / 125	500 / 125	500 / 125	500 / 125	500 / 125
G.W.	3.5	4	4.5	5	6	5	5.3	6.2	6.6	7.2	8	8.4	9.9	10.9
CBM	0.027	0.028	0.028	0.028	0.028	0.029	0.025	0.0285	0.028	0.029	0.029	0.029	0.029	0.029

ITEM NO	102015	102016	102017	102018	102019	102020	102021	102022	102023	102024	102025	102026	102027	102028
SIZE(MM)	6.5X101	7.0X109	7.5X109	8.0X117	8.5X117	9.0X125	9.5X125	10X133	10.5X133	11X142	11.5X142	12X151	12.5X151	13X151
	200 / 50	200 / 50	200 / 50	200 / 50	200 / 50	200 / 50	200 / 50	200 / 50	200 / 50	200 / 50	200 / 50	200 / 50	200 / 50	200 / 50
G.W.	6	7	7.3	8.7	9.6	11.2	11.9	13.7	14.7	16.9	18.3	20.9	22.2	24
CBM	0.028	0.027	0.027	0.027	0.027	0.027	0.027	0.027	0.027	0.027	0.027	0.027	0.027	0.027

M2 Hss Twist Drill Bit Split Point

M2 Din338

135° | SELF-CENTERING | HSS

ITEM NO	102050	102051	102052	102053	102054	102055	102056	102057	102058	102059	102060	102061	102062
SIZE	2MM 5/64"	2.5MM 3/32"	3MM 7/64"	4MM 5/32"	4.5MM 11/64"	5MM 3/16"	5.5MM 11/64"	6MM 15/64"	6.5MM 1/4"	7MM 17/64"	7.5MM 19/64"	8MM 5/16"	8.5MM 21/64"
	6000 / 100	6000 / 100	6000 / 100	3600 / 100	3600 / 100	1800 / 100	1800 / 100	1800 / 100	1200 / 100	800 / 100	800 / 100	800 / 100	800 / 100
G.W.	3.5	4	4.5	5	6	5	5.3	6.2	6.6	7.2	8	8.4	9.9
CBM	0.036	0.036	0.036	0.032	0.032	0.022	0.022	0.022	0.028	0.022	0.022	0.022	0.022

ITEM NO	102063	102064	102065	102066	102067	102068	102069	102070	102071	102072	102073	102074
SIZE	9MM 11/32"	10MM 25/64"	11MM 27/64"	11.5MM 15/32"	13MM 1/2"	14MM 35/64"	15MM 19/32"	16MM 5/8"	17MM 43/64"	18MM 45/64"	19MM 3/4"	20MM 25/32"
	400 / 50	400 / 50	200 / 50	200 / 50	200 / 50	100 / 50	100 / 25	100 / 25	100 / 20	100 / 20	100 / 20	100 / 20
G.W.	10.9	10.9	4	4.5	5	6	5	5.3	6.2	6.6	7.2	8
CBM	0.017	0.017	0.016	0.016	0.016	0.013	0.013	0.013	0.025	0.025	0.025	0.025

HSS TWIST DRILL BITS

M2 Din338

135° | SELF-CENTERING | HSS

ITEM NO	102101	102102	102103	102104	102105	102106	102107	102108	102110	102111	102112	102113	102114
SIZE	1.0MM	1.5MM	2.0MM	2.5MM	3.0MM	3.2MM	3.5MM	4.0MM	4.5MM	5.0MM	5.2MM	5.5MM	6.0MM
	3200 / 200	3200 / 200	3200 / 200	3200 / 200	3200 / 200	3200 / 200	3200 / 200	1000 / 100	1000 / 100	1000 / 100	1000 / 100	1000 / 100	1000 / 100
G.W.	2	3	4	7	10	13	13.5	6	8.5	10	13	14	16
CBM	0.024	0.024	0.024	0.024	0.024	0.024	0.024	0.024	0.024	0.024	0.024	0.024	0.024

ITEM NO	102115	102116	102117	102118	102119	102120	102121	102122	102123	102124	102125	102126	102127	102128
SIZE	6.5MM	7.0MM	7.5MM	8.0MM	8.5MM	9.0MM	9.5MM	10MM	10.5MM	11MM	11.5MM	12MM	12.5MM	13MM
	600 / 100	600 / 100	600 / 100	600 / 100	300 / 50	300 / 50	300 / 50	300 / 50	300 / 50	300 / 50	300 / 50	300 / 50	300 / 50	300 / 50
G.W.	12	14	16	19	11	13	15	16	19	22	24	28	30	35
CBM	0.024	0.024	0.024	0.024	0.021	0.021	0.021	0.021	0.021	0.021	0.021	0.021	0.021	0.021

Plus Hammer Drill Bit DIN8035

CHROME ALLOY STEEL
SAND BLASTING FINISHING

HIGH QUALITY TCT TIP
SDS PLUS SHANK,DOUBLE FIUTE

ITEM NO	101404	101407	101408	101409	101438	101410	101411	101412	101439	101413	101440	101441	101414	101442	101415
SIZE	8X110MM 5/64"	6X160MM 15/64"	7X160MM 17/64"	8X160MM 5/16"	9X160MM 11/32"	10X160MM 25/64"	11X160MM 27/64"	12X160MM 15/32"	13X160MM 1/2"	14X160MM 35/64"	6X210MM 15/64"	7X210MM 17/64"	8X210MM 5/16"	9X210MM 11/32"	10X210MM 25/64"
	500 / 10	500 / 10	500 / 10	500 / 10	500 / 10	400 / 10	400 / 10	400 / 10	200 / 10	200 / 10	300 / 10	300 / 10	300 / 10	300 / 10	250 / 10
G.W.	3.5	4	4.5	5	6	5	5.3	6.2	6.6	7.2	8	8.4	9.9	10.9	3.5
CBM	0.037	0.037	0.037	0.037	0.037	0.03	0.03	0.03	0.028	0.015	0.015	0.027	0.027	0.027	0.037

ITEM NO	101443	101416	101444	101417	101445	101418	101427	101419	101446	101433	101434	101435	101436	101448	101437
SIZE	11X210MM 27/64"	12X210MM 15/32"	13X210MM 1/2"	14X210MM 35/64"	15X210MM 19/32"	16X210MM 5/8"	18X210MM 45/64"	20X210MM 25/32"	22X210MM 27/32"	12X450MM 15/64"	14X450MM 35/64"	16X450MM 5/8"	18X450MM 45/64"	20X450MM 25/32"	22X450MM 27/32"
	250 / 10	250 / 10	150 / 10	150 / 10	150 / 10	150 / 10	150	100	100	150	100	100	100	50	30
G.W.	4	4.5	5	6	5	5.3	6.2	6.6	7.2	8	8.4	9.9	10.9	3.5	4
CBM	0.023	0.023	0.013	0.013	0.013	0.013	0.013	0.011	0.011	0.011	0.112	0.112	0.01	0.018	0.011



MAX

ITEM NO	101449	101450	101451	101452	101434	101435	101436	101448	101437	101453	101454	101450	101455	101456	101457
SIZE	25X450MM 15/16"	28X450MM 11/16"	30X450MM 11/1"	32X450MM 1-1/4"	14X450MM 35/64"	16X450MM 5/8"	18X450MM 45/64"	20X450MM 25/32"	22X450MM 27/32"	24X450MM 15/16"	26X450MM 1"	28X450MM 1-1/16"	28X600MM 1-1/16"	30X600MM 1-1/8"	32X600MM 1-1/4"
	30	20	20	15	40 / 8	40 / 8	40 / 8	30 / 6	30 / 6	25 / 5	25 / 5	25 / 5	10	10	10
G.W.	4.5	5	6	5	5.3	6.2	6.6	7.2	8	8.4	9.9	10.9	9.9	10.9	10.9
CBM	0.011	0.01	0.01	0.011	0.018	0.018	0.018	0.018	0.018	0.018	0.018	0.018	0.067	0.067	0.067

Hss Twist Drill Bits

6 Pcs M2 Din338

ITEM NO	SIZE		G.W.	CBM
102401	6PCS	80 / 40	10.2	0.026

Hss Twist Drill Bits

8 Pcs M2 Din338

ITEM NO	SIZE		G.W.	CBM
102402	8PCS	48 / 24	14.2	0.026

19pcs Drill Bit Set

19 Pcs M2 Din338

ITEM NO	SIZE		G.W.	CBM
102403	19PCS	32 / 16	16	0.026

9pcs Drill Bit Set

19 Pcs M2 Din338



3PCS MASONRY DRILL BIT SET + 3PCS HSS TWIST DRILL BIT SET + 3PCS WOOD DRILL BIT SET

ITEM NO	SIZE		G.W.	CBM
102404	9PCS	60 / 30	14.5	0.0248

Cross Glass Drill Bit

Yg6x



ITEM NO	SIZE		G.W.	CBM
103006	6MM	1000	16	0.033
103008	8MM	1000	17	0.033
103010	10MM	800	13	0.033
103012	12MM	600	15	0.033

Long Type Tct Wood Drill Bit

ITEM NO	SIZE		G.W.	CBM
101216	16MM	200	16	0.11
101218	18MM	200	16.5	0.11
101220	20MM	200	17	0.11
101222	22MM	200	17.5	0.11
101225	25MM	200	18	0.11

5pcs Sds Drill Bits Set

Yg8

6"/7"/8"/10"/12"X160MM

ITEM NO	SIZE		G.W.	CBM
102406	5PCS	60BOX / 20BOX	20	0.017

Masonry Drill

Yg8



ITEM NO	SIZE		G.W.	CBM
102303	3MM	800 / 200	8	0.021
102304	4MM	800 / 200	12	0.021
102305	5MM	800 / 200	13	0.021
102306	6MM	600 / 150	18.5	0.021
102307	7MM	600 / 150	19	0.021
102308	8MM	500 / 125	19	0.021
102309	9MM	500 / 125	21.5	0.021
102310	10MM	500 / 125	21.5	0.021
102312	12MM	260 / 65	21	0.021

Sds Plus Hammer Drill Bit

Yg8



ITEM NO	SIZE		G.W.	CBM
101402	6*110MM	500 / 25	21.2	0.024
101407	6*160MM	500 / 25	25	0.027
101403	7*110MM	500 / 25	25	0.0245
101408	7*160MM	400 / 25	22	0.0245
101409	8*160MM	400 / 25	24.2	0.0245
101410	10*160MM	240 / 20	17.7	0.015
101411	12*160MM	240 / 20	20	0.015

Sds Plus Auger Bit

DIN 1052

ATTENTION!ALWAYS WEAR EYEPROTECTION.FOLLOW INSTRUCTIONSAND WARNINGS PROVIDED WITH YOURPOWER TOOL.

ITEM NO	SIZE		G.W.	CBM
102710-31	10X310MM & 3/8"	150 / 25	18	0.02
102710-40	10X400MM & 3/8"	150 / 20	23	0.024
102710-50	10X500MM & 3/8"	100 / 25	19	0.021
102710-60	10X600MM & 3/8"	100 / 20	23	0.024
102712-31	12X310MM & 7/16"	120 / 20	19	0.02
102712-40	12X400MM & 7/16"	120 / 25	24	0.024
102712-50	12X500MM & 7/16"	80 / 20	20	0.021
102712-60	12X600MM & 7/16"	80 / 20	24	0.024
102714-40	14X400MM & 9/16"	120 / 15	29	0.024
102714-50	14X500MM & 9/16"	80 / 15	24	0.021
102714-60	14X600MM & 9/16"	80 / 10	28	0.024
102716-50	16X500MM & 5/8"	60 / 10	22	0.021
102716-60	16X600MM & 5/8"	60 / 8	27	0.021
102718-50	18X500MM & 11/16"	60 / 15	24	0.021
102720-50	20X500MM & 3/4"	40 / 10	25	0.021
102722-50	22X500MM & 27/32"	40 / 10	25	0.021
102725-50	25X500MM & 15/16"	32 / 8	24	0.021
102728-50	28X500MM & 1-1/16"	20 / 5	18	0.021

Diamond Hole Saw

ATTENTION!
ADD WATER USE!

ITEM NO	SIZE		G.W.	CBM
101506	6MM-2PCS 1/4"	1200 / 100	11.2	0.037
101508	8MM-2PCS 5/16"	1200 / 100	12.3	0.037
101510	10MM-2PCS 3/8"	960 / 80	11.6	0.037
101512	12MM-2PCS 1/2"	840 / 70	12.6	0.037
101514	14MM-2PCS 9/16"	720 / 60	14	0.037
101516	16MM-2PCS 5/8"	600 / 50	13.8	0.037
101518	18MM 11/16"	300 / 25	10.4	0.037
101520	20MM 25/32"	300 / 25	10.8	0.037
101522	22MM 25/32"	300 / 25	11.9	0.037
101525	25MM 1"	216 / 18	10.1	0.037
101530	30MM 1-1/8"	144 / 12	9.6	0.037
101535	30MM 1-3/8"	120 / 10	9.3	0.037
101540	40MM 1-1/2"	120 / 10	8.4	0.037
101545	45MM 1-3/4"	96 / 8	8.9	0.037
101550	50MM 2"	72 / 6	9.1	0.037

Hss6542 Hole Saw

CENTER DRILL 4341

ITEM NO	SIZE		G.W.	CBM
103618	18MM 11/16"	300 / 30	16	0.036
103620	20MM 25/32"	300 / 30	16	0.036
103622	22MM 27/32"	300 / 30	16	0.036
103625	25MM 15/16"	300 / 30	16	0.036
103628	28MM 1-1/16"	180 / 18	16	0.031
103630	30MM 1-1/8"	180 / 18	16	0.031
103635	35MM 1-3/8"	120 / 12	16	0.039
103640	40MM 1-9/16"	120 / 12	16	0.039
103645	50MM 1-3/4"	120 / 12	16	0.039
103650	50MM 2"	100 / 10	16	0.045
103655	55MM 2-1/8"	100 / 10	16	0.045
103660	60MM 2-3/8"	100 / 10	16	0.045
103670	70MM 2-3/4"	80 / 8	16	0.039
103680	80MM 3-1/8"	80 / 8	16	0.039
103690	90MM 3-1/2"	80 / 8	16	0.039
1036100	100MM 4"	80 / 8	16	0.039

5pc Auger Bit Set

Carbon Steel

ITEM NO	SIZE		G.W.	CBM
102701	10-13-16-19-25MM	48 / 10	17	0.01

Wet And Dry Dual Use Stone Drilling

Diamond
Sand

ITEM NO	SIZE		G.W.	CBM
102916	16*80MM	200 / 40	20.4	0.04
102920	20*80MM	200 / 40	26.4	0.04
102922	22*80MM	200 / 40	26.4	0.04
102925	25*80MM	200 / 25	20.8	0.04
102930	30*80MM	200 / 20	20.2	0.04
102940	40*80MM	100 / 10	15.4	0.04
102950	50*80MM	100 / 5	21.8	0.04
102960	60*80MM	80 / 5	27.6	0.04
102965	65*80MM	80 / 5	16.1	0.04

Tct Wood Drill Bit

Alloy

ITEM NO	SIZE		G.W.	CBM
101315	35MM	240 / 20	27	0.52

Tct Wood Drill Bit

Alloy

ITEM NO	SIZE		G.W.	CBM
101314	35MM	240 / 20	27	0.52

Tct Wood Drill Bit

Alloy

ITEM NO	SIZE		G.W.	CBM
101301	18MM	300 / 25	18.7	0.052
101302	19MM	300 / 25	18.9	0.052
101303	20MM	300 / 25	19.3	0.052
101304	22MM	300 / 25	20.1	0.052
101305	25MM	300 / 25	21.3	0.052
101306	30MM	240 / 20	25.9	0.052
101307	32MM	240 / 20	26.5	0.052
101308	35MM	240 / 20	27.6	0.052

Flat Wood Drill

Carbon Steel

SDS-HEX HRC 45-50

ITEM NO	SIZE		G.W.	CBM
103210	10MM	400 / 100	21	0.044
103212	12MM	400 / 100	21.2	0.044
103214	14MM	400 / 100	22	0.044
103218	18MM	400 / 100	22.6	0.044
103220	20MM	400 / 100	22.6	0.044
103222	22MM	400 / 100	23.6	0.044
103225	25MM	400 / 100	24.6	0.044
103226	26MM	400 / 100	25.6	0.044
103228	28MM	400 / 100	26.6	0.044

6pcs Flat Wood Drill

Carbon Steel

SDS-HEX HRC 45-50

10MM / 12MM / 16MM / 18MM / 22MM / 25MM

ITEM NO	SIZE		G.W.	CBM
103201	6PCS	80 / 20	18	0.047

3pcs Wood Hole Saw Set

Carbon Steel

PVC

HOLE SAW SIZE:2-1/8"(54MM)
1PC ARBORS 1PC FALT BIT

ITEM NO	SIZE		G.W.	CBM
103105	3PCS	60	13	0.048

Tct Hole Saw

Alloy

ITEM NO	SIZE		G.W.	CBM
101620	20MM	200 / 10	26	0.0335
101625	25MM	200 / 10	28.6	0.0335
101630	30MM	200 / 10	32.1	0.0335
101635	35MM	120 / 10	23.9	0.035
101640	40MM	120 / 10	25.8	0.035
101650	50MM	60 / 6	17.5	0.044

Hole Core Bit Sds-plus

INDUSTRIAL

ITEM NO	SIZE		G.W.	CBM
103550	50MM	28	18	0.018
103565	65MM	20	17	0.02
103580	80MM	20	20	0.026
103510	100MM	16	21	0.029
103511	110MM	12	19	0.032

Four Slot Working Drill

M2

SHANK: 6.35MM

PVC

ITEM NO	SIZE		G.W.	CBM
102718	18MM	240 / 10	20	0.015
102720	20MM	240 / 10	21	0.016
102722	22MM	240 / 10	22	0.017
102725	25MM	240 / 10	23	0.018

Hss Stepped Drill

HEXAGONAL HANDLE

TITANIUM COATED

HSS 4241

ITEM NO	SIZE		G.W.	CBM
103312	4-12MM	300 / 30	18	0.01
103320	4-20MM	200 / 20	17	0.01
103332	4-32MM	100 / 10	16	0.01

3pcs Hss Step Drill Bit Set

HEXAGONAL HANDLE

TITANIUM COATED

HSS 4241

ITEM NO	SIZE		G.W.	CBM
102410	4-32MM	50 / 10	14	0.038

Arbor For Bi-metalhole Saw

Drill:4341

3/8 HANDLE SMALL ARBOR
DRILL BIT HSS 4341 ROLLING

ITEM NO	SIZE		G.W.	CBM
103401	3/8"-14X30MM	60 / 10	5.5	0.023

Arbor For Bi-metalhole Saw

Drill:4341

7/16 HANDLE LARGE ARBOR
DRILL BIT HSS 4341 ROLLING

ITEM NO	SIZE		G.W.	CBM
103402	7/16"-32X152MM	60 / 10	14.6	0.035

5pcs Wood Hole Saw Set

Carbon Steel

32 / 38 / 51 / 54MM 1PC ARBORS

ITEM NO	SIZE		G.W.	CBM
103106	5PCS	48	12	0.046

11pcs Bi-metal Hole Saw Set

Teeth:M42
Drill:4341

M42 BI-METAL HOLE SAW
1PC 7/16 "CARBON HSS 4341
2PCS 6.35 * 75MM DRILL BITS HSS 4341
6PCS HOLE SAWS: 22/29/35/44/51/64MM,
1PC 3/8 "HYDROCARBON HSS 4341
1PC HEXAGONAL WRENCH,

ITEM NO	SIZE		G.W.	CBM
103411	11PCS	16 / 1	20	0.047

Magnetic Nut Driver

ITEM NO	SIZE		G.W.	CBM
090808	8X65MM 5/16"	1000 / 50	16	0.024
090810	10X65MM 25/64"	800 / 40	17	0.024
090812	12X65MM 15/32"	500 / 25	18	0.024
090813	13X65MM 1/2"	500 / 25	19	0.024

Screwdriver Bits

S2

ITEM NO	SIZE		G.W.	CBM
090502	6.5X65/+-IMM	1200PCS / 200PCS	20.2	0.015

10pcs Screwdriver Bit

S2

ITEM NO	SIZE		G.W.	CBM
090501	6.3*65MM	120SETS / 12SETS	20	0.014

Bi-Metal Hole Saw

M42

TEETH M42

ITEM NO	SIZE		G.W.	CBM
103420	20MM 3/4"	200 / 10	14.5	0.06
103422	22MM 7/8"	200 / 10	14.5	0.06
103425	25MM 1"	200 / 10	14.5	0.06
103429	29MM 1-1/8"	160 / 10	14.5	0.095
103435	35MM 1-3/8"	160 / 10	14.5	0.095
103438	38MM 1-1/2"	100 / 10	14.5	0.083
103444	44MM 1-3/4"	100 / 10	14.5	0.083
103451	51MM 2"	100 / 10	14.5	0.083
103464	64MM 2-1/2"	48 / 6	14.5	0.039
103476	76MM 3"	48 / 6	14.5	0.039
103483	83MM 3-1/4"	36 / 4	14.5	0.049
103410	102MM 4"	36 / 4	14.5	0.049

11pcs Hole Saw Set

Carbon Steel

19 / 22 / 32 / 38 / 44 / 51 / 64MM

ITEM NO	SIZE		G.W.	CBM
103102	11PCS	40	20	0.046

16pcs Hole Saw Set

Carbon Steel

19 / 22 / 29 / 32 / 38 / 44 / 51 / 64 / 76 / 89 / 102 / 127MM

ITEM NO	SIZE		G.W.	CBM
103103	16PCS	20 / 1	13	0.042

7pcs Bi-metal Hole Saw Set

Teeth:M42 Drill:4341

M42 Bi-metal Hole Saw
5pcs Hole Saws: 22mm (⅞"); 25mm (1");
29mm (1-1/8"); 32mm (1-1/4"); 38mm (1-1/2").
1pc 3/8 "Hydrocarbon Hss 4341
1pc Thread Conversion

ITEM NO	SIZE		G.W.	CBM
103407	7PCS	20 / 5	9	0.034

7pcs 1" Wood Working Hole Saw Set

Carbon Steel

HOLE DEPTH:25MM
26MM /32MM /38MM /45MM /50MM /56MM /63MM

ITEM NO	SIZE		G.W.	CBM
103107	7PCS	60 / 10	13	0.075

7pcs 2"wood Working Hole Saw Set

Carbon Steel

HOLE DEPTH:25MM
26MM /32MM /38MM /45MM /50MM /56MM /63MM

ITEM NO	SIZE		G.W.	CBM
103108	7PCS	60 / 10	17	0.068

Multifunctional Adjustable Nail Remover

ITEM NO	SIZE		G.W.	CBM
051212W	12"/300MM	36	22.5	0.02
051214W	14"/350MM	36	22	0.025
051218W	18"/450MM	24	25	0.019
051224W	24"/600MM	12	21	0.024

Multifunctional Adjustable Nail Remover

ITEM NO	SIZE		G.W.	CBM
051212B	12"/300MM	36	22.5	0.02
051214B	14"/350MM	36	22	0.025
051218B	18"/450MM	24	25	0.019
051224B	24"/600MM	12	21	0.024

Sds Plus Point Chisel

Cr-V

SDS-PLUS 40CR

ITEM NO	SIZE		G.W.	CBM
051001	14*250MM+	80 / 10	20	0.015

Sds Plus Fiat Chisel

Cr-V

SDS-PLUS 40CR

ITEM NO	SIZE		G.W.	CBM
051002	14*250MM–	80 / 10	21	0.015

Point Chisel Hex

Cr-V

HRC48-50 DEGREES CR-V

ITEM NO	SIZE		G.W.	CBM
051003	30X400MM	20	11	0.057

Flat Chisel Hex

Cr-V

HRC48-50 DEGREES CR-V

ITEM NO	SIZE		G.W.	CBM
051004	30X400MM	20	11	0.057

Scaling Chisel Hex

Cr-V

HRC48-50 DEGREES

CR-V

ITEM NO	SIZE		G.W.	CBM
051005	30X400X75MM	10	11	0.057

Point Chisel Sds-max

Cr-V

HRC48-50 DEGREES

CR-V

ITEM NO	SIZE		G.W.	CBM
051006	18MMX280MM	60	11	0.057

Flat Chisel Sds-max

Cr-V

HRC48-50 DEGREES

CR-V

ITEM NO	SIZE		G.W.	CBM
051007	18MMX280MM	60	11	0.057

Scaling Chisel Sds-max

Cr-V

HRC48-50 DEGREES

CR-V

ITEM NO	SIZE		G.W.	CBM
051008	18X400X50MM	60	11	0.057

Scaling Chisel Sds-max

Cr-V

HRC48-50 DEGREES

CR-V

ITEM NO	SIZE		G.W.	CBM
051009	18X280X75MM	60	11	0.057

Point Chisel Sds-max

Cr-V

HRC48-50 DEGREES

CR-V

ITEM NO	SIZE		G.W.	CBM
051010	18MMX280MM	60	11	0.057

Flat Chisel Sds-max

Cr-V

HRC48-50 DEGREES

CR-V

ITEM NO	SIZE		G.W.	CBM
051011	18MMX280MM	60	11	0.057

Sds-plus Scaling Chisel

Cr-V

HRC48-50 DEGREES

CR-V

ITEM NO	SIZE		G.W.	CBM
051012	14X250X50MM	80	11	0.057

Sds-plus Scaling Chisel

Cr-V

HRC48-50 DEGREES

CR-V

ITEM NO	SIZE		G.W.	CBM
051013	14X250X70MM	50	11	0.057

Wrecking Bar

INDUSTRIAL

ITEM NO	SIZE		G.W.	CBM
051201	18"	24 / 12	24	0.013
051202	24"	24 / 12	31	0.0167
051203	30"	24 / 12	39	0.02



Steel Cutting Disc

ITEM NO	SIZE		G.W.	CBM
130401	4"X1.2X16	800 / 50	20.6	0.02
130402	4.5"X1.2X22.23	600 / 50	18	0.018
130408	5"X1.2X22.23	600 / 50	20.4	0.022
130403	7"X3.0X22.23	100 / 50	17.8	0.016
130406	7"X1.6X22.23	200 / 50	18	0.018
130404	9"X3.0X22.23	50 / 25	15.5	0.014
130407	9"X2.0X22.23	100 / 25	19	0.017
130405	14"X1.6X22.23	25	17.5	0.016

Steel Grinding Disc

ITEM NO	SIZE		G.W.	CBM
130101	4"X6.0X16	150 / 25	17	0.015
130102	4.5"X6.0X22.23	100 / 25	15.3	0.014
130103	7"X6.0X22.23	50 / 25	19	0.015
130104	9"X6.0X22.23	40 / 10	25	0.025

Steel Cutting Disc



ITEM NO	SIZE		G.W.	CBM
130410	4"X1.2X16	800 / 50	20.8	0.02
130411	4.5"X1.2X22.23	600 / 50	18	0.018
130412	7"X3.0X22.23	100 / 25	17.8	0.016
130413	9"X3.0X22.23	50 / 25	15.5	0.015
130416	9"X1.6X22.23	100 / 25	15.5	0.015

Flap Disc

ITEM NO	SIZE		G.W.	CBM
130501	4"/100 - P40	240 / 20	14.8	0.043
130502	4"/100 - P60	240 / 20	14	0.043
130503	4"/100 - P80	240 / 20	13.3	0.043
130504	4"/100 - P100	240 / 20	12	0.043
130505	4"/100 - P120	240 / 20	11.8	0.043
130510	4.5"/115 - P40	240 / 20	19.6	0.04
130511	4.5"/115 - P60	240 / 20	18.5	0.04
130512	4.5"/115 - P80	240 / 20	17	0.04
130513	4.5"/115 - P100	240 / 20	16.1	0.04
130514	4.5"/115 - P120	240 / 20	15.3	0.04

Flap Disc

ITEM NO	SIZE		G.W.	CBM
130526	4.5"/115 - P40	240 / 20	19.6	0.04
130527	4.5"/115 - P60	240 / 20	18.5	0.04
130528	4.5"/115 - P80	240 / 20	17	0.04
130529	4.5"/115 - P100	240 / 20	16.1	0.04
130530	4.5"/115 - P120	240 / 20	15.3	0.04

Diamond Cutting Disc

INDUSTRIAL

ITEM NO	SIZE		G.W.	CBM
101810	4.5"/115MM	100 / 10	16	0.013
101811	7"/180MM	50 / 10	21	0.034
101812	9"/230MM	25 / 5	16	0.013

Super Thin Diamond Cutting Disc

CONCRETE STONE BLOCK

ITEM NO	SIZE		G.W.	CBM
101813	4"/105MM*20MM	100 / 10	8.5	0.02
101814	4.5"/115MM*22.23MM	100 / 10	10	0.02

Super Thin Diamond Cutting Disc

INDUSTRIAL

ITEM NO	SIZE		G.W.	CBM
101820	4.5"/115MM	100 / 10	16	0.013

Diamond Cutting Disc

DRY

Industrial

CONCRETE STONE BLOCK

ITEM NO	SIZE		G.W.	CBM
101805	105*7*20MM	100 / 25	12.4	0.02
101806	115*7*22.23MM	100 / 25	13.2	0.02
101807	180*7*22.23MM	50 / 10	19.7	0.024
101808	230*7*22.23MM	24 / 8	18	0.018

Diamond Cutting Disc

DRY

CONCRETE STONE BLOCK

ITEM NO	SIZE		G.W.	CBM
101815	115*12*22.23MM	100 / 10	15	0.02
101817	230*12*22.23MM	24 / 6	21	0.018

Diamond Cutting Disc

DRY

CONCRETE STONE BLOCK

ITEM NO	SIZE		G.W.	CBM
101801	4"/110MM*7MM	100 / 10	12.5	0.02
101802	4.5"/115MM*7MM	100 / 10	13.2	0.02
101803	7"/180MM*7MM	50 / 5	19.8	0.023
101804	9"/230MM*7MM	25 / 5	18	0.018

Diamond Grinding Wheel

TILE CERAMICS

ITEM NO	SIZE		G.W.	CBM
131015	115*22.23 *20*5MM	20 / 1	8	0.01

Diamond Grinding Wheel

TILE | CERAMICS | DOUBLE ROW

MULTI-FUNCTION DIAMOND GRINDING WHEEL FOR STONE
5MM 80M/S MAX.RPM:13200/MIN

ITEM NO	SIZE		G.W.	CBM
131010	4.5"/115MM	20 / 1	9.2	0.01

Tct Saw Blade

ITEM NO	SIZE		G.W.	CBM
101101	4"/105MM*30T	100 / 10	10.5	0.021
101102	4.5"/115MM*30T	100 / 10	11	0.021
101103	7"/180MM*40T	50 / 5	15	0.019
101104	7"/180MM*60T	50 / 5	15.5	0.019
101105	9"/230MM*40T	25 / 5	15	0.014
101106	9"/230MM*60T	25 / 5	15.5	0.014

Tct Saw Blade

MULTI-FUNCTION DIAMOND GRINDING WHEEL FOR STONE
5MM 80M/S MAX.RPM:13200/MIN

ITEM NO	SIZE		G.W.	CBM
101107	254*60T	25 / 5	21.1	0.019
101108	254*100T	25 / 5	21.5	0.019

Li-Ion Battery Pack

2.0ah MAX

MAX NEW

VOLTAGE:21V(MAX) BATTERY CAPACITY:2.0AH
BATTERY PERFORMANCE:36WH

ITEM NO	SIZE		G.W.	CBM
171420AH	2.0AH	30	13.5	0.066

Li-Ion Battery Pack

4.0ah MAX

MAX NEW

VOLTAGE:21V(MAX) BATTERY CAPACITY:4.0AH
BATTERY PERFORMANCE:72WH

ITEM NO	SIZE		G.W.	CBM
171440AH	4.0AH	20	14.6	0.021

Li-Ion Battery Charger

3.0ah MAX

MAX NEW

OUTPUT VOLTAGE:21V(MAX) OUTPUT CURRENT:3.0A
VOLTAGE:100-240V POWER CONSUMPTION:25W
CHARGER FREQUENCY:50-60HZ

ITEM NO	SIZE		G.W.	CBM
171420C	3.0AH	30	13.5	0.048

Brushless Cordless Drill

10mm
12v

MAX

ACCESSORIES:
1500Ah INSTALLED BATTERY * 1
1.0Ah CHARGER * 1
CLOTH BAG * 1

BL MOTOR

VOLTAGE:12V(MAX) NO-LOAD SPEED:0-400/0-1450RPM
MAX TORQUE:25N.m TORQUE SETTING:17+1
CHUCK SIZE:1-10MM,WITH SPINDLE LOCK

ITEM NO	SIZE		G.W.	CBM
171404	10MM/12V	10 / 1	16	0.041

Battery Screwdriver

45pcs

MAX

BL MOTOR

VOLTAGE:3.6V(MAX) MAX TORQUE(ELECTRIC):5.5N.M
BATTERY CAPACITY:1.5AH NO-LOAD SPEED:220RPM

45 PIECE ELECTRIC SCREWDRIVER SET
1PC ELECTRIC SCREWDRIVER, 4V, 1.5AH,220RPM,
1PC INPUT: 100-240V~50-60HZ, 0.2AMAX,
OUTPUT: 5V 1.0AH CHARGER
1PC MICRO USB CONNECTION CABLE
1PC 200MM ORANGE UNIVERSAL SOFT SHAFT
1PC MAGNETIC CONNECTING ROD, 1PC SQUARE JOINT,
6PCS 50MM CR-V REDUCED DIAMETER SCREWDRIVER HEAD,
STEEL PRINTED CRV AND SPECIFICATIONS: PH1 (2PCS)
PH2 (2PCS) SL5, SL624PCS 25MM CR-V SCREWDRIVER
HEAD,STEEL STAMP SPECIFICATIONS: PH0, PH1, PH3;
SL3, SL4, SL5, SL6, SL8; PZ1, PZ2, PZ3;
H2, H2.5, H3, H3.5, H4, H6MM; T10, T15, T20, T25, T27, T30, T40
8PCS 1/4 SLEEVE CRV MATERIAL, STEEL STAMP
MATERIAL AND SPECIFICATIONS: 6,7,8,9,10,11,12,13MM

ACCESSORIES:
INSTALLED BATTERY * 1
CHARGER * 1

ITEM NO	SIZE		G.W.	CBM
171413	45PCS	12 / 1	16.8	0.043

Brushless Cordless Impact Drill

10mm
2.0ah

MAX

BL MOTOR

VOLTAGE:21V(MAX) MAX TORQUE:38N.M
MOTOR:38X20 HIGH-PERFORMANCE BRUSHLESS MOTOR
NO-LOAD SPEED:0-400/0-1450RPM CHUCK SIZE:1-10MM
ROLLED STEEL:10MM WOOD:32MM TORQUE:20+1

ITEM NO	SIZE		G.W.	CBM
171414	10MM/2.0AH	5 / 1	19.2	0.066

Brushless Cordless Impact Drill

13mm
2.0ah

MAX

BL MOTOR

VOLTAGE:21V(MAX) MAX TORQUE:80N.M
ROLLED STEEL:13MM WOOD:36MM TORQUE:20+3
MOTOR:48/20 HIGH-PERFORMANCE BRUSHLESS MOTOR
ROTATE SPEED:0-450-1750RPM CHUCK SIZE:1.5-13MM

ITEM NO	SIZE		G.W.	CBM
171416	13MM/2.0AH	5 / 1	23	0.095

Brushless Cordless Angle Grinder

115mm
4.0ah

MAX

BL MOTOR

GRINDING WHEEL DIAMETER:115MM NO-LOAD SPEED:5000-9000RPM
WITH START SLOWLY FUNCTION WITH DIGITAL DISPALY SPEED
(ADJUSTABLE AT ITERVALS OF 100RPM) VOLTAGE:21V(MAX)
MOTOR:48/35 HIGH-PERFORMING BRUSHLESS MOTOR

ITEM NO	SIZE		G.W.	CBM
171417	4.5"/115MM	4 / 1	11.5	0.025

Brushless Cordless Impact Wrench

300N.m
4.0ah

MAX

BL MOTOR

VOLTAGE:21V(MAX) IMPACT FREQUENCY:0-3700/2800/2250 IPM
MOTOR:48/15 BRUSHLESS MOTOR TRANSMISSION SHAFT SIZE:12.7MM
MAX TORQUE:300N.M NO-LOAD SPEED:0-3000/2250/1800 RPM

ITEM NO	SIZE		G.W.	CBM
171420	300N.m/4.0AH	5 / 1	25	0.066

Brushless Cordless Impact Wrench

500N.m
4.0ah

MAX

VOLTAGE:21V(MAX) NO-LOAD SPEED:0-1000-1600-2200RPM
MOTOR:50/25 BRUSHLESS MOTOR IMPACT FREQUENCY:0-3200 IPM
MAX TORQUE:500N.M(3 LEVELS ADJUSTALE) SCREW THREAD:22MM
OUTPUT SQUARE SHAFT SIZE:1/2"(12.7MM)MAX

ITEM NO	SIZE		G.W.	CBM
171421	500N.m/4.0AH	5 / 1	22	0.059

Brushless Cordless Circular Saw

165mm
4.0ah

MAX

VOLTAGE:21V(MAX) ANGLE ADJUSTABLE:0-45°
NO-LOAD SPEED:7000RPM SAW DIA:165MM
MAX CUTTING DEPTH:55MM/90°;36MM/45°

ITEM NO	SIZE		G.W.	CBM
171422	165MM/4.0AH	4 / 1	17	0.081

Brushless Cordless Shear

30mm
2.0ah

MAX

VOLTAGE:21V(MAX) MOTOR SIZE:31X63MM
MAX CUTTING CAPACITY:30MM
BLADE OPEN WIDTH:2.0/2.5/3.0MM ADJUSTABLE

ITEM NO	SIZE		G.W.	CBM
171425	30MM/2.0AH	8 / 1	11	0.069

Brushless Cordless Chain Saw

4.0ah

MAX

MANUAL PUMP OIL,EMERGENCY SWITCH STOP
LUBRICATION OIL TANK VOLUME:60ML ROTATED HANDLE
NO-LOAD SPEED:3200RPM MAX CUTTING DIA.:120MM
MAX POWER:400W VOLTAGE:21V(MAX)
MOTOR:4/15 BRUSHLESS HIGH EFFRICIENCY MOTOR

ITEM NO	SIZE		G.W.	CBM
171426	8"/200MM	6 / 1	10	0.064

Brushless Cordless Recipracating Saw

255mm
2.0ah

MAX

NO-LOAD SPEED:2700RPM ROUND STEEL 25MM
RECIPROCATING DISTANCE:23MM VOLTAGE:21V(MAX)
MAX CUTTING DEPTH:WOOD 255MM STEEL TUBE 130MM

ITEM NO	SIZE		G.W.	CBM
171427	255MM/2.0AH	5 / 1	15.5	0.051

Brushless Cordlees Jig Saw

600w
2.0ah

MAX

CUTTING CAPACITY:WOOD 135MM(5-5/16")
VOLTAGE:21V(MAX) SPEED:500-3000RPM
RATED INPUT POWER:600W LENGTH:249MM(9-3/4")
ROLLED STEEL:10MM(3/8") STROKE LENGTH:26MM(1")

ITEM NO	SIZE		G.W.	CBM
171428	600W/2.0AH	6 / 1	16.5	0.067

Cordless Spot Light

1800lm
4.0ah

OVER DISCHARGE PROTECTION VOLTAGE:14V(MAX)
OVER DISCHARGE RECOVER VOLTAGE:15V(MAX)
OVER DISCHARGE PROTECTION CURRENT:10A
VOLTAGE:21V(MAX) WITH USB OUTPUT LUMEN DEGREE:1800LM

ITEM NO	SIZE		G.W.	CBM
171430	1800LM/4.0AH	4 / 1	16.5	0.066

Brushless Cordless Impact Driver

220N.m
2.0ah

MOTOR:48/15 BRUSHLESS MOTOR MAX TORQUE:220 N.M
NO-OAD SPEED:0-3000/2250/1800RPM VOLTAGE:21V
NMMPACT FEQUENCY-0-3700/2800/2250IPR
TRANSNISSION SHATT SIZE:12.7MM

ITEM NO	SIZE		G.W.	CBM
171432	220N.m/2.0AH	5 / 1	20.3	0.066

Cordless Fan

220N.m
4.0ah

ADJUSTABLE ANGLE:0-360 DEGREE VOLTAGE:21V(MAX)
SPEED:1000-1800-2500RPM FAN BLADE DIA.:245MM

ITEM NO	SIZE		G.W.	CBM
171433	245MM/4.0AH	4 / 1	15 / 1	0.143

Cordless Rotary Hammer

1.2J
2.0ah

VOLTAGE:21V(MAX) ROLLED STEEL:10MM WOOD:13MM
NO-LOAD SPEED:0-900RPM/MIN DRILL CAPACITY:CONCRETE:12MM
IMPACT FREQUENCY:0-5000IPM/MIN IMPACT FORCE:1.2J

ITEM NO	SIZE		G.W.	CBM
171434	1.2J/2.0AH	6 / 1	14.5	0.051

Rotary Hammer

21v
4.0ah

CHARGE TIME:1.5-3HRS WOOD:30MM CONCRETE:20MM
VOLTAGE:21V LI-ION STEEL:13MM IMPACT TIMES:0-4700BPM
BATTERY CAPACITY:4.0AH NO-LOAD SPEED:0-1400RPM

ITEM NO	SIZE		G.W.	CBM
171406	21V-4.0AH	3 / 1	16.5	0.056

Cordless Blower

21v
3.0ah

BLOWING RATE:2.2-2.8m³/MIN VOLTAGE:21V LI-ION
CHARGE TIME:1.5-2HRS BATTERY CAPACITY:3.0AH
WORKING TIME:25MIN(MAX AIR FLOW)

ITEM NO	SIZE		G.W.	CBM
171410	21V-3.0AH	6 / 1	14	0.07

Cordless Blower

21v
4.0ah

RATED VOLTAGE 21V NO-LOAD SPEED 0-20000R/MIN
BATTERY CAPACITY 4.0AH BLOWING RATE 0-9M3/MIN

ITEM NO	SIZE		G.W.	CBM
171411	21V-4.0AH	4 / 1	13	0.09

Tile Tiling Machine

4.8"
123mm

BATTERY:21V, 2000MAH SURFACE RECOMMENDATION:SMOOTH SURFACE
VIBRATING FREQUENCY:0-12,000R/MIN POWER SOURCE:BATTERY POWERED
SWITCH:12 LEVEL SPEED SPECIAL FEATURE: SUCTION CUP LICK DESIGN
SUCKER DIAMETER:123MM/4.8INCH BASIC MATERIALS:ALUMINUM SHELL HEAD
ADSORPTION CAPACITY:120KG/264LBS FAST CHARGE

ITEM NO	SIZE		G.W.	CBM
171424	4.8"/123MM	6 / 1	20	0.12

Cordless Air Pump

110w
6a

150PSI / 25L / MIN CIGARETTE LIGHTER LINE*1
FUSE*1 / AIR NOZZLE*3 110W / 6A / DC18V OR DC12V

ITEM NO	SIZE		G.W.	CBM
171431	110W/6A	10 / 1	15	0.087

Brushless Cordless Air Spray Gun

800ml
21V

21V BRUSHLESS MOTOR PAINT RESERVOIR: 800ML
MAX VISCOSITY: 120DIN/SEC MAX. FLOW: 1200ML/MIN

ITEM NO	SIZE		G.W.	CBM
171423	800ML	4 / 1	10.5	0.068

Li-Ion Battery Charger

2.3ah

OUTPUT VOLTAGE:14.4-21V OUTPUT CURRENT:2.3A
VOLTAGE:100-240V POWER CONSUMPTION:25W
CHARGER FREQUENCY:50-60HZ

ITEM NO	SIZE		G.W.	CBM
171423C	2.3AH	20	11.5	0.039

Led Headlamp

CHARGING: USB CHARGER LUMENS: 200(MAX)
RUN TIME UP TO: 12 HOURS BEAM LENGTH: UP TO 100M
BUILT-IN BATTERY: 18650 LI-ION CELL WEIGHT: 61G
RATINGS: 3.7V 1200MAH, 7.4WH WITH 100CM CABLE

ITEM NO	SIZE		G.W.	CBM
200312	3.7V 1200mAh	40 / 10	12	0.038

Magnetic Worklight

Battery Version

SIZE:3+1W LUMEN:250LM
BATTERY:3XAA(NOT INCLUCLE)

ITEM NO	SIZE		G.W.	CBM
200301	3+1W	24 / 12	6	0.032

Folding Worklight

Battery Version

SIZE:3W LUMEN:200LM
BATTERY:AXAA(NOT INCLUCLE)

ITEM NO	SIZE		G.W.	CBM
200302	3W	40 / 20	10	0.05

Magnetic Worklight

Folding&rechargeable

SIZE:3W COB+1W LED LUMEN:800LM/80LM(LED)
BATTERY:1X3.7V 2000MAH

ITEM NO	SIZE		G.W.	CBM
200310	3W COB+1W LED	20 / 10	4.3	0.017

Butterfly Worklight

2*5W Cob 5000ah Battery

SIZE:2X5W COB. TOTAL 10W
LUMEN:1000LM
BATTERY:5000MAH

ITEM NO	SIZE		G.W.	CBM
200311	2*5W	10	7	0.033

Brushless Cordless Impact Drill

10mm
2.0ah

MAX BL MOTOR

2 PCS MAX BATTERY

CONTAINS:
1*MACHINES, 2*BATTERIES(2.0AH)
1*CHARGER(2.3AH)

VOLTAGE:21V(MAX) MAX TORQUE:38N.M
MOTOR:38X20 HIGH-PERFORMANCE BRUSHLESS MOTOR
NO-LOAD SPEED:0-400/0-1450RPM CHUCK SIZE:1-10MM
ROLLED STEELL:10MM WOOD:32MM TORQUE:20+1

ITEM NO	SIZE		G.W.	CBM
171414D	10MM/2.0AH	5 / 1	12	0.042

Brushless Cordless Impact Drill

13mm
2.0ah

MAX BL MOTOR

2 PCS MAX BATTERY

CONTAINS:
1*MACHINES, 2*BATTERIES(2.0AH)
1*CHARGER(2.3AH)

VOLTAGE:21V(MAX) MAX TORQUE:80N.M
ROLLED STEELL:13MM WOOD:36MM TORQUE:20+3
MOTOR:48/20 HIGH-PERFORMANCE BRUSHLESS MOTOR
ROTATE SPEED:0-450-1750RPM CHUCK SIZE:1.5-13MM

ITEM NO	SIZE		G.W.	CBM
171416D	13MM/2.0AH	5 / 1	15.5	0.054

Brushless Cordless Angle Grinder

115mm
2.0ah

MAX BL MOTOR

2 PCS MAX BATTERY

CONTAINS:
1*MACHINES, 2*BATTERIES(2.0AH)
1*CHARGER(2.3AH)

GRINDING WHEEL DIAMETER:115MM NO-LOAD SPEED:5000-9000RPM
WITH START SLOWLY FUNCTION WITH DIGITAL DISPALY SPEED
(ADJUSTABLE AT ITERVALS OF 100RPM) VOLTAGE:21V(MAX)
MOTOR:48/35 HIGH-PERFORMING BRUSHLESS MOTOR

ITEM NO	SIZE		G.W.	CBM
171417D	4.5"/115MM	5 / 1	19.8	0.038

Brushless Cordless Impact Wrench

300N.m
2.0ah

MAX BL MOTOR

2 PCS MAX BATTERY

CONTAINS:
1*MACHINES, 2*BATTERIES(2.0AH)
1*CHARGER(2.3AH)

VOLTAGE:21V(MAX) IMPACT FREQUENCY:0-3700/2800/2250 IPM
MOTOR:48/15 BRUSHLESS MOTOR TRANSMISSION SHAFT SIZE:12.7MM
MAX TORQUE:300N.M NO-LOAD SPEED:0-3000/2250/1800 RPM

ITEM NO	SIZE		G.W.	CBM
171420D	300N.m/2.0AH	5 / 1	15	0.042

Brushless Cordless Tool Set

Electric Drill+Angle Grinder

MAX

2*MACHINES
2*BATTERIES(2.0AH),
1*CHARGER(2.3AH)

BL MOTOR

10MM 2.0AH
MOTOR:38X20 HIGH-PERFORMANCE BRUSHLESS MOTOR
ROLLED STEELL:10MM WOOD:32MM TORQUE:20+1
MAX TORQUE:38N.M CHUCK SIZE:1-10MM
VOLTAGE:21V(MAX) NO-LOAD SPEED:0-400/0-1450RPM

4.5" 115MM
GRINDING WHEEL DIAMETER:115MM WITH DIGITAL DISPALY SPEED
WITH START SLOWLY FUNCTION NO-LOAD SPEED:5000-9000RPM
(ADJUSTABLE AT ITERVALS OF 100RPM) VOLTAGE:21V(MAX)
MOTOR:48/35 HIGH-PERFORMING BRUSHLESS MOTOR

ITEM NO	SIZE		G.W.	CBM
172601-2	ELECTRIC DRILL ANGLE GRINDER	3	19.5	0.084

Brushless Cordless Tool Set

Light Hammer+Electric Drill

MAX

2*MACHINES
2*BATTERIES(2.0AH),
1*CHARGER(2.3AH)

BL MOTOR

10MM 2.0AH
MOTOR:38X20 HIGH-PERFORMANCE BRUSHLESS MOTOR
ROLLED STEELL:10MM WOOD:32MM TORQUE:20+1
MAX TORQUE:38N.M CHUCK SIZE:1-10MM
VOLTAGE:21V(MAX) NO-LOAD SPEED:0-400/0-1450RPM

1.2J 2.0AH
VOLTAGE:21V(MAX) ROLLED STEELL:10MM
DRILL CAPACITY:CONCRETE:12MM IMPACT FORCE:1.2J
IMPACT FREQUENCY:0-5000IPM/MIN WOOD:13MM
NO-LOAD SPEED:0-900RPM/MIN

ITEM NO	SIZE		G.W.	CBM
172602-2	LIGHT HAMMER ELECTRIC DRILL	3	16.5	0.084

Cordless Drill

12v

VOLTAGE: 12V MOTOR:550#
BATTERY VOLUME:2.0AH
NO LODING SPEED:1300RPM

MAX.TORQUE:21NM TORQUE
SETTING 18+1 CHUCK:0.8-10MM
CHARGING TIME:1.5HOUR

ITEM NO	SIZE		G.W.	CBM
171401	12V	8 / 1	9.6	0.024

Lithium Battery

12v
2000mAh

LARGE CAPACITY AND DURABLE BATTERY
LIFESMART CIRCUIT PROTECTION, REST ASSURED

ITEM NO	SIZE		G.W.	CBM
171401B	12V/2000mA	20 / 1	15	0.028

Battery Charger

12v
1000mAh

LARGE CAPACITY AND DURABLE BATTERY
LIFESMART CIRCUIT PROTECTION, REST ASSURED

ITEM NO	SIZE		G.W.	CBM
171401C	12V/1000mA	20 / 1	14	0.012

Cordless Drill

18v

VOLTAGE: 18V MOTOR:550#
BATTERY VOLUME:2.0AH
NO LODING SPEED:1300RPM

MAX.TORQUE:21NM TORQUE
SETTING 25+1 CHUCK:0.8-10MM
CHARGING TIME:1.5HOUR

ITEM NO	SIZE		G.W.	CBM
171402	18V	5 / 1	16.5	0.04

Lithium Battery

18v
2000mAh

LARGE CAPACITY AND DURABLE BATTERY
LIFESMART CIRCUIT PROTECTION, REST ASSURED

ITEM NO	SIZE		G.W.	CBM
171402B	18V/2000mA	20 / 1	18	0.038

Battery Charger

18v
1800mAh

LARGE CAPACITY AND DURABLE BATTERY
LIFESMART CIRCUIT PROTECTION, REST ASSURED

ITEM NO	SIZE		G.W.	CBM
171402C	18V/1800mA	20 / 1	15	0.016

WISEUP®

ONE-STOP TOOL PURCHASE
WORK MORE AT EASE

STAINLESS STEEL DRILL CHUCK

- Stainless steel chuck
- Forward and reverse
- Stainless steel gear
- Copper wire motor
- Impact function
- Flat drilling function





1.5~13MM DRILL BIT CLAMPING RANGE

Impact Drill

850w

RATED VOLTAGE	110-240V	MAX DRILL DIAMETER WOOD	35MM
RATED FREQUENCY	50/60Hz	MAX DRILL DIAMETER STEEL	13MM
RATED POWER	850W	NO-LOAD SPEED	0~2800R/MIN

ITEM NO	SIZE		G.W.	CBM
170201	850W/13MM	6 / 1	14.4	0.0448

Impact Drill

710w

RATED VOLTAGE	220-240V	MAX DRILL DIAMETER WOOD	35MM
RATED FREQUENCY	50/60Hz	MAX DRILL DIAMETER STEEL	13MM
RATED POWER	710W	NO-LOAD SPEED	0~3000R/MIN

ITEM NO	SIZE		G.W.	CBM
170202	710W/13MM	10 / 1	21.2	0.067

Electric Drill

400w

RATED VOLTAGE	220-240V	MAX DRILL DIAMETER WOOD	20MM
RATED FREQUENCY	50/60Hz	MAX DRILL DIAMETER STEEL	6MM
RATED POWER	400W	NO-LOAD SPEED	0~4300R/MIN

ITEM NO	SIZE		G.W.	CBM
170203	400W/6MM	10 / 1	15.5	0.04

Electric Drill

450w

RATED VOLTAGE	220-240V	MAX DRILL DIAMETER WOOD	25MM
RATED FREQUENCY	50/60Hz	MAX DRILL DIAMETER STEEL	10MM
RATED POWER	400W	NO-LOAD SPEED	0~3300R/MIN

ITEM NO	SIZE		G.W.	CBM
170204	450W/10MM	10 / 1	16.8	0.0397

Impact Drill

1100w

RATED VOLTAGE	220-240V	MAX DRILL DIAMETER WOOD	35MM
RATED FREQUENCY	50/60Hz	MAX DRILL DIAMETER STEEL	13MM
RATED POWER	1100W	NO-LOAD SPEED	0~2800R/MIN

ITEM NO	SIZE		G.W.	CBM
170205	1100W/13MM	6 / 1	17	0.071

Rotary Drill

1200w

NO-LOAD SPEED	0~950R/MIN	RATED POWER	1200W
RATED VOLTAGE	220-240V	MAX DRILL DIAMETER STEEL	16MM
RATED FREQUENCY	50/60Hz	MAX DRILL DIAMETER WOOD	32MM

ITEM NO	SIZE		G.W.	CBM
170206	1200W/16MM	5 / 1	22.3	0.079

Bench Drill

350w

Max Drilling Diameter.(mm):13mm(1/2") Class Of Speed:5
Motor Power:350W No-load speed:620-2620R.P.M.
Spindle Travel(mm):50MM Spindle Taper:B16
Max. distance from spindle axis to surface of column(mm):105
Max. distance from spindle end to surface of table(mm):220
Max. distance from spindle end to surface of base(mm):300
Net Weight/Gross Weight(kg):14/15 Height(mm):580
Column Diameter(mm):46 Base Size(mm):280*170
Table Size(mm):160*160 Swing(mm):210

ITEM NO	SIZE		G.W.	CBM
172313	13MM/350W-580MM	1	15	0.033

Bench Drill

500w

Max Drilling Diameter.(mm):16mm(5/8") Class Of Speed:9
Motor Power:500W No-load speed:420-2640R.P.M.
Spindle Travel(mm):50MM Spindle Taper:B16
Max. distance from spindle axis to surface of column(mm):115
Max. distance from spindle end to surface of table(mm):250
Max. distance from spindle end to surface of base(mm):335
Swing(mm):230 Table Size(mm):170X170
Base Size(mm):315X195 Column Diameter(mm):46
Height(mm):610 Net Weight/Gross Weight(kg):24/26

ITEM NO	SIZE		G.W.	CBM
172316	16MM/500W-680MM	1	26	0.037

Bench Drill

750w

Max Drilling Diameter.(mm):20mm(3/4") Class Of Speed:16
Spindle Travel(mm):85MM Spindle Taper:MT2
Motor Power:750W No-load speed:180-2770/220-3320R.P.M.
Max. distance from spindle axis to surface of column(mm):180
Max. distance from spindle end to surface of table(mm):620
Max. distance from spindle end to surface of base(mm):810
Swing(mm):360 Column Diameter(mm):72
Table Size(mm):290X290 Height(mm):1200
Base Size(mm):460X270 Net Weight/Gross Weight(kg):58/60

ITEM NO	SIZE		G.W.	CBM
172320	20MM/750W-1000MM	1	75	0.15

Rotary Hammer

1500W
32MM

RATED VOLTAGE: 220V-240V DRILLING DIAMETER: 32MM
NO-LOAD SPEED: 1000R/MIN IMPACT ENERGY: 5.8J
MAX IMPACT RATED: 4700BPM RATED INPUT POWER: 1500W
RATED FREQUENCY: 50HZ/60HZ

CONTAINS

1.OIL 1PC 2.AUXILIARY HANDLE 1PC 3.MUNUAL 1PC 4.CARBON BRUSH 1PAIR
5.DRILL BIT 3PCS(8/10/12MM*150MM) 6.CHISEL 2PCS (14MM*250MM)

ITEM NO	SIZE		G.W.	CBM
170907	1500W/32MM	3 / 1	23	0.055

Demolition Hammer

1100W
15J

RATED VOLTAGE: 220V-240V RATED FREQUENCY: 50Hz/60Hz
RATED INPUT POWER: 1100W MAX IMPACT RATED: 3500Bpm
IMPACT ENERGY: 15J

CONTAINS

1.OIL 1PC 2.AUXILIARY HANDLE 1PC 3.MUNUAL 1PC
4. CARBON BRUSH 1PAIR 5.CHISEL 2PCS(17*250MM) 6.SPANNER 1PC

ITEM NO	SIZE		G.W.	CBM
170908	1100W/15J	3 / 1	23	0.053

Demolition Hammer

1400W
34J

RATED VOLTAGE: 220V-240V RATED FREQUENCY: 50HZ/60HZ
RATED INPUT POWER: 1400W MAX IMPACT RATED: 3700Bpm
IMPACT ENERGY: 34J

CONTAINS

1.OIL 1PC 2.AUXILIARY HANDLE 1PC 3.MUNUAL 1PC
4. CARBON BRUSH 1PAIR 5.CHISEL 2PCS(17*250MM) 6.SPANNER 1PC

ITEM NO	SIZE		G.W.	CBM
170909	1400W/34J	3 / 1	23	0.062

Demolition Hammer

1650W
53J

RATED POWER:1650W IMPACT FREQUENCY:900-1990BPM
MAX POWER:2500W IMPACT:53J WEIGHT:11KGS TYPE:11E
RATED VOLTATE:220V -240V RATED FREQUENCY:50HZ

ITEM NO	SIZE		G.W.	CBM
170903	1650W / 53J	1	13	0.044

Rotary Hammer

26MM
800W

RATED VOLTAGE:220-240V IMPACT RATED:0-5700/MIN
RATED FREQUENCY:50-60HZ MAX.DRILLING DIA:26MM
RATED POWER :800W NO-LOAD SPEED:0-1400R/MIN
OPTIMUM DRILLING RANGE6-18MM IMPACT ENERGY:2.8J

ITEM NO	SIZE		G.W.	CBM
170902	26MM-800W	4 / 1	22	0.071

Rotary Hammer

28MM
1100W

RATED INPUT POWER:1100W CONCRETE:32MM
STEEL:13MM WOOD:30MM NO-LOAD SPEED:0-1100RPM
IMPACT TIMES:0-4900BPM IMPACT ENERGY PER
STROKE:3.3J OPTIMUM DRILLING RANGE8-22MM

ITEM NO	SIZE		G.W.	CBM
170928	28MM/1100W	4	23	0.079

Demolition Hammer

1250W 15J

IMPACT ENERGY:15J RATED VOLTAGE:220-240V
RATED INPUT POWER:1250W RATED FREQUENCY:50-60HZ
NO-LOAD SPEED:1200R/MIN MAX IMPACT RATED:4700BPM
PACKAGE:PLASTIC BOX

ITEM NO	SIZE		G.W.	CBM
170905	1250W/17MM	3 / 1	27	0.082

3in 1 Rotary Hammer

1050w

IMPACTENERGY:4.5J RATED VOLTAGE:220-240V
PACKAGE:PLASTIC BOX RATED FREQUENCY:50-60HZ
NO-LOAD SPEED:1100R/MIN RATED INPUT POWER:1050W

ITEM NO	SIZE		G.W.	CBM
170901	1050W/26MM	3 / 1	20.2	0.048

Demolition Hammer

1500W 55J

RATED VOLTAGE:220-240V RATED FREQUENCY:50-60HZ
RATED INPUT POWER:1500W NO-LOAD SPEED:1400R/MIN
MAX IMPACT RATED:1900BPM IMPACTENERGY:55J

ITEM NO	SIZE		G.W.	CBM
170906	1500W/30MM	1	21	0.055

Heavy High Power Electric Pickaxe

Demolition Hammer

1300W
45J

RATED VOLTAGE: 220V-240V MAX IMPACT RATED: 1800Bpm
RATED FREQUENCY: 50HZ/60HZ IMPACT ENERGY: 45J
RATED INPUT POWER: 1300W

CONTAINS

1.OIL 1PC 2.AUXILIARY HANDLE 1PC 3.MUNGAL 1PC
4. CARBON BRUSH 1PAIR 5.CHISEL 2PCS(25*380MM) 6.SPANNER 1PC

ITEM NO	SIZE		G.W.	CBM
170910	1300W/45J	1	23	0.034

Grease Type Demolition Hammer

1700W
70J

RATED VOLTAGE: 220V-240V MAX IMPACT RATED: 2000Bpm
RATED FREQUENCY: 50HZ/60HZ IMPACT ENERGY: 70J
RATED INPUT POWER: 1700W

CONTAINS

OIL 1PC / AUXILIARY HANDLE 1PC / CHISEL 2PCS(25*380MM)
CARBON BRUSH 1PAIR / MUNGAL 1PC / SPANNER 1PC

ITEM NO	SIZE		G.W.	CBM
170911	1700W/70J	1	23	0.034

Demolition Hammer

1700W
68J

RATED VOLTAGE: 220V-240V MAX IMPACT RATED: 1900Bpm
RATED FREQUENCY: 50HZ/60HZ IMPACT ENERGY: 68J
RATED INPUT POWER: 1700W

CONTAINS

OIL 1PC / AUXILIARY HANDLE 1PC / CHISEL 2PCS(25*380MM)
CARBON BRUSH 1PAIR / MUNGAL 1PC / SPANNER 1PC

ITEM NO	SIZE		G.W.	CBM
170912	1700W/68J	1	23	0.034

Air Impact Wrench

Max.Torque:
2800N.m

PINLESS HAMMER MECHANISM Max.Torque: 2800N.m
AIR PRESSURE:6.5BAR(93PSI) Square drive: 1"
No-load speed: 4000r.p.m Net weight: 12.70KGS

ITEM NO	SIZE		G.W.	CBM
121801	2800N.m-1"	1	16	0.031

Air Impact Wrench

Max.Torque:
640N.m

WIN HAMMER/FRONT EXHAUST Square drive: 1/2"
Air consumption: 120L/min Net weight: 5.92Lbs, 2.6Kgs
Free speed: 7500r.p.m Max.Torque: ft-lb471/640N.m

ITEM NO	SIZE		G.W.	CBM
121802	640N.m-1/2"	8 / 1	24	0.033

Impact Wrench

RATED POWER OUTPUT: 450W NO LOAD SPEED: 0-2800R/MIN
VOLTAGE: 220V-240V SQUARE CONNECTOR: 1/2"
FREQUENCY: 50-60HZ MAX TORQUE: 400N.M

ITEM NO	SIZE		G.W.	CBM
170210	450W/400N.M	5 / 1	15.5	0.035

264pcs Mini Grinder

264PCS

2PC GRINDING WHEELS WITH SHANK
2PC GRINDING WHEELS WITH SHANK
2PC GRINDING WHEELS WITH SHANK
2PC GRINDING WHEELS WITH SHANK
2PC GRINDING WHEELS WITH SHANK
3PCS MANDRELS FOR WHEEL
1PC RUBBER EMERY WHEEL: 1/8"X7/8"
36PCS CUT OFF WHEELS REGULAR: 15/16" X 1/64"
47PCSBOTTLED SAND PAPERS
5PCS DIAMOND CUTTERS
6PCSSILICON CARBIDE GRINDING WHEEL SHEET 1/8X13/16
1PCS SANDING SHANKS: 1/2" X 1/2"
3PCS COLLETS : 1/16", 3/32", 1/8"
1PC MANDRELS FOR WHEEL
3PCS NYLON BRUSHES
3PCS BRASS BRUSHES
2PCS HSS CUTTERS
1PC FELT WHEEL: 1" X 1/4"
4PCS FELT WHEELS: 1/2" X 1/4"
1PCS FELT WHEEL POINTED
60PCSBOTTLED SAND PAPERS
1PC WRENCH: 3/8"
5PCS FIBERGLASS CUT OFF WHEELS
1PC FLAP WHEEL
6PCS HSS TWIST DRILLS
1PC FLAP WHEEL
1PCS SANDING SHANKS: 1/4" X 1/2"

ITEM NO	SIZE		G.W.	CBM
171901	264PCS	6	13	0.051

Rotary Accessory Set

508PCS

PRODUCTS PLACED INSIDE THE LINING

20PCS SANDING BANDS: 1/4" X 1/2"
16PCS SANDING BANDS: 3/8"x1/2"
20PCS SANDING BANDS: 1/2" X 1/2"
6PCS GRINDING WHEELS WITH SHANK
6PCS GRINDING WHEELS WITH SHANK
6PCS BANDANG JADES AND WHEELS WITH SHANK
2PC FLAP WHEEL 1 1/4" X 3/8"
30PCS CUT OFF WHEELS HEAVY DUTY: 15/16" X 1/32"
2PCS FELT WHEEL: 1" X 1/4"
6PCS FELT WHEELS: 1/2" X 1/4"
1PC DRESSING STONE 1"X3/8"
2PCS FELT WHEEL POINTED
1PC WRENCH: 3/8"
3PC RUBBER EMERY WHEEL 1/8"X7/8"
18PCS FIBERGLASS CUT OFF WHEELS
36PCS CUT OFF WHEELS REGULAR: 15/16" X 1/64"
50Pcs BOTTLED SAND PAPERS
50Pcs BOTTLED SAND PAPERS
50Pcs BOTTLED SAND PAPERS
50Pcs BOTTLED SAND PAPER
1PC DIAMOND CUT OFF WHEEL
2PC FLAP WHEEL
4PCS COLLETS : 1/16", 3/32"X2, 1/8"

PRODUCTS PLACED ON THE LEFT SHELF

9PCS HSS TWIST DRILLS: 1/16" X 3, 3/32" X 3, 1/8" X 3
3PCS RUBBER GRINDING STONES
1PC MANDRELS FOR WHEEL
2PCS MANDRELS FOR WHEEL
1PC SANDING SHANKS: 1/4" X 1/2"
1PC SANDING SHANKS: 3/8"x1/2"
1PC SANDING SHANKS: 1/2" X 1/2"

PRODUCTS PLACED ON THE RIGHT SHELF

1PC SUCKING DISC
6PCS GRINDING WHEELS WITH SHANK
4PCS GRINDING WHEELS WITH SHANK
3PCS NYLON POLISHING BRUSH
2PCS COPPER WIRE POLISHING BRUSH
1PCS HSS CUTTERS
10PCS DIAMOND CUTTERS
2PCS WIRE POLISHING BRUSH

ITEM NO	SIZE		G.W.	CBM
171910	508PCS	10	11.17	0.054

Drill Chuck With Key

Cr-V

1.5-13MM 1/2-20UNF

ITEM NO	SIZE		G.W.	CBM
180116	13MM	60 / 10	9	0.047

3.0-16MM 1/2-20UNF

ITEM NO	SIZE		G.W.	CBM
180118	16MM	48 / 8	7.2	0.047

Drill Chuck With Key

Cr-V

1PC KEY CHUCK 1.5-13MM 1/2"-20UNF
1PC KEY+1PC SDS-PLUS ADAPTER
1.5-13MM 1/2-20UNF

ITEM NO	SIZE		G.W.	CBM
180117	13MM	60 / 10	8.1	0.047

Keyless Drill Chuck

Cr-V
WITHOUT THREAD

0.8-10MM 3/8-24UNF M10*1.0

ITEM NO	SIZE		G.W.	CBM
180115	10MM	90 / 15	12	0.047

Drill Chuck Key

Cr-V

10MM:11TEETH 20N/M L:58MM
13MM:12TEETH 25N/M L:80MM
16MM:12TEETH 30N/M L:85MM

ITEM NO	SIZE		G.W.	CBM
180105	10MM	200 / 40	8.3	0.041
180106	13MM	200 / 40	12	0.041
180107	16MM	200 / 40	13	0.041

WISEUP
WISEUP
WISEUP
BRUSHLESS
4.0AH WISEUP 21V MAX

Angle Grinder

4"
850w

DISC DIAMETER: 100MM
RATED INPUT POWER: 850W
NO-LOAD SPEED: 11000R/MIN
RATED FREQUENCY: 50/60HZ
RATED VOLTAGE: 220-240V~

ITEM NO	SIZE		G.W.	CBM
170105	100MM-850W	10 / 1	21	0.05

Angle Grinder

4.5" 5"
850W 850W

DISC DIAMETER: 115MM
RATED INPUT POWER: 850W
NO-LOAD SPEED: 11000R/MIN
RATED FREQUENCY: 50/60HZ
RATED VOLTAGE: 220-240V~

ITEM NO	SIZE		G.W.	CBM
170106	115MM-850W	10 / 1	21	0.05
170107	125MM-850W	10 / 1	21	0.05

Angle Grinder

700w

RATED VOLTAGE: 220-240V
RATED FREQUENCY: 50-60HZ
RATED INPUT POWER: 700W
BLOWING RATE: 11000R/MIN
MOTOR:COPPER

ITEM NO	SIZE		G.W.	CBM
170101	100MM/M10	10 / 1	23	0.0511

Angle Grinder

700w

RATED VOLTAGE: 220-240V
RATED FREQUENCY: 50-60HZ
RATED INPUT POWER: 700W
BLOWING RATE: 11000R/MIN
MOTOR:COPPER

ITEM NO	SIZE		G.W.	CBM
170102	115MM/M14	10 / 1	24	0.053

Angle Grinder

1300w

RATED VOLTAGE: 220-240V
RATED FREQUENCY: 50-60HZ
RATED INPUT POWER: 1300W
BLOWING RATE: 6500R/MIN
MOTOR:COPPER

ITEM NO	SIZE		G.W.	CBM
170103	180MM/M14	4 / 1	16.5	0.04

Angle Grinder

2300w

RATED VOLTAGE: 220-240V
RATED FREQUENCY: 50-60HZ
RATED INPUT POWER: 2300W
BLOWING RATE: 6500R/MIN
MOTOR:COPPER

ITEM NO	SIZE		G.W.	CBM
170104	230MM/M14	2 / 1	13.3	0.031

Car Polisher

VOLTAGE: 220-240V 2M CABLE FREQUENCY:50-60HZ
NO LOAD SPEED: 800-3000RPM POWER:1400W

ITEM NO	SIZE		G.W.	CBM
171113	1400W/180MM	4 / 1	14.5	0.046

Palm Sander

230w

RATED VOLTAGE:220-240V SANDING PAD:110*100MM
RATRDFREQUENCY:50-60HZ INPUT POWER:230W
NO LAOD SPEED:15000RPM

ITEM NO	SIZE		G.W.	CBM
171107	110*100MM-230W	10 / 1	15.6	0.047

Orbital Sander

1400w

RATED VOLTAGE:220-240V DRILLING CAPPACITY:16mm
RATRDFREQUENCY:50-60HZ SPINDLE TRAVEL:60MM
NO LAOD SPEED:660-2500RPM SPINDLE TAPER:MT2

ITEM NO	SIZE		G.W.	CBM
171108	93*185MM-320W	10 / 1	20.6	0.051

Jig Saw

CUTTING CAPACITY:WOOD 100MM / METAL 10MM / BEVEL 0±45°
POWER:800W VOLTAGE: 220-240V 2M CABLE
SPEED:0-2800RPM WITH LASER FREQUENCY:50-60HZ
QUICK CHUCK STROKE 22MM STEEL BASE

ITEM NO	SIZE		G.W.	CBM
171002	800W/100MM	10 / 1	14.5	0.046

Bench Grinder

200w

WHEEL SIZE:150X16X12.7MM 105W S1,150W S2 30MIN
NO-LOAD SPEED:3450/MIN RATED VOLTAGE:230-240V
POWER:200W RATED FREQUENCY:50HZ 60HZ

ITEM NO	SIZE		G.W.	CBM
171102	150MM	4 / 1	20	0.012

Rotary Sander

280w

INPUT POWER:280W FREQUENCY:50/60HZ
SANDING PAD:125MM NO LOAD SPEED:6000-12000RPM
VOLTAGE:220-240V

ITEM NO	SIZE		G.W.	CBM
171106	125MM-280W	4 / 1	7.5	0.012

Electric Die Grinder

INPUT POWER:710W
VOLTAGE: 220-240V
FREQUENCY:50-60HZ
GRINDER:25MM
NO LOAD SPEED: 8000-25000RPM
2M CABLE

ITEM NO	SIZE		G.W.	CBM
171902	710W/25MM	6 / 1	14.5	0.046

Dry Wall Sander

900w

RATED VOLTAGE:220-240V
NO LAOD SPEED:1500-3000RPM
RATRDFREQUENCY:50-60HZ
SANDING PAD:180MM
INPUT POWER:900W

ITEM NO	SIZE		G.W.	CBM
172201	900W-180MM	4 / 1	16	0.112

Dry Wall Sander

880w

RATED VOLTAGE:220-240V
NI LOADING SPEED:1000-2100RPM
RATRDFREQUENCY:50-60HZ
SANDING PAD:215MM
INPUT POWER:900W

ITEM NO	SIZE		G.W.	CBM
172202	880W-215MM	1	8	0.065

Gasoline Brush Cutter

1250w

DISPLASCEMENT:42.7CC
OIL/FUEL RATIO:1.25
RATED POWER:1250W
NO LOAD SPEED:7500MIN-1
CAPACITY:1200ML
CUTTING DIA.OF BLAD:255MM
CUTTING DIA.OF LINE:415MM
POLE DIAMETER:28MM

POWERFUL MOTOR, HIGH EFFICIENCY, STRONG POWER. THE FUSELAGE IS COMFORTABLE TO GRASP, THE ACTUAL POWER IS NOT FALSELY MARKED, INDUSTRIAL QUALITY.

ITEM NO	SIZE		G.W.	CBM
170701	1250W	4 / 1	41.5	0.21

Gasoline Brush Cutter

1650w

POLE:Φ28MM 2.0MM THICKNESS
SHAFT:9 TEETH 20CR
ENGINE DISPLACEMENT:52CC
MAX POWER:1.65 KW
FUEL TANK CAPACITY:1000ML
ROD LENGTH:1.6M

ITEM NO	SIZE		G.W.	CBM
170702	1650W	2 / 1	20	0.076

Electric Mixer

1400w

WHOLE ROD LENGTH:590MM
TOOL-CONNECTION:M14
MIXING DIAMETER:120MM
INPUTPOWER:1400W
NO LOAD SPEED:0-900R/MIN
VOLTAGE:220-240V
PADDLE:SINGLE
FREQUENCY:50-60HZ

ITEM NO	SIZE		G.W.	CBM
171801	120MM-1400W	2 / 1	11.5	0.05

Electric Planer

580w

VOLTAGE/FREQUENCY:220-240V
RATED FREQUENCY:50HZ TCT BLADE
RABBETING DEPTH:0-10MM PLANING DEPTH:0-1MM
NO LOAD SPEEDE:16500R/MIN INPUT POWER:580W

ITEM NO	SIZE		G.W.	CBM
172101	82MM*1MM	4 / 1	15	0.045

Marble Cutter

1380w

MAXIMUM CUTTING THICKNESS:115MM FREQUENCY:50-60HZ
RATED POWER OUTPUT:1380W ADJUSTABLE:0-45°
VOLTAGEFREQUENCY:220V-240V ROTATING SPEED:13000R/MIN

ITEM NO	SIZE		G.W.	CBM
170310	115MM/1380W	4 / 1	15	0.044

Cut Off Saw

2500w

BLADE DIAMETER:355MM POWER:2500W
INPUT VOLTAGE:220~240V WEIGHT:16KG
RATED FREQUENCY:50-60HZ 0.8MPA(100PSI)
SPEED:3900/MIN

ITEM NO	SIZE		G.W.	CBM
170308	355MM-2500W	1	16	0.07

Circular Saw

1400w

ROTATING SPEED:5000R/MIN POWER:1400W
VOLTAGE:220-240V MOTOR:COPPER
FREQUENCY:50-60HZ

ITEM NO	SIZE		G.W.	CBM
170302	185MM/1400W	2 / 1	12.4	0.064

Circular Saw

2200w

ROTATING SPEED:3800R/MIN POWER:2200W
VOLTAGE:220-240V MOTOR:COPPER
FREQUENCY:50-60HZ

ITEM NO	SIZE		G.W.	CBM
170304	230MM/2200W	2 / 1	19	0.045

Table Saw

2000W

VOLTAGE/FREQUENCY:220-240V/50-60HZ
WIRTH SOFT START NO-LOAD SPEED :5300RPM
BLADE DIAMETER :255MM*30*40T POWER: 2000W
CUTTING CAPACITY: 90°: 85MM / 45°: 63MM

CONTAINS

1X RING WRENCH SW 10/22 1X RING WRENCH SW 10/13
1X RIP FENCE GUIDED ON BOTH SIDES 1X PUSH STICK

ITEM NO	SIZE		G.W.	CBM
170306	10"/255MM	1	23	0.189

Compound Mitre Saw

2000W

VOLTAGE/FREQUENCY: 220-240V/50-60HZ POWER: 2000W
NO-LOAD SPEED: 5300RPM BLADE DIAMETER: 255MM*30*40T
CUTTING CAPACITY: 0°×0°:128X78MM / 0°×45°:128X50MM
45°×0°: 85X78MM 45°×45° [L] : 50X40MM 45°×45° [R] : 85X40MM
TABLE SAW CUTTING: 60MM WITH LASER

CONTAINS

1PC M6 HEX WRENCH 1PC DUST BAG 1 PAIR OF CARBON BRUSH

ITEM NO	SIZE		G.W.	CBM
170309	10"/255MM	1	23	0.112

Mitre Saw

1650W

WVOLTAGE/FREQUENCY:220-240V/50-60HZ WITH LASER
NO-LOAD SPEED:5000R/MIN BLADE DIAMETER:255MM *30*40T
CUTTING CAPACITY:0° X0° : 115X80 MM 0° X45°: 115X50 MM
POWER:1650W 45°X0° : 75X80 MM 45°X45°: 75X50 MM

CONTAINS

1PC M6 HEX WRENCH 1PC DUST BAG 1PC CLAMPING BLOCK COMPONENTS
2PCS WINGS (LEFT AND RIGHT) 1 PAIR OF CARBON BRUSH

ITEM NO	SIZE		G.W.	CBM
170311	10"/255MM	1	23	0.09

Mitre Saw

2000W

WVOLTAGE/FREQUENCY:220-240V/50-60HZ WITH LASER
NO-LOAD SPEED:4500R/MIN BLADE DIAMETER:255MM *30*40T
CUTTING CAPACITY:0°X0° 340 X 90 MM 0°X45° 240 X 45 MM
POWER:2000W 45°X0° 240X 90 MM 45°X45° 240 X 45MM

CONTAINS

1PC M6 HEX WRENCH 1PC DUST BAG 1 PAIR OF CARBON BRUSH

ITEM NO	SIZE		G.W.	CBM
170312	10"/255MM	1	23	0.09

Reciprocating Saw

750w

VOLTAGE: 220-240V 2M CABLE INPUT POWER:750W
MAX CUTTING DEPTH:115MM NO LOAD SPEED: 0-2800RPM
STROKE LENGTH:20MM FREQUENCY:50-60HZ

ITEM NO	SIZE		G.W.	CBM
171005	750W/115MM	5 / 1	14.5	0.046

Gasoline Chain Saw

18" 20"

LDING SPEED:3000RPM ENGINE DISPLACEMENT:58CC
HIGH SPEED:12000RPM MAX POWER:2.5KW HIGH SPEED:12000RPM
OIL TANK CAPACITY:260ML FUEL TANK CAPACITY:550ML

ITEM NO	SIZE		G.W.	CBM
172002	18"/450MM	2 / 1	16	0.084
172003	20"/500MM	2 / 1	17	0.094

Electric Chain Saw

2200w

RATED VOLTAGE:220-240V
RATED FREQUENCY:50-60HZ
RATED POWER :2200W
CHAIN SPEED:600M/MIN
NO-LOAD SPEED:0-7000R/MIN

ITEM NO	SIZE		G.W.	CBM
172016	16"/400MM	4 / 1	24.5	0.076

Router Machine

2200w

RATED POWER:2200W RATED FREQUENCY:50HZ
INPUT VOLTAGE:220V BLADE DIAMETER:12MM
RATED NO-LOAD SPEED:23500R/MIN

ITEM NO	SIZE		G.W.	CBM
171602	12MM-2200W	4 / 1	27	0.066

Electric Trimmer

550w

RATED INPUT POWER:550W
NO-LOAD SPEED:30000R/MIN
RATED VOLTAGE:220-240V
COLLET CAPACITY:6MM
RATED FREQUENCY:50/60HZ

ITEM NO	SIZE		G.W.	CBM
171601	6MM-550W	10 / 1	22	0.042

Pneumatic Nail Gun

1013J

360 DEGREE ADJUSTABLE EXHAUST GAUGE:20
BOTTOM LOADING SYSTEM AIR HOSE SIZE: 6MM
POWERFUL STRENGTH AND RAPID AIR-RETURN
DURABLE 12.9 GRADE HIGH STRENGTH HEXAGON
LIGHT WEIGHT DIE CAST ALUMINUM ALLOY BODY
Order quantity: 100PCS Work pressure: 4-7kg/cm ²

ITEM NO	SIZE		G.W.	CBM
121113	1013J 4-7BAR	10	11	0.026

Pneumatic Nail Gun

8016

360 DEGREE ADJUSTABLE EXHAUST GAUGE:21
BOTTOM LOADING SYSTEM AIR HOSE SIZE: 6MM
POWERFUL STRENGTH AND RAPID AIR-RETURN
DURABLE 12.9 GRADE HIGH STRENGTH HEXAGON
LIGHT WEIGHT DIE CAST ALUMINUM ALLOY BODY
Order quantity: 100PCS Work pressure: 4-7kg/cm ²

ITEM NO	SIZE		G.W.	CBM
121116	8016 4-7BAR	10	11.8	0.026

Pneumatic Nail Gun

F30

360 DEGREE ADJUSTABLE EXHAUST GAUGE:18
BOTTOM LOADING SYSTEM AIR HOSE SIZE: 6MM
POWERFUL STRENGTH AND RAPID AIR-RETURN
DURABLE 12.9 GRADE HIGH STRENGTH HEXAGON
LIGHT WEIGHT DIE CAST ALUMINUM ALLOY BODY
Order quantity: 100PCS Work pressure: 4-7kg/cm ²

ITEM NO	SIZE		G.W.	CBM
121130	F30 4-7BAR	10	13.5	0.035

Pneumatic Nail Gun

F50

360 DEGREE ADJUSTABLE EXHAUST GAUGE:18
BOTTOM LOADING SYSTEM AIR HOSE SIZE: 6MM
POWERFUL STRENGTH AND RAPID AIR-RETURN
DURABLE 12.9 GRADE HIGH STRENGTH HEXAGON
LIGHT WEIGHT DIE CAST ALUMINUM ALLOY BODY
Order quantity: 100PCS Work pressure: 4-7kg/cm ²

ITEM NO	SIZE		G.W.	CBM
121150	F30 4-7BAR	10	16.4	0.046

Staple





ITEM NO	SIZE		G.W.	CBM
121604	0.6*0.95*9.5MM	20	12.5	0.016
121605	0.6*0.95*15.5MM	12	10.7	0.016

Staple





ITEM NO	SIZE		G.W.	CBM
121601	0.95*1.25*29.5MM	15	19.25	0.015
121602	0.95*1.25*39.5MM	10	17	0.015
121603	0.95*1.25*49.5MM	10	21.2	0.015

Dc Liquid Adding Pump

12v-25mm
24v-25mm

RATED POWER OUTPUT:200W SIZE:1"/25MM SPEED RANGE:2800R/MIN
SUCTION DISTANCE:5M RATED VOLTAGE:12V PUMPING CAPACITY:40L/MIN
LIFT DISTANCE:10M RATED CURRENT:10A NO-LOAD SPEED:4500R/MIN

ITEM NO	SIZE		G.W.	CBM
064301	12V-25MM	6 / 1	22	0.62
064301 24V	24V-25MM	6 / 1	22	0.62

Plastic Welding Machine

1500w

WELDING RANGE:20-63MM PE PIPE(COLD PIPE):200-230C
FREQUENCY:50/60HZ VOLTAGE:220V PB PIPE(HOT PIPE):240C
POWER:1500W MELTING POINT:PPR PIPE(H/C PIPE):260-280C

ITEM NO	SIZE		G.W.	CBM
041201	20-63MM/1500W	5 / 1	20.5	0.032

Hot Air Gun

2000w

POWER:2000W
VOLTAGE:220-240V
FREQUENCY:50-60HZ
TEMPERATURE:350/550°C
PACKAGE:COLOR BOX

ITEM NO	SIZE		G.W.	CBM
170401	2000W	10 / 1	9.8	0.069

Hot Air Gun Set

2000w

POWER:2000W I:50°C/ 100°C/ 150°C/ 200°C/ 250°C/ 350°C
VOLTAGE:220-240V II:100°C/ 200°C/ 300°C/ 400°C/ 500°C/ 600°C
FREQUENCY:50-60HZ

ITEM NO	SIZE		G.W.	CBM
170402	2000W	5 / 1	7.5	0.04

Electric Spray Gun

110w

NOZZLE:Φ0.8MM
CABLE LENGTH:2.0M
VOLTAGE:220-240V
MAX.VISCOSITY:60DIN/SEC
FREQUENCY:50-60HZ
INPUT POWER:110W
PAINT RESERVIOIR:800ML
MAX FLOW: 300ML/MIN

ITEM NO	SIZE		G.W.	CBM
120301	110W/800ML	5 / 1	10	0.048

Electric Spray Gun

400w

VOLTAGE:220-240V
FREQUENCY:50-60HZ
INPUT POWER:400W
PAINT RESERVIOIR:800ML

ITEM NO	SIZE		G.W.	CBM
120302	400W/800ML	6 / 1	11.25	0.055

Electric Spray Gun

800w

VOLTAGE:220-240V
FREQUENCY:50-60HZ
INPUT POWER:800W
NOZZLE:Φ1.8/2.6MM(PLASTIC)
PAINT RESERVIOIR:800ML
MAX.VISCOSITY:80DIN/SEC
MAX FLOW: 900ML/MIN
CABLE LENGTH:2.0M

ITEM NO	SIZE		G.W.	CBM
120303	800W/800ML	4 / 1	11	0.07

Blower

650w

POWER:650W VOLTAGE:220-240V
FREQUENCY:50-60HZ PACKAGE:COLOR BOX
NO LOAD SPEED:3000-13000R/MIN
BLOWING RATE:0-3.8M³/MIN

ITEM NO	SIZE		G.W.	CBM
170404	650W	4 / 1	12.7	0.098

Blower

400w

POWER:400W VOLTAGE:220-240V
FREQUENCY:50-60HZ PACKAGE:COLOR BOX
BLOWING RATE:0-2.8M³/MIN
NO LOAD SPEED 0-13000R/MIN

ITEM NO	SIZE		G.W.	CBM
170403	400W	8 / 1	12.9	0.075

Blower

620w

POWER:620W VOLTAGE:220-240V
FREQUENCY:50-60HZ PACKAGE:COLOR BOX
BLOWING RATE:0-3.5M³/MIN
NO LOAD SPEED 0-16000R/MIN

ITEM NO	SIZE		G.W.	CBM
170405	620W	6 / 1	12.2	0.055

Gasoling Concrete Vibrator

SINGLE CYLINDER,4STROKE ,FORCED AIR COOLING
RATED POWER:6.5HP/2650W(3600R/MIN) OIL SENSOR:YES
DISPLACEMENT:389CC IDLE SPEED:1400+-200RPM
FUEL TANK CAPACITY:6.5L VIBRATING HEAD LENGTH:4-6M
OIL CAPACITY:1.1L STARTING MODEL:RECOIL START
VIBRATING HEAD DIAMETER:28-32-38-45-50-60-70MM

ITEM NO	SIZE		G.W.	CBM
172803	6.5HP/2650W	1	21.5	0.053

Concrete Vibrator

RATED POWER:800W RATED FREQUENCY:50/60HZ
RATED VOLTAGE:220/240V NO LOADING SPEED:4200RPM

ITEM NO	SIZE		G.W.	CBM
172802	800W	10	24.6	0.053

Vibrator Spear

HOSE SIZE: 45MM*6M
FLEXIBLE SHAFT DIAMETER:10M
COUPLING:Malaysia TYPE

ITEM NO	SIZE		G.W.	CBM
172835	35CM*1.5M	5	21.5	0.015

Vibrator Bar

HOSE SIZE: 38MM*6M
FLEXIBLE SHAFT DIAMETER:10M
COUPLING:Malaysia TYPE

ITEM NO	SIZE		G.W.	CBM
172838	38CM*6M	1	15	0.053

Vibrator Bar

HOSE SIZE: 45MM*6M
FLEXIBLE SHAFT DIAMETER:10M
COUPLING:Malaysia TYPE

ITEM NO	SIZE		G.W.	CBM
172845	45CM*6M	1	16	0.053

Vibrator

RATED POWER:1400W
RATED VOLTAGE:220/240V
RATED FREQUENCY:50/60HZ

ITEM NO	SIZE		G.W.	CBM
172801	1500W/220V	1	14	0.053

Concrete Mixer

Rated Voltage	220-240V	Water Supply Mode	Manual
power cable	2G0.75mm2*1.5M	Working Cycle Period	3min
Rated Frequency	50Hz/60HZ	Discharge Way	Manual
Input Power	1000W	Wheel Size	10"(250mm)
Capacity	210L	Steel Thickness	1.2mm/1.5mm
Durm speed	26-28RPM	Max Height	638mm
Durm opening	446mm	Max Out Dima.	766mm

ITEM NO	SIZE		G.W.	CBM
172721	1280*890*1350mm	1	64	1.54

Concrete Mixer

Power cord H07RN-F 3G * 1.5MM * exposed 1.5M (electricity fee)

Rated voltage 220-240V	Water Supply Mode Manual
Rated frequency 50\60HZ	Work cycle 3 minutes
Input power 3000W	Emission Method Manual
Capacity 350L	Wheel size 20 inch wheel (510mm)
Hardness 28-32RPM	Steel thickness 3.0mm
Hardness opening 445mm	Maximum height 810mm
	Maximum outer diameter 800MM

ITEM NO	SIZE		G.W.	CBM
172735	2540*1260*1420MM	1	239	2.16

Gasoline Trowel Steel Frame

GRINDING DISC DIAMETER: 960MM	PLATE SIZE:63X40
SIZE:196CC	CENTRIFUGAL FORCE:25KN
ENGINE:LONCIN G200F	VIBRATION DEPTH:30CM
RECOIL START	TRAVEL SPEED: 15M/MIN
DISPLACEMENT:196CC	EFFCIENCY:500M2/HR
POWER:6.5HP	TILT ANGLE: 0-15°
POWER: 5.5HP/7.5HP	SPEED RANGE: 60-125R/MIN
RATED SPEED: 3200R/MIN	NUMBER OF BLADES: 4PCS

ITEM NO	SIZE		G.W.	CBM
172906	5.5HP/7.5HP	1	80	0.053

Gasoline Plate Compactor

SINGLE CULINDER.4 STROKE,FORCED AIR COOLING
RATED POWER:4.1KW (3600r/min)

displacemen: 196CC	SIZE:196CC	ENGINE:6.5HP
FUEL TANK CAPACITY: 3.6L		FREQUENCY:5600VPM
OIL CAPACITY:0.6L		CENTRIFUGAL FOECE :15KN
IDLE SPEED:1400+-200RPM		COMPACTION DEPTH:200MM
OIL SENSOR :YES		TRAVEL SPEED :518M²/HR
STARDING MODE:RECOIL START		PLATE SIZE:540X480MM

ITEM NO	SIZE		G.W.	CBM
172901	15KN/6.5HP	1	66	0.053

High Pressure Washer

High Pressure Washer
Max Pressure:154bar

Max Flow:7.5L/min
Horsepower:7.0HP

ITEM NO	SIZE		G.W.	CBM
171304	7.0HP / 7.5L/MIN	20 / 1	29	0.011

High Pressure Washer

High Pressure Washer
Max Pressure:85bar

Max Flow:10L/min
Motor Power:2200W

ITEM NO	SIZE		G.W.	CBM
171303	2200W/85bar	20 / 1	28	0.09

High Pressure Washer CE

1800W
150BAR

Vol (v)/Frequency (Hz):220-240V/50Hz/60Hz
Motor type:carbon brush Power (w):1800
Max Presure(bar):150 Rated flow(L/min):6
Max flow(L/min):7 Power Cord long:5M
Rated pressure (bar):100 Auto stop:YES

ITEM NO	SIZE		G.W.	CBM
171306	1800W/150BAR	1	7	0.04

High Pressure Washer CE

2200W
170BAR

Vol (v)/Frequency (Hz):220-240V/50Hz/60Hz

Max flow(L/min)	7.5	Rated flow(L/min)	6.5
Power (w)	2200	Motor Type	Carbon Brush
Auto stop	YES	Rated Pressure (bar)	120
Max Presure(bar)	170	Power Cord long	5M

ITEM NO	SIZE		G.W.	CBM
171307	2200W/170BAR	1	9.8	0.063

High Pressure Washer

1600W
150BAR

Induction motor

Vol (v)/Frequency (Hz):220-240V/50Hz/60Hz

Rated flow(L/min)	5.5	Max flow(L/min)	6.5
Power (w)	1600	Motor type	Induction motor
Auto stop	YES	Rated pressure (bar)	100
Power Cord long	5M	Max Presure(bar)	150

ITEM NO	SIZE		G.W.	CBM
171308	1600W/150BAR	1	13.1	0.08

Cordless Pressure Washer

150W
21V

ITEM NO	SIZE		G.W.	CBM
171415	150W	5 / 1	18	0.075

High Pressure Washer

950w

VOLTAGE:AC220/240-50/60HZ RATED POWER:950W
RATED PRESSURE:70BAR RATED FLOW:6.0L/MIN
MAX.PRESSURE:140BAR MAX.FLOW:6.5/MIN

ITEM NO	SIZE		G.W.	CBM
171305	1800W/17BAR	1	7.8	0.031

Heavy Duty Mini Air Compressor

180w

AIR HOSE LENGTH:60CM MAX CURRENT:15A
MAX.AIR PRESSURE:150PSI AIR FLOW:45L/MIN
CORD LENGTH:3.0M POWER:180W VOLTAGE:DC12V

ITEM NO	SIZE		G.W.	CBM
063801	180W	6 / 1	19	0.054

Vacuum Cleaner

1200w

DEY/WET
DUAL USE

RATED POWER:1200W RATED POWER:100V-240V
VOLUME:15L RATED FREQUENNCY:50/60HZ
TANK MATERIAL:PP VACUUM:>17KPA

ITEM NO	SIZE		G.W.	CBM
172415	15L / 1200W	1	6.2	0.044

Vacuum Cleaner

1400w

DEY/WET
DUAL USE

RATED POWER:1600W RATED POWER:100V-240V
VOLUME:30L RATED FREQUENNCY:50/60HZ
TANK MATERIAL:STAINLESS STEEL VACUUM:>17KPA

ITEM NO	SIZE		G.W.	CBM
172430	30L / 1400W	1	8.9	0.073

Vacuum Cleaner

1000W*2

DEY/WET
DUAL USE

RATED POWER:1600W RATED POWER:100V-240V
VOLUME:70L RATED FREQUENNCY:50/60HZ
TANK MATERIAL:STAINLESS STEEL VACUUM:>17KPA

ITEM NO	SIZE		G.W.	CBM
172470	70L / 1000W*2	1	17	0.171

Inverter Battery Charger

750Ah

AC POWER ONPUT:12V/1000W 24V/1500W BOOSTER CHARGER
CHARGE VOLTAGE&CURRENT:12V/38A,24V/35A MAX CHARGE CURRENT:50A
BATTERY CAPACITIES:20AH-750AH INPUT POWER:1500W
VOLTAGE 230V-FREQUENCY:50/60HZ CHARGING CURRENT:50AMAX.5MIN
CURRENT RANGE:5-50A CHARGING CURRENT:50AMAX.5MIN
CURRENT RANGE:5-50A MAX CHARGER :50A CHARGER CAPACITY :30-300AH

ITEM NO	SIZE		G.W.	CBM
170507	20AH-750AH	1	5.5	0.027

Battery Charger

160/120w

DEGREES OF PROTECTION:IP 20 GW:5.8KGS
BOOST CURRENT (A):12A RATED CAPACITY (W):160/120W
RATED CURRENT (A): 9/4A CHARGING VOLTAGE:12/24V
RATED INPUT VOLTAGE:230V FREQUENCY:50HZ
REFERENCE CAPACITY (AH):28-/100AH

ITEM NO	SIZE		G.W.	CBM
170506	160/120W	4 / 1	24.5	0.052

Sanding Pad With Velcro

Velcro Disc Fiber Disc
Polish Disc

ITEM NO	SIZE		G.W.	CBM
131102	4.5"/115MM	120 / 12	16	0.049
131103	5"/125MM	120 / 12	16	0.057
131104	7"/180MM	72 / 12	16	0.049

Air Compressor

2000w

POWER:2000W
SPEED:2860R/MIN
EXHAUST VOLUME:0.11/M²
MAXIMUM PRESSUE: 0.8MPA(100PSI)
TANK CAPACITY:24L

ITEM NO	SIZE		G.W.	CBM
170601	2.5HP/24L	1	24	0.086

Air Compressor

2400w

POWER:2400W
SPEED:2860R/MIN
EXHAUST VOLUME:0.17/M²
MAXIMUM PRESSUE: 0.8MPA(100PSI)
TANK CAPACITY:50L

ITEM NO	SIZE		G.W.	CBM
170602	3.0HP/50L	1	30	0.128

Air Compressor

1200w

POWER:1200W
SPEED:2860R/MIN
EXHAUST VOLUME:0.11/M²
MAXIMUM PRESSUE: 0.8MPA(100PSI)
TANK CAPACITY:9L

ITEM NO	SIZE		G.W.	CBM
170603	1.6HP/9L	1	15	0.044

Air Compressor

1300w

POWER:1300W
TANK CAPACITY:30L
EXHAUST VOLUME:0.11/M²
SPEED:2860R/MIN
MAXIMUM PRESSUE:0.8MPA(100PSI)

ITEM NO	SIZE		G.W.	CBM
170604	1.6HP/30L	1	19.5	0.08

Air Compressor

800w*2

EXHAUST VOLUME:0.12/M
TANK CAPACITY:50L
WEIGHT:30KG
POWER:800W*2
SPEED:1480r/min
MAXIMUM PRESSURE:0.8Mpa(100psi)

ITEM NO	SIZE		G.W.	CBM
170605	2.0HP/50L	1	36.5	0.135

PRODUCT ACTUAL PHOTOS

Welding Machine Mma

Mma-160

Working Voltage(V):230v Rated Welding Current (A):10a/20.4v-160a/24.8v
Rated Input Capacity(Kva):5.1 Power Cord No Load Voltage(V):60v
Rated Duty Cycle(%):20% Thermo Overload Protection:yes
Insulation Class:h Ip Code:ip21s Applied Electrode:1.6-3.2
Welding Cable:h01n2-d 1×16 mm2 1.5+1.3m Electrode Holder:kdh-2000
Earth Clamp:kdc-1200 Accessory Included: Hammer/brush, Mask

ITEM NO	SIZE		G.W.	CBM
170508	MMA-160	1	4.1	0.012

Working Voltage(V):230v Rated Welding Current (A):10A/20.4V-200A/26.4V
Rated Input Capacity(Kva):7 Power Cord No Load Voltage(V):60v
Rated Duty Cycle(%):20% Thermo Overload Protection:yes
Insulation Class:h Ip Code:ip21s Applied Electrode:1.6-4.0
Welding Cable:h01n2-d 1×16 mm2 1.5+1.3m Electrode Holder:kdh-2000
Earth Clamp:kdc-1250 Accessory Included: Hammer/brush, Mask

ITEM NO	SIZE		G.W.	CBM
170509	MMA-200	1	4.4	0.012

Working Voltage(V):230v Rated Welding Current (A):20A/20.8V-250A/27.2V
Rated Input Capacity(Kva):8 Power Cord No Load Voltage(V):63.5v
Rated Duty Cycle(%):15% Thermo Overload Protection:yes
Insulation Class:h Ip Code:ip21s Applied Electrode:1.6-3.2
Welding Cable:h01n2-d 1×25 mm2 1.5+1.3m Electrode Holder:kdh-2000
Earth Clamp:kdc-1200 Accessory Included: Hammer/brush, Mask

ITEM NO	SIZE		G.W.	CBM
170510	MMA-250	1	4.9	0.012

Welding Machine 15kg Mig/Tig/Mma

No plug installed

RATED INPUT VOLTAGE (V):220/380V FREQUENCY(HZ):50/60HZ
NO-LOAD VOLTAGE(V):51 INPUT VOLTAGE:36A
INPUT CAPACITY (KVA):8 CURRENT RANGE (AMP):40-270A
RATED DUTY CYCLE (%):50 CLASS OF INSULATION:H
PROTECTION CLASS (IP):21 WELDING WIRE (MM):0.8-1.0
ACC.:MIG TORCH, ELECTRODE HOLDER, EARCH CLAMP, MASK, HARMMER/BRUSH

ITEM NO	SIZE		G.W.	CBM
170513	NBC-270SI	1	16	0.053

Welding Machine 160a

TRPE:MMA-160A CURRENT ADJUSTMENT:10-160A
CURRENT:160A@35% USABLE ELECTRODE:1.0-3.2MM
PATED VALTAGE:220-240V MATERIAL:COPPER
RATED FREQUENCY:50-60HZ

ITEM NO	SIZE		G.W.	CBM
170501	MMA-160	1	4.2	0.02

Welding Machine 200a

TRPE:MMA-200A CURRENT ADJUSTMENT:10-200A
CURRENT:200A@35% USABLE ELECTRODE:1.0-4MM
PATED VALTAGE:220-240V MATERIAL:COPPER
RATED FREQUENCY:50-60HZ

ITEM NO	SIZE		G.W.	CBM
170502	MMA-200	1	4.7	0.02

Welding Machine 250a

TRPE:MMA-250A CURRENT ADJUSTMENT:10-250A
CURRENT:250A@60% USABLE ELECTRODE:1.6-5.0MM
PATED VALTAGE:220-240V MATERIAL:COPPER
RATED FREQUENCY:50-60HZ

ITEM NO	SIZE		G.W.	CBM
170503	MMA-250	1	6.9	0.029

Welding Machine

120a

RATED INPUT VALTAGE:220/240V
WEIGHT:3.15KG
RATED DUTY:30%
USABLE ELECTRODE:1.6-3.2MM
FREQUENCY:50/60HZ
MATERIAL:COPPER
CURRENT RANGE:20-120A
MAX.CRRENT:120A

ITEM NO	SIZE		G.W.	CBM
170500	MMA-120A	4 / 1	10	0.027

Inverter Welding Mig/Mma/Tig

160a

MMA:20A/20.8V-160A/26.4V
MIG: 50A/16.5V – 160A/22.0V
TIG: 10A/10.4V-160A/16.4V
RATED DUTY:
MIG : 20%@250A
TIG : 20%@250A
MMA : 20%@250A
WEIGHT:10.1KGS
RATED INPUT VOLTAGE:220-240V
FREQUENCY:50HZ
NO-LOAD VOLTAGE:54V
INPUT CAPACITY:7.1KVA
CURRENT RANGE:10-160A
MAX.CURRENT:160A
PROTECTION CLASS:IP21S
INSULATION CLASS:H

ITEM NO	SIZE		G.W.	CBM
170511	10-160A	1	12.5	0.067

Inverter Welding Mig/mma

120a

RATED INPUT VOLTAGE:220-240V
FREQUENCY:50HZ
NO-LOAD VOLTAGE:58V
INPUT CAPACITY:4.2KVA
CURRENT RANGE:
FLUX:30A/15.5V – 120A/20.0V
MMA:20A/20.8V – 120A/24.8V
MAX.CURRENT:120A
RATED DUTY:
FLUX:20%@120A
MMA:20%@120A
PROTECTION CLASS:IP21S
INSULATION CLASS:H
WEIGHT:7.8KGS
DIMENSIONS:0.015

ITEM NO	SIZE		G.W.	CBM
170512	20-120A	1	7	0.023

Float Switch

16a

POWER SOURCE:220-240V/50-60HZ
MAX.WORKING TEMPERATURE:55C
PROTECTION RATING:IP65
MAX.CURRENT:16A

ITEM NO	SIZE		G.W.	CBM
170819	2M	20 / 1	14	0.045
170820	3M	20 / 1	15.5	0.047
170821	5M	20 / 1	19	0.045

Pressure Controller

2.5BAR

POWER SOURCE:220-240V/50-60HZ
STARTING PRESSURE SETTING:0-2.5BAR
MAX.WORKING PRESSURE:10BAR
MAX.WORKING TEMPERATURE:55C
MAX.CURRENT:10A
MAX.POWER:1.1KW
PIPE DIAMETER:1"X1"
PROTECTION RATING:IP65

ITEM NO	SIZE		G.W.	CBM
170817	1"*1"	12 / 1	15	0.064

Pressure Controller

1.5BAR

POWER SOURCE:220-240V/50-60HZ
MAX.WORKING PRESSURE:10BAR
MAX.WORKING TEMPERATURE:55C
STARTING PRESSURE SETTING:1.5BAR
PIPE DIAMETER:1"X1"
PROTECTION RATING:IP65
MAX.CURRENT:10A
MAX.POWER:1.1KW

ITEM NO	SIZE		G.W.	CBM
170816	1"*1"	12 / 1	17	0.1

Clean Water Pump



ITEM NO	SIZE		G.W.	CBM
170801	QB60/1"X1"	4 / 1	22.5	0.033

QB60 370W

SUCT.MAX:8M
Q MAX:35L/MIN
H MAX:32M
MOTOR:COPPER

PROTECTION:IP*4
RATED SOIURCE:220V/50HZ
NO-LOAD SPEED:2850R/MIN
RATED INPUT POWER:370W/0.5HP

ITEM NO	SIZE		G.W.	CBM
170823	QB70/1"X1"	1	8	0.0128

QB70 550W

SUCT.MAX:8M
Q MAX:42L/MIN
H MAX:40M
MOTOR:COPPER

PROTECTION:IP*4
RATED SOIURCE:220V/50HZ
NO-LOAD SPEED:2850R/MIN
RATED INPUT POWER:550W/0.75HP

ITEM NO	SIZE		G.W.	CBM
170824	QB80/1"X1"	1	8	0.0128

QB80 750W

SUCT.MAX:8M
Q MAX:45L/MIN
H MAX:48M
MOTOR:COPPER

PROTECTION:IP*4
RATED SOIURCE:220V/50HZ
NO-LOAD SPEED:2850R/MIN
RATED INPUT POWER:750W/1.0HP

Clean Water Pump

750w

RATED SOIURCE:220V/50HZ
NO-LOAD SPEED:2850R/MIN
RATED INPUT POWER:750W/1.0HP

SUCT.MAX:8M H MAX:27M
PROTECTION:IP*4
MATERIAL:COPPER

ITEM NO	SIZE		G.W.	CBM
170802	CPM158/1"X1"	1	12.9	0.02

Clean Water Pump

750w

RATED SOIURCE:220V/50HZ
NO-LOAD SPEED:2850R/MIN
RATED INPUT POWER:750W/1.0HP

SUCT.MAX:9M / H MAX:51M
PROTECTION:IP*4
MATERIAL:COPPER

ITEM NO	SIZE		G.W.	CBM
170803	JET-100L/1"X1"	1	14	0.021

Clean Water Pump

550w

RATED SOIURCE:220V/60HZ
NO-LOAD SPEED:3450R/MIN
RATED INPUT POWER:550W/0.75HP

SUCT.MAX:8M H MAX:32M
PROTECTION:IP*4
MATERIAL:COPPER

ITEM NO	SIZE		G.W.	CBM
170804	JSW45/1"X1"	1	14	0.021

Clean Water Pump

750w

RATED INPUT POWER:750W/1.0HP
NO-LOAD SPEED:3450R/MIN
RATED VOLTAGE:220-240V
RATED FREQUENCY:60HZ

SUCT.MAX:8M
H MAX:45M
PROTECTION:IP*4
MATERIAL:COPPER

ITEM NO	SIZE		G.W.	CBM
170805	JSW551"X1"	1	14.3	0.021

Clean Water Pump

370w

Q MAX:35L/MIN
RATED POWER:370W/0.5HP
RATED VOLTAGE:220-240V

H MAX:28M

RATED FREQUENCY:50HZ
NO-LOAD SEED:3450RPM
MATERIAL:COPPER

ITEM NO	SIZE		G.W.	CBM
170806	AUPS126/1"X1"	1	9.4	0.021

Automatic Self-priming Pumps

1"/25mm
400w

RATED INPUT POWER:0.55HP/400W
SIZE:1INCH/25MM
RATEDVOLTAGE:220-240V
RATED FREQUENCY 50-60HZ
RATATING SPEED:2850R/MIN
H MAX:32M Q MAX.38L/MIN
MOTOR:COPPER-70MM
PROTECTION:IP*4
SUCT MAX:8M
IMPELLER: COPPER
CABLE LENGTH: 30CM
WITH THERMAL PROTECTION
BEARING: 304 STAINLESS STEEL

ITEM NO	SIZE		G.W.	CBM
170825	1"- 400W	1	9.9	0.017

Centrifugal Pump

2"/50mm
1500w

RATED INPUT POWER:2HP/1500W
SIZE:2INCH/50MM
RATEDVOLTAGE:220-240V
RATED FREQUENCY 50-60HZ
RATATING SPEED:2850R/MIN
Q MAX.450L/MIN H MAX:17M
SUCT MAX:8M
MOTOR:COPPER-90MM
WITH THERMAL PROTECTION
PROTECTION:IP*4
IMPELLER: COPPER
CABLE LENGTH: 30CM

ITEM NO	SIZE		G.W.	CBM
170826	2"-1500W	1	19.6	0.031

Multistage Centrifugal Pump

20cm 370w

RATED INPUT POWER:0.5HP/370W
BEARING: 304 STAINLESS STEEL
RATEDVOLTAGE:220-240V
RATED FREQUENCY 50-60HZ
RATATING SPEED:2850R/MIN
MOTOR:COPPER-60MM
CABLE LENGTH: 30CM
WITH THERMAL PROTECTION
SUCT MAX:4M Q MAX.65L/MIN
H MAX:18M PROTECTION:IP*4
SIZE:1INCH/25MM
IMPELLER: COPPER

ITEM NO	SIZE		G.W.	CBM
170827	1"-370W	1	8.4	0.01

30cm 550w

RATED INPUT POWER:0.75HP/550W
RATED FREQUENCY 50-60HZ
RATATING SPEED:2850R/MIN
SIZE:1INCH/25MM Q MAX.65L/min
RATEDVOLTAGE:220-240V
MOTOR:COPPER-70MM
PROTECTION:IP*4
BEARING: 304 STAINLESS STEEL
CABLE LENGTH: 30CM
IMPELLER: COPPER
WITH THERMAL PROTECTION
SUCT MAX: 4 M H MAX: 27 M

ITEM NO	SIZE		G.W.	CBM
170828	1"-550W	1	8.9	0.01

Automatic Self-priming Jet Pump

24L
750w

SUCT MAX:8M
PROTECTION:IP*4
IMPELLER: COPPER
SIZE:1INCH/25MM
MOTOR:COPPER-70MM
WITH THERMAL PROTECTION
CABLE LENGTH: 100CM
RATED INPUT POWER:1HP/750W
RATEDVOLTAGE:220-240V
RATED FREQUENCY 50-60HZ
RATATING SPEED:2850R/MIN
H MAX:45M Q MAX.60L/MIN

ITEM NO	SIZE		G.W.	CBM
170829	1"-750W	1	19.8	0.08

Clean Water Pump

750w

50 HZ POWER SOURCE:220V/50HZ ROTATING SPEED:2850R/MIN SIZE:1"X1"
Q MAX:50L/MIN H MAX:40M MEYIRAL:COPPER PROTECTION:IP*4

60 HZ POWER SOURCE:220V/60HZ ROTATING SPEED:3450R/MIN SIZE:1"X1"
Q MAX:50L/MIN H MAX:40M MEYIRAL:COPPER PROTECTION:IP*4

ITEM NO	SIZE		G.W.	CBM
170810	STP50/1"X1"	1	8.6	0.22

Sumergible

VOLTAGE
220V/50HZ

SPEED
2850R/MIN

FLOW
40L/MIN
120L/MIN
180L/MIN

ITEM NO	SIZE		G.W.	CBM
170840	370W / 0.5HP 1.2"	1	10.8	0.0146
170841	550W / 0.75HP 1.2"	1	11.8	0.0163
170842	750W / 1.0HP 1.2"	1	13.8	0.018
170843	1100W / 1.5HP 2"	1	15.8	0.019
170844	1500W / 2.0HP 2"	1	18.5	0.02
170845	2200W / 3.0HP 2"	1	25.4	0.032

Submersible Pump

370w

SIZE:1"X1" Q MAX:90L/M H MAX:18M RATED FREQUENCY:50HZ
RATED POWER:370W/0.5HP NO-LOAD SEED:2860RPM
ORATED VOLTAGE:220-240V PACKAGE:COLOR BOX

ITEM NO	SIZE		G.W.	CBM
170807	QDX1.5/1"X1"	1	7.3	0.017

Submersible Pump

750w

SIZE:1"X1" Q MAX:120L/M H MAX:32M MATERIAL:COPPER
RATED POWER:750W/1.0HP PROTECTIONG:IP*8
POWER SOURCE:220V/50HZ ROTATING SPEED:2850R/MIN

ITEM NO	SIZE		G.W.	CBM
170809	QDX1.5/1"X1"	1	12.85	0.022

Dirty Water Pump

750w

POWER SOURCE:220V/50HZ Q MAX:300L/MIN H MAX:13M
ROTATING SPEED:2850R/MIN MATERIAL:COPPER
RATED POWER:750W/1.0HP PROTECTIONG:IP*8

ITEM NO	SIZE		G.W.	CBM
170812	V750Q/50MM	1	18.5	0.024

Dirty Water Pump

1500w

POWER SOURCE:220V/50HZ RATED POWER:1500W/2.0HP
ROTATING SPEED:2850R/MIN H MAX:14M

ITEM NO	SIZE		G.W.	CBM
170814	V1500/50MM	1	20.5	0.032

Sewage Submersible Pump

400W/0.5HP POWER INPUT

MAX.HEAD:5M INSULATION:E MAX.SUBMERSION DEPTH:7M
MAX.FLOW:133L/MIN MAX WATER TEMPERATURE:35°
RATED VOLTAGE:220-240V/50HZ R.P.M:2860R/MIN

ITEM NO	SIZE		G.W.	CBM
170850	400W-1.25"X1"	4 / 1	12.95	0.0448

Sewage Submersible Pump

750W/1.0HP POWER INPUT

RATED VOLTAGE:220-240/50HZ MAX.SUBMERSION DEPTH:7M
MAX.HEAD:8M R.P.M:2860R/MIN INSULATION:E
MAX.FLOW:234L/MIN MAX WATER TEMPERATURE:35°

ITEM NO	SIZE		G.W.	CBM
170851	750W-1.25"X1"	4 / 1	15	0.0448

Automatic Booster Pump

120W
150W

POWER:120W CONNECTION SIZE: 1" →3/4" MAX.HEAD:12M
MAX.FLOW:60L/MIN RATED FLOW:25L/MIN RATED HEAD:9M

ITEM NO	SIZE		G.W.	CBM
170860	120W	8	20	0.045

POWER:120W CONNECTION SIZE: 1" →3/4" MAX.HEAD:15M
MAX.FLOW:60L/MIN RATED FLOW:30L/MIN RATED HEAD:11M

ITEM NO	SIZE		G.W.	CBM
170861	150W	8	22	0.05

Gasoline Generator

800W

SPEED:3000/MIN
MAX.TEMPERATURE:40C
MAX.ALTITUDE:1000M

VOLTAGE:220V/50HZ
RATED POWER:800W
POWER FACTOR:1.0
RATED CURRENT:2.8A

ITEM NO	SIZE		G.W.	CBM
171201	800W	1	16.5	0.04

Gasoline Water Pump

7HP

SUCTION.DISCHARGE PORT DIA:2INCH(50MM)
NET WEIGHT: 24 KG DIMENSION:48.5X38X40.5CM
MAX.CAPACITY: 30 M³/H MAX.POWER:5.1KW (7HP)
PUMP LIFT: 23 M DISPLACEMENT:208CC
MAX.SUCTION HEAD: 7 M MAX.CAPACITY:1000L/MIN
POWER OUTPUT: 7 HP NO-LOAD SPEED:3600RPM

ITEM NO	SIZE		G.W.	CBM
170831	7HP / 2"	1	20.5	0.074
170832	7HP / 3"	1	22	0.081

Gasoline Engine

BORE X STROKE:70X54MM
DISPLACEMENT:208CC
MAX POWER OUTPUT:7.0HP

ITEM NO	SIZE		G.W.	CBM
172701	208CC	1	18	0.45

Diesel Generator

72dB

Diesel Generator (Silent) Rated.A.C.output(kw):6.5/7.0kw
Max.A.C.output(kw):7.0/7.5kw Displacement: 498cc
A.C.Frequency(Hz): 50/60Hz Noise Level:72db
Rated Voltage(V):230/120V Starting System : Electric
Fuel Capacity(L):16L

ITEM NO	SIZE		G.W.	CBM
171217	6.5/7.0KW	1	157	0.44

Gasoline Inverter Generator

62dB

Gasoline Generator (Silent) Displacement:79cc
Rated.A.C.output(kw):1.8kw Starting System : Recoil
Max.A.C.output(kw): 2.0kw Fuel Capacity(L):4L
A.C.Frequency(Hz): 50Hz Noise Level: 62db
Rated Voltage(V):230V Contious Operation Time: 4h

ITEM NO	SIZE		G.W.	CBM
171205	2.0KW/62DB	1	23	0.85

Gasoline Inverter Generator

68dB

Gasoline Generator (Silent)
Rated.A.C.output(kw):3.5kw
Max.A.C.output(kw): 3.8kw
A.C.Frequency(Hz): 50Hz
Rated Voltage(V):230V
Displacement:223cc
Starting System : Electric
Fuel Capacity(L):11L
Noise Level: 68db
Contious Operation Time: 4.5h

ITEM NO	SIZE		G.W.	CBM
171206	3.8KW/68DB	1	45	0.149

Gasoline Inverter Generator

63dB

Gasoline Generator (Silent)
Max.A.C.output(kw): 5.5kw
A.C.Frequency(Hz): 50Hz
Rated Voltage(V):230V
Displacement:223cc
Rated.A.C.output(kw):5.0kw
Starting System : Electric
Fuel Capacity(L):11L
Noise Level: 63db
Contious Operation Time: 3.7h

ITEM NO	SIZE		G.W.	CBM
171207	5.5KW/63DB	1	44	0.161

Gasoline Welder/Generator

Gasoline Welder/Generator
Rated.A.C.output(kw):3.5kw
Max.A.C.output(kw): 3.8kw
A.C.Frequency(Hz): 50Hz
Rated Voltage(V):230V
Displacement:223cc
Starting System : Electric

ITEM NO	SIZE		G.W.	CBM
171208	3.8KW/223CC	1	45	0.161

Gasoline Welder/Generator

Gasoline Welder/Generator
Max.A.C.output(kw): 5.0kw
A.C.Frequency(Hz): 50Hz
Rated Voltage(V):230V
Rated.A.C.output(kw):4.5kw
Displacement:236cc
Starting System : Electric

ITEM NO	SIZE		G.W.	CBM
171209	5.0KW/236CC	1	44	0.161

Diesel Generator

Diesel Generator (Open)
Max.A.C.output(kw):5.0/5.5kw
A.C.Frequency(Hz): 50/60Hz
Rated Voltage(V):230/120V
Rated.A.C.output(kw):4.5/5.0kw
Displacement: 418cc
Starting System : Electric
Fuel Capacity(L):12.5L

ITEM NO	SIZE		G.W.	CBM
171216	5.0/5.5KW/418CC	1	100	0.247

Gasoline Generator

2000w

DC OUTPUT:12V/8.3A
TIME:13H0UR
MAX.OUTPUT:2200W
RATED VOLTAGE:120-240V
RATED POWER:2000W
RATED FREQUENCY:50-60HZ
FUEL TANK CAPACITY:15L

ITEM NO	SIZE		G.W.	CBM
171202	2000W	1	37.6	0.126

Gasoline Generator

2800w

DC OUTPUT:12V/8.3A TIME:10H0UR RATED POWER:2800W
RATED VOLTAGE:120-230V MAX.OUTPUT:3000W
RATED FREQUENCY:50-60HZ FUEL TANK CAPACITY:15L

ITEM NO	SIZE		G.W.	CBM
171203	2800W	1	42.2	0.126

Gasoline Generator

5000w

RATED VOLTAGE:120-240V
RATED FREQUENCY:50-60HZ
RATED POWER:5000W
MAX.OUTPUT:5500W

TIME:13H0UR
DC OUTPUT:12V/8.3A
FUEL TANK CAPACITY:25L

ITEM NO	SIZE		G.W.	CBM
171204	5000W	1	85.5	0.25

Generator&welder

5000w

DC		AC				
VOLTAGE 12V		VOLTAGE 220V	RATED OUTPUT 5.0kW		PHASE	
CURRENT 8.3A		FREAUENCY 50Hz	MAX.OUTPUT 5.5kW		1 Φ	
WELDER	VOLTAGE 25V	RATED OUTPUT 4.5kW	APPLICABLE ELECTRODE			
	CURRENT 190A	PHASE 1 Φ	2.2-4.0mm			

ITEM NO	SIZE		G.W.	CBM
171210	5000W/50HZ	1	97	0.25

Marketing Materials

ZP004 SIZE:2.4MX1M

ZP012

ZP011

ZP006

ZP00502 170L
ZP00503 175XL
ZP00504 180XXL
ZP00505 185XXXL

WISEUP®

PROMOTIONAL FILMING

WISEUP®

YOUR TOOLS SELECT STATION

UL GS FC RoHS FDA CE

LITHIUM BATTERY PLATFORM

LOOKING FOR AGENT. IN STOCK. FAST SHIPPING

BL MOTOR

MAX

WISEUP®

WWW.WISEUPTOOLS.COM
FACEBOOK:WWW.WISEUPTOOLS.COM
YIWU WISEUP HARDWARE TOOLS CO.,LTD

IN STOCK
HIGH QUALITY, HIGH SERVICE, HIGH EFFICIENCY

TUV GS FC RoHS CE FDA